U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE

HISTORICAL CLIMATOLOGY SERIES 5-2

MONTHLY
STATE, REGIONAL, AND NATIONAL
COOLING DEGREE DAYS
WEIGHTED BY POPULATION
(INCLUDES AERIALLY WEIGHTED TEMPERATURE AND PRECIPITATION)

PERIOD: JANUARY 1999 THROUGH MARCH 2000

DATE PUBLISHED: **JULY 2000**

NATIONAL CLIMATIC DATA CENTER
151 PATTON AVENUE
ASHEVILLE, NC 28801-5001

1. STATE POPULATION-WEIGHTED COOLING DEGREE DAYS (BASE 65 DEG F)

THIS TABULATION IS DESIGNED TO PROVIDE UP-TO-DATE HEATING FUEL DEMAND INFORMATION ON A STATE-WIDE BASIS. THE TOTAL MONTHLY SERIES, BY STATE, ARE AVAILABLE FOR THE PERIOD 1931 THROUGH 1991: HISTORICAL CLIMATOLOGY SERIES 5-2, "STATE REGIONAL AND NATIONAL MONTHLY AND SEASONAL HEATING DEGREE DAYS WEIGHTED BY POPULATION (1990 CENSUS), (JANUARY 1931 - DECEMBER 1991)."

THE STATE AVERAGE DEGREE DAY TOTALS FOR EACH MONTH ARE DERIVED FROM THE DIVISIONAL VALUES BY WEIGHTING EACH DIVISION BY ITS PERCENTAGE OF THE TOTAL STATE POPULATION AS ADDUCED FROM THE 1990 CENSUS DATA (BUREAU OF CENSUS,1992). THE POPULATION WEIGHTING PROCEDURE ASSURES THAT DEGREE-DAY AVERAGES FOR THE STATES AS A WHOLE ARE BIASED TOWARD CONDITIONS EXISTING IN THE MORE POPULOUS SECTIONS OF THE STATES. DEGREE DAY DATA IN THIS TABULATION ARE PRESENTLY AVAILABLE FOR THE 48 CONTERMINOUS STATES WITH THE DISTRICT OF COLUMBIA TREATED AS PART OF MARYLAND.

THE INFORMATION IN THE TABLES IS SELF-EXPLANATORY AND IS DESIGNED TO ALLOW COMPARISON OF THE ENERGY DEMAND FOR THE CURRENT YEAR TO NORMAL AND TO CONDITIONS IN THE PREVIOUS YEAR.

INQUIRIES/COMMENTS CALL (704) 271-4800

FOR INFORMATION ABOUT THIS PUBLICATION WRITE TO THE:

NATIONAL CLIMATIC DATA CENTER
VEACH-BALEY FEDERAL BUILDING
151 PATTON AVENUE
ASHEVILLE, N.C. 28801-5001

TO CHANGE YOUR ADDRESS, PLEASE RETURN A COPY OF THE MAILING LABEL ALONG WITH YOUR NEW ADDRESS TO: NATIONAL CLIMATIC DATA CENTER, SUBSCRIPTION SERVICES.

**NOTE : MONTHLY HEATING DEGREE DAY VALUES IN THIS PUBLICATION MAY DIFFER FROM THE HISTORICAL CLIMATOLOGY SERIES 5-1 DUE TO INTERNAL COMPUTER ROUNDING DIFFERENCES BETWEEN THE TWO PROGRAMS.

THE DATA PRESENTED IN THIS MONTHLY OPERATIONAL REPORT ARE PROVISIONAL AND SUBJECT TO CHANGE AND/OR CORRECTIONS WHICH ARE BASED ON LATER INFORMATION.

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 1 ALABAMA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	27	14	13	102	163	341	479	517	259	81	14	3
1999	27	41	54	156	319	660	1139	1656	1915	1996	2010	2013
1999	206.1	209.2	116.1	160.3	115.5	106.3	107.1	111.4	109.0	108.6	108.7	108.5
2000	19	15	46	0	0	0	0	0	0	0	0	0
2000	19	34	80	0	0	0	0	0	0	0	0	0
2000	145.0	173.5	172.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 2 ARIZONA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	4	13	43	57	257	506	615	628	473	257	57	0
1999	4	17	60	117	374	880	1495	2123	2596	2853	2910	2910
1999	666.7	226.7	170.9	87.2	98.4	101.6	98.5	100.8	103.2	106.5	108.0	108.0
2000	6	13	31	0	0	0	0	0	0	0	0	0
2000	6	19	50	0	0	0	0	0	0	0	0	0
2000	1000.0	253.3	142.5	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 3 ARKANSAS

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	2	6	8	59	140	348	522	513	232	59	10	0
1999	2	8	16	75	215	563	1085	1598	1830	1889	1899	1899
1999	222.2	400.0	74.1	116.1	95.7	98.5	103.0	107.1	105.3	105.0	105.5	105.4
2000	1	5	28	0	0	0	0	0	0	0	0	0
2000	1	6	34	0	0	0	0	0	0	0	0	0
2000	111.1	300.0	157.4	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 4 CALIFORNIA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	4	0	1	3	29	90	197	188	143	93	8	0
1999	4	4	5	8	37	127	324	512	655	748	756	756
1999	250.0	137.9	72.5	35.7	61.1	71.8	81.2	82.3	84.9	91.3	91.8	91.7
2000	5	0	5	0	0	0	0	0	0	0	0	0
2000	5	5	10	0	0	0	0	0	0	0	0	0
2000	312.5	172.4	144.9	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 5 COLORADO

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	0	35	156	83	2	0	0	0
1999	0	0	0	0	0	35	191	274	276	276	276	276
1999	.0	.0	.0	.0	.0	62.1	105.4	103.8	98.5	98.4	98.4	98.4
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 6 CONNECTICUT

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	13	154	334	195	68	0	0	0
1999	0	0	0	0	13	167	501	696	764	764	764	764
1999	.0	.0	.0	.0	130.0	179.8	162.6	143.0	145.4	145.1	145.1	145.1
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 7 DELAWARE

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	48	218	467	358	138	9	0	0
1999	0	0	0	0	48	266	733	1091	1229	1238	1238	1238
1999	.0	.0	.0	.0	99.2	105.1	123.2	122.0	120.7	119.7	119.7	119.7
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 8 FLORIDA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	127	104	96	271	328	437	539	562	449	326	160	101
1999	127	231	327	598	926	1363	1902	2464	2913	3239	3399	3500
1999	138.3	130.1	103.8	115.7	107.1	103.4	103.7	104.7	103.7	104.0	104.0	104.0
2000	97	90	189	0	0	0	0	0	0	0	0	0
2000	97	187	376	0	0	0	0	0	0	0	0	0
2000	105.7	105.3	119.4	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 9 GEORGIA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	20	8	7	81	135	303	447	487	219	62	15	2
1999	20	28	35	116	251	554	1001	1488	1707	1769	1784	1786
1999	181.8	171.8	93.3	151.0	104.9	99.0	102.2	108.0	105.3	104.7	104.9	104.7
2000	9	8	32	0	0	0	0	0	0	0	0	0
2000	9	17	49	0	0	0	0	0	0	0	0	0
2000	81.8	104.3	130.7	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 10 IDAHO

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	3	49	136	182	25	0	0	0
1999	0	0	0	0	3	52	188	370	395	395	395	395
1999	.0	.0	.0	.0	31.9	66.7	74.8	92.6	90.9	90.8	90.8	90.8
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 11 ILLINOIS

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	3	84	211	409	196	63	11	0	0
1999	0	0	0	3	87	298	707	903	966	977	977	977
1999	.0	.0	.0	78.9	122.9	114.4	127.9	113.9	110.0	109.2	109.2	109.2
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	.0	.0	214.3	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 12 INDIANA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	2	89	222	396	202	92	10	0	0
1999	0	0	0	2	91	313	709	911	1003	1013	1013	1013
1999	.0	.0	.0	48.8	122.5	118.4	128.7	116.7	114.4	113.6	113.6	113.6
2000	0	0	7	0	0	0	0	0	0	0	0	0
2000	0	0	7	0	0	0	0	0	0	0	0	0
2000	.0	.0	350.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 13 IOWA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	1	62	169	380	190	41	6	0	0
1999	0	0	0	1	63	232	612	802	843	849	849	849
1999	.0	.0	.0	24.4	85.5	88.5	109.5	101.8	98.6	97.9	97.9	97.9
2000	0	0	7	0	0	0	0	0	0	0	0	0
2000	0	0	7	0	0	0	0	0	0	0	0	0
2000	.0	.0	636.4	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 14 KANSAS

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	4	1	12	88	227	503	412	118	25	3	0
1999	0	4	5	17	105	332	835	1247	1365	1390	1393	1393
1999	.0	1333.3	71.4	67.2	79.4	78.4	94.4	97.2	93.7	93.3	93.5	93.5
2000	0	0	10	0	0	0	0	0	0	0	0	0
2000	0	0	10	0	0	0	0	0	0	0	0	0
2000	.0	.0	142.9	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 15 KENTUCKY

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	2	0	1	20	102	270	461	335	151	23	2	0
1999	2	2	3	23	125	395	856	1191	1342	1365	1367	1367
1999	142.9	117.6	27.3	107.5	108.8	114.4	124.4	119.9	117.1	116.3	116.5	116.4
2000	0	1	17	0	0	0	0	0	0	0	0	0
2000	0	1	18	0	0	0	0	0	0	0	0	0
2000	.0	58.8	163.6	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 16 LOUISIANA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	50	45	44	202	289	456	536	624	348	147	41	11
1999	50	95	139	341	630	1086	1622	2246	2594	2741	2782	2793
1999	184.5	207.4	141.7	159.2	127.8	116.4	111.5	114.3	110.9	110.1	109.8	109.5
2000	43	45	104	0	0	0	0	0	0	0	0	0
2000	43	88	192	0	0	0	0	0	0	0	0	0
2000	158.7	192.1	195.7	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 17 MAINE

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	3	68	154	82	39	0	0	0
1999	0	0	0	0	3	71	225	307	346	346	346	346
1999	.0	.0	.0	.0	1500.0	322.7	177.9	145.4	160.5	160.5	160.5	160.5
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 18 MARYLAND & D.C.

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	68	211	454	327	118	4	0	0
1999	0	0	0	0	68	279	733	1060	1178	1182	1182	1182
1999	.0	.0	.0	.0	126.4	109.8	125.2	121.1	118.5	117.2	117.2	117.2
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 19 MASSACHUSETTS

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	6	141	279	159	70	0	0	0
1999	0	0	0	0	6	147	426	585	655	655	655	655
1999	.0	.0	.0	.0	125.0	209.7	165.9	142.8	150.9	150.7	150.7	150.7
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 20 MICHIGAN

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	49	155	304	127	52	0	0	0
1999	0	0	0	0	49	204	508	635	687	687	687	687
1999	.0	.0	.0	.0	142.0	137.2	142.5	122.6	122.6	121.4	121.4	121.4
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 21 MINNESOTA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	46	102	267	134	17	0	0	0
1999	0	0	0	0	46	148	415	549	566	566	566	566
1999	.0	.0	.0	.0	139.8	108.7	125.6	117.8	116.7	116.2	116.2	116.2
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 22 MISSISSIPPI

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	30	23	20	133	206	403	513	553	280	93	17	4
1999	30	53	73	206	412	815	1328	1881	2161	2254	2271	2275
1999	211.3	224.6	124.4	158.7	120.9	112.0	109.6	112.5	109.4	108.8	108.8	108.6
2000	22	22	61	0	0	0	0	0	0	0	0	0
2000	22	44	105	0	0	0	0	0	0	0	0	0
2000	154.9	186.4	178.9	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 23 MISSOURI

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	14	86	238	468	333	118	21	4	0
1999	0	0	0	14	100	338	806	1139	1257	1278	1282	1282
1999	.0	.0	.0	69.7	83.1	90.2	104.3	102.8	100.2	99.7	100.0	100.0
2000	0	0	12	0	0	0	0	0	0	0	0	0
2000	0	0	12	0	0	0	0	0	0	0	0	0
2000	.0	.0	181.8	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 24 MONTANA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	1	0	0	0	1	24	73	125	6	0	1	0
1999	1	1	1	1	2	26	99	224	230	230	231	231
1999	83.3	76.9	66.7	58.8	39.2	54.9	65.2	92.7	88.7	88.7	89.1	89.1
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 25 NEBRASKA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	60	162	409	245	64	8	0	0
1999	0	0	0	0	60	222	631	876	940	948	948	948
1999	.0	.0	.0	.0	74.0	73.2	95.3	92.5	90.3	90.1	90.1	90.1
2000	0	0	6	0	0	0	0	0	0	0	0	0
2000	0	0	6	0	0	0	0	0	0	0	0	0
2000	.0	.0	300.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 26 NEVADA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	3	16	19	138	298	460	425	271	103	9	0
1999	0	3	19	38	176	474	934	1359	1630	1733	1742	1742
1999	.0	272.7	275.4	86.0	109.8	106.8	103.7	104.1	107.9	110.3	110.8	110.8
2000	0	4	9	0	0	0	0	0	0	0	0	0
2000	0	4	13	0	0	0	0	0	0	0	0	0
2000	.0	363.6	188.4	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 27 NEW HAMPSHIRE

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	8	107	196	97	36	0	0	0
1999	0	0	0	0	8	115	311	408	444	444	444	444
1999	.0	.0	.0	.0	173.9	246.8	174.3	145.7	153.4	153.4	153.4	153.4
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 28 NEW JERSEY

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	22	174	409	275	104	3	0	0
1999	0	0	0	0	22	196	605	880	984	987	987	987
1999	.0	.0	.0	.0	85.3	117.2	135.0	128.1	128.4	127.4	127.4	127.4
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 29 NEW MEXICO

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	3	44	174	286	241	93	5	0	0
1999	0	0	0	3	47	221	507	748	841	846	846	846
1999	.0	.0	.0	37.0	85.3	87.4	90.9	94.0	95.2	95.0	95.0	95.0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 30 NEW YORK

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	26	176	362	216	95	0	0	0
1999	0	0	0	0	26	202	564	780	875	875	875	875
1999	.0	.0	.0	.0	148.6	161.2	154.2	136.1	137.4	136.4	136.4	136.4
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 31 NORTH CAROLINA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	11	0	1	24	90	245	439	420	149	30	7	0
1999	11	11	12	36	126	371	810	1230	1379	1409	1416	1416
1999	305.6	255.8	88.2	131.9	91.7	91.9	103.4	108.3	104.4	103.4	103.7	103.6
2000	1	0	18	0	0	0	0	0	0	0	0	0
2000	1	1	19	0	0	0	0	0	0	0	0	0
2000	27.8	23.3	139.7	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 32 NORTH DAKOTA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	23	76	169	134	10	0	0	0
1999	0	0	0	0	23	99	268	402	412	412	412	412
1999	.0	.0	.0	.0	81.9	80.1	88.3	89.4	87.5	87.3	87.3	87.3
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 33 OHIO

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	3	66	200	371	177	84	5	0	0
1999	0	0	0	3	69	269	640	817	901	906	906	906
1999	.0	.0	.0	142.9	128.3	132.1	142.7	125.8	123.4	122.4	122.4	122.4
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	.0	.0	375.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 34 OKLAHOMA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	10	9	40	124	316	543	584	202	58	16	0
1999	0	10	19	59	183	499	1042	1626	1828	1886	1902	1902
1999	.0	714.3	106.7	87.4	82.2	85.5	93.4	100.9	97.4	97.2	98.0	98.0
2000	0	7	21	0	0	0	0	0	0	0	0	0
2000	0	7	28	0	0	0	0	0	0	0	0	0
2000	.0	500.0	157.3	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 35 OREGON

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	0	11	59	97	29	0	0	0
1999	0	0	0	0	0	11	70	167	196	196	196	196
1999	.0	.0	.0	.0	.0	43.8	70.1	91.8	94.7	94.7	94.7	94.7
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 36 PENNSYLVANIA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	35	152	358	202	75	0	0	0
1999	0	0	0	0	35	187	545	747	822	822	822	822
1999	.0	.0	.0	.0	109.4	118.5	139.1	127.0	125.8	124.7	124.7	124.7
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 37 RHODE ISLAND

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	8	131	306	201	87	0	0	0
1999	0	0	0	0	8	139	445	646	733	733	733	733
1999	.0	.0	.0	.0	727.3	235.2	179.2	153.7	160.5	160.3	160.3	160.3
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 38 SOUTH CAROLINA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	20	5	7	68	131	302	481	524	210	57	14	2
1999	20	25	32	100	231	533	1014	1538	1748	1805	1819	1821
1999	212.8	193.8	95.5	143.5	95.3	91.7	98.5	106.2	102.8	101.8	102.0	101.9
2000	7	5	31	0	0	0	0	0	0	0	0	0
2000	7	12	43	0	0	0	0	0	0	0	0	0
2000	74.5	93.0	128.4	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 39 SOUTH DAKOTA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	2	0	0	34	127	306	221	33	0	0	0
1999	0	2	2	2	36	163	469	690	723	723	723	723
1999	.0	9999.9	666.7	80.0	76.1	78.1	93.0	93.3	90.2	89.9	89.9	89.9
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	.0	.0	1000.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 40 TENNESSEE

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	10	2	2	36	107	293	456	385	171	31	2	0
1999	10	12	14	50	157	450	906	1291	1462	1493	1495	1495
1999	416.7	352.9	93.3	154.8	108.5	110.6	116.2	115.3	112.6	111.7	111.8	111.8
2000	0	4	19	0	0	0	0	0	0	0	0	0
2000	0	4	23	0	0	0	0	0	0	0	0	0
2000	.0	117.6	153.3	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 41 TEXAS

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	30	47	59	167	290	464	549	647	380	147	60	10
1999	30	77	136	303	593	1057	1606	2253	2633	2780	2840	2850
1999	243.9	309.2	170.9	146.4	122.6	113.4	107.7	110.3	109.1	108.1	108.7	108.6
2000	33	49	105	0	0	0	0	0	0	0	0	0
2000	33	82	187	0	0	0	0	0	0	0	0	0
2000	268.3	329.3	234.9	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 42 UTAH

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	11	108	300	263	52	8	0	0
1999	0	0	0	0	11	119	419	682	734	742	742	742
1999	.0	.0	.0	.0	50.0	88.3	101.5	108.1	106.2	106.8	106.8	106.8
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 43 VERMONT

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	14	91	176	78	34	0	0	0
1999	0	0	0	0	14	105	281	359	393	393	393	393
1999	.0	.0	.0	.0	191.8	221.5	161.7	133.8	140.1	140.1	140.1	140.1
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 44 VIRGINIA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	2	0	0	4	57	194	414	327	104	8	0	0
1999	2	2	2	6	63	257	671	998	1102	1110	1110	1110
1999	285.7	285.7	80.0	100.0	91.6	92.8	111.0	111.1	106.9	105.5	105.5	105.5
2000	0	0	5	0	0	0	0	0	0	0	0	0
2000	0	0	5	0	0	0	0	0	0	0	0	0
2000	.0	.0	200.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 45 WASHINGTON

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	1	0	0	0	1	10	44	88	12	0	0	0
1999	1	1	1	1	2	12	56	144	156	156	156	156
1999	1000.0	1000.0	1000.0	1000.0	87.0	49.2	62.6	90.1	89.2	89.2	89.2	89.2
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

STATE COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

STATE : 46 WEST VIRGINIA

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	5	50	182	359	205	70	7	0	0
1999	0	0	0	5	55	237	596	801	871	878	878	878
1999	.0	.0	.0	106.4	100.0	116.9	133.4	120.9	115.6	114.6	114.6	114.5
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	.0	.0	111.1	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 47 WISCONSIN

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	37	116	297	122	19	0	0	0
1999	0	0	0	0	37	153	450	572	591	591	591	591
1999	.0	.0	.0	.0	134.5	119.2	139.4	121.0	118.6	117.6	117.6	117.6
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

STATE : 48 WYOMING

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	1	35	143	114	7	0	0	0
1999	0	0	0	0	1	36	179	293	300	300	300	300
1999	.0	.0	.0	.0	26.3	62.0	92.6	101.2	97.3	97.2	97.2	97.2
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS(DIVISIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (DIVISIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

2. REGIONAL POPULATION-WEIGHTED COOLING DEGREE DAYS

THE NATION WAS DIVIDED INTO NINE CENSUS REGIONS AS DEFINED AND USED BY THE BUREAU OF THE CENSUS. THE REGIONS AND STATES THEY COMPRISE ARE LISTED ON THE NEXT PAGE. THE POPULATION WEIGHTS USED TO PRODUCE MONTHLY AND REGIONAL DEGREE DAY TOTALS ARE ALSO SHOWN. THESE WEIGHTS WERE OBTAINED BY DIVIDING EACH STATE'S POPULATION BY THE TOTAL REGIONAL POPULATION.

A PARTICULAR REGIONAL MONTHLY DEGREE DAY VALUE WAS OBTAINED BY MULTIPLYING THE CORRESPONDING STATE DEGREE DAY TOTALS WITHIN A REGION BY THE APPROPRIATE WEIGHT AND ADDING ALL THE PRODUCTS. SEASONAL VALUES ARE OBTAINED BY SUMMING THE MONTHLY TOTALS.

MONTHLY AND SEASONAL DEGREE DAY TOTALS FOR THE NINE CENSUS REGIONS ARE PRESENTED IN THE TABLES FOLLOWING THE WEIGHTS.

2.2 STATE POPULATION-WEIGHTS (1990 CENSUS) FOR THE CENSUS REGIONS OF THE UNITED STATES

01	NEW ENGLAND	
01	CONNECTICUT	.24890
02	MAINE	.09300
03	MASSACHUSETTS	.45550
04	NEW HAMPSHIRE	.08400
05	RHODE ISLAND	.07600
06	VERMONT	.04260
02	MIDDLE ATLANTIC	
01	NEW JERSEY	.20560
02	NEW YORK	.47840
03	PENNSYLVANIA	.31600
03	EAST NORTH CENTRAL	
01	ILLINOIS	.27210
02	INDIANA	.13200
03	MICHIGAN	.22130
04	OHIO	.25820
05	WISCONSIN	.11640
04	WEST NORTH CENTRAL	
01	IOWA	.15720
02	KANSAS	.14030
03	MINNESOTA	.24770
04	MISSOURI	.28980
05	NEBRASKA	.08940
06	NORTH DAKOTA	.03620
07	SOUTH DAKOTA	.03940
05	SOUTH ATLANTIC	
01	DELAWARE	.01530
02	FLORIDA	.29700
03	GEORGIA	.14870
04	MARYLAND AND D.C.	.12370
05	NORTH CAROLINA	.15210
06	SOUTH CAROLINA	.08000
07	VIRGINIA	.14200
08	WEST VIRGINIA	.04120
06	EAST SOUTH CENTRAL	
01	ALABAMA	.26620
02	KENTUCKY	.24280
03	MISSISSIPPI	.16960
04	TENNESSEE	.32140
07	WEST SOUTH CENTRAL	
01	ARKANSAS	.08810
02	LOUISIANA	.15800
03	OKLAHOMA	.11780
04	TEXAS	.63610
08	MOUNTAIN	
01	ARIZONA	.26830
02	COLORADO	.24120
03	IDAHO	.07370
04	MONTANA	.05860
05	NEVADA	.08800
06	NEW MEXICO	.11090
07	UTAH	.12610
08	WYOMING	.03320
09	PACIFIC (AK,HI OMITTED)	
01	CALIFORNIA	.79420
02	OREGON	.07590
03	WASHINGTON	.12990

REGIONAL COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

REGION : 1 NEW ENGLAND

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	8	132	272	155	64	0	0	0
1999	0	0	0	0	8	140	412	567	631	631	631	631
1999	.0	.0	.0	.0	135.6	206.2	166.8	143.6	150.2	150.0	150.0	150.0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

REGION : 2 MIDDLE ATLANTIC

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	0	28	168	370	224	91	1	0	0
1999	0	0	0	0	28	196	566	790	881	882	882	882
1999	.0	.0	.0	.0	115.2	135.4	144.6	131.3	131.6	130.6	130.6	130.6
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	0	0	0	0	0	0	0	0	0	0	0	0
2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

REGION : 3 E. N. CENTRAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	0	0	2	67	186	361	168	65	6	0	0
1999	0	0	0	2	69	255	616	784	849	855	855	855
1999	.0	.0	.0	87.0	127.8	123.5	135.2	119.5	117.1	116.2	116.2	116.1
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	0	0	3	0	0	0	0	0	0	0	0	0
2000	.0	.0	300.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

REGION : 4 W. N. CENTRAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	0	1	0	6	66	175	387	253	69	11	2	0
1999	0	1	1	7	73	248	635	888	957	968	970	970
1999	.0	500.0	29.4	63.1	87.5	87.7	104.4	102.0	99.2	98.7	98.9	98.9
2000	0	0	7	0	0	0	0	0	0	0	0	0
2000	0	0	7	0	0	0	0	0	0	0	0	0
2000	.0	.0	205.9	.0	.0	.0	.0	.0	.0	.0	.0	.0

REGION : 5 SOUTH ATLANTIC

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	44	32	30	102	161	301	469	446	240	117	52	30
1999	44	76	106	208	369	670	1139	1585	1825	1942	1994	2024
1999	144.7	133.1	101.3	118.0	104.7	100.6	105.6	107.8	105.6	105.1	105.2	105.1
2000	31	28	67	0	0	0	0	0	0	0	0	0
2000	31	59	126	0	0	0	0	0	0	0	0	0
2000	102.0	103.3	120.5	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

REGIONAL COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

REGION : 6 E. S. CENTRAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	16	8	8	66	137	319	473	436	208	53	8	1
1999	16	24	32	98	235	554	1027	1463	1671	1724	1732	1733
1999	225.4	222.2	106.7	153.6	114.0	110.0	113.3	114.2	111.5	110.8	110.9	110.7
2000	9	9	33	0	0	0	0	0	0	0	0	0
2000	9	18	51	0	0	0	0	0	0	0	0	0
2000	126.8	166.7	170.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

REGION : 7 W. S. CENTRAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	27	39	46	148	257	435	544	624	341	129	47	8
1999	27	66	112	260	517	952	1496	2120	2461	2590	2637	2645
1999	219.5	280.9	159.3	144.9	119.7	110.8	106.6	109.8	107.9	107.2	107.6	107.5
2000	28	40	88	0	0	0	0	0	0	0	0	0
2000	28	68	156	0	0	0	0	0	0	0	0	0
2000	227.6	289.4	221.9	.0	.0	.0	.0	.0	.0	.0	.0	.0

REGION : 8 MOUNTAIN

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	1	4	13	17	88	210	332	310	171	80	16	0
1999	1	5	18	35	123	333	665	975	1146	1226	1242	1242
1999	333.3	217.4	174.8	84.5	97.0	97.7	98.1	101.0	102.5	104.8	105.8	105.8
2000	2	4	9	0	0	0	0	0	0	0	0	0
2000	2	6	15	0	0	0	0	0	0	0	0	0
2000	666.7	260.9	145.6	.0	.0	.0	.0	.0	.0	.0	.0	.0

REGION : 9 PACIFIC

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	3	0	1	2	23	74	167	168	117	74	6	0
1999	3	3	4	6	29	103	270	438	555	629	635	635
1999	214.3	120.0	69.0	32.8	59.1	70.4	80.2	82.7	85.1	91.2	91.5	91.5
2000	4	0	4	0	0	0	0	0	0	0	0	0
2000	4	4	8	0	0	0	0	0	0	0	0	0
2000	285.7	160.0	137.9	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (STATES WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

3. NATIONAL POPULATION-WEIGHTED COOLING DEGREE DAYS

THE NATIONAL DEGREE DAY TOTALS WERE DERIVED BY POPULATION WEIGHTING THE DEGREE DAY VALUES FOR THE NINE CENSUS REGIONS. THE WEIGHTS USED TO DERIVE THE NATIONAL MONTHLY DEGREE DAY VALUES ARE GIVEN BELOW:

3.2 REGIONAL POPULATION WEIGHTS OF THE CONTERMINOUS UNITED STATES

01	NEW ENGLAND	.05350
02	MIDDLE ATLANTIC	.15220
03	EAST NORTH CENTRAL	.17000
04	WEST NORTH CENTRAL	.07150
05	SOUTH ATLANTIC	.17630
06	EAST SOUTH CENTRAL	.06140
07	WEST SOUTH CENTRAL	.10810
08	MOUNTAIN	.05530
09	PACIFIC	.15170

MONTHLY AND SEASONAL DEGREE TOTALS FOR THE CONTERMINOUS UNITED STATES ARE SHOWN IN THE FOLLOWING TABLE.

NATIONAL COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION), THRU MAR 2000--BASE TEMP = 65 DEG F

REGION : 11 NATIONAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1999	12	11	12	40	94	219	374	305	152	55	17	6
1999	12	23	35	75	169	388	762	1067	1219	1274	1291	1297
1999	162.2	165.5	117.4	123.6	108.9	106.7	112.1	110.3	108.7	108.6	108.9	108.7
2000	10	10	25	0	0	0	0	0	0	0	0	0
2000	10	20	45	0	0	0	0	0	0	0	0	0
2000	135.1	143.9	151.0	.0	.0	.0	.0	.0	.0	.0	.0	.0

LINE 1 = COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION)
LINE 2 = ACCUMULATED COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION)
LINE 3 = [ACCUMULATED COOLING DEGREE DAYS (REGIONS WEIGHTED BY 1990 POPULATION) / ACCUMULATED NORMAL]*100
PERCENTAGE OF 9999.9 => 10000

REFERENCES

THOM,H.C.S., 1954A: THE RATIONAL RELATIONSHIP BETWEEN HEATING DEGREE DAYS AND TEMPERATURE.
+"MONTHLY WEATHER REVIEW", VOL 82,NO.1,1-6.

+THOM,H.C.S., 1954B: NORMAL DEGREE DAYS BELOW ANY BASE. "MONTHLY WEATHER REVIEW", VOL 82,NO.5,111-115.

THOM,H.C.S., 1966: NORMAL DEGREE DAYS ABOVE ANY BASE BY THE UNIVERSAL TRUNCATION COEFFICIENT.
+"MONTHLY WEATHER REVIEW", VOL 94, NO. 7,461-465.

+U.S. DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS, 1992: "1990 CENSUS OF POPULATION, GENERAL
+POPULATION CHARACTERISTICS", SERIES CT-1 (ALABAMA THROUGH WYOMING AND U.S. SUMMARY).

STATE AVERAGE TEMPERATURE (DEG F) (DIVISIONS WEIGHTED BY AREA) -- 1999

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	49.2	51.4	52.5	66.9	69.4	76.5	80.4	82.0	73.4	63.7	56.2	46.9
ARIZONA	46.2	48.9	54.3	54.7	66.4	75.7	79.5	78.7	73.7	65.0	55.5	42.9
ARKANSAS	42.3	49.3	49.1	63.4	68.4	76.7	81.8	81.6	72.2	62.3	55.9	44.1
CALIFORNIA	46.0	46.6	49.9	53.6	62.2	68.7	73.9	73.4	71.2	64.7	54.4	46.9
COLORADO	29.9	33.4	40.0	41.1	51.4	61.1	69.2	66.2	56.3	48.2	41.2	27.9
CONNECTICUT	26.9	31.3	37.2	48.1	58.8	69.6	75.1	70.1	64.6	50.6	45.3	33.8
DELAWARE	38.5	39.1	42.6	54.1	63.4	72.3	79.8	77.1	69.5	56.8	52.4	41.0
FLORIDA	60.9	62.0	62.5	72.8	74.6	79.3	82.2	83.1	79.0	73.6	66.1	59.5
GEORGIA	49.7	51.5	53.2	67.2	69.4	76.3	80.5	82.1	73.4	64.3	57.7	47.9
IDAHO	28.5	29.1	35.5	41.5	49.7	58.2	65.3	67.5	55.5	47.5	40.1	26.8
ILLINOIS	24.7	37.1	37.9	54.3	64.0	72.3	78.6	72.0	65.3	54.6	48.5	32.5
INDIANA	26.8	36.0	36.4	53.7	63.7	72.2	78.0	71.4	65.9	53.7	47.8	33.0
IOWA	16.8	32.4	36.0	49.8	60.7	69.1	77.0	70.3	61.5	51.0	44.3	27.0
KANSAS	31.5	42.3	42.4	53.4	63.1	71.2	80.6	77.6	65.6	56.4	50.4	36.7
KENTUCKY	37.8	41.5	41.9	58.7	65.3	73.9	79.8	75.7	68.5	57.3	51.7	38.9
LOUISIANA	53.6	57.4	58.4	70.7	73.7	79.9	82.3	85.1	76.0	67.0	59.6	50.8
MAINE	13.8	20.7	30.8	40.5	55.6	65.3	68.3	64.3	62.2	42.6	37.6	25.4
MARYLAND & D.C.	36.6	38.0	41.6	54.4	63.8	71.5	79.2	75.2	67.7	55.0	51.1	39.4
MASSACHUSETTS	27.0	30.9	36.6	47.1	57.5	68.8	73.4	68.9	64.8	49.5	45.4	33.7
MICHIGAN	18.1	27.6	30.7	45.9	57.9	66.5	72.0	65.8	60.5	46.8	41.6	27.4
MINNESOTA	8.0	23.6	30.8	45.1	57.5	64.9	72.0	67.1	57.1	44.9	38.2	22.0
MISSISSIPPI	49.4	53.1	53.5	68.0	70.9	78.4	81.6	82.7	73.9	64.0	56.8	47.4
MISSOURI	30.2	41.9	41.9	56.7	63.8	72.6	80.1	76.0	66.7	57.1	52.0	36.8
MONTANA	23.6	31.7	36.9	42.1	51.0	59.0	65.6	68.3	53.5	46.4	40.4	30.7
NEBRASKA	26.1	36.8	39.0	47.3	58.7	67.3	76.6	72.2	60.8	51.3	45.1	32.4
NEVADA	34.1	36.4	42.1	43.5	54.9	64.4	71.7	69.4	62.5	53.5	44.2	32.0
NEW HAMPSHIRE	19.4	24.5	32.0	43.3	56.0	67.0	70.1	65.6	62.0	44.6	41.0	27.6
NEW JERSEY	33.5	35.5	40.2	51.1	60.8	70.7	78.4	74.3	67.5	53.6	49.0	38.1
NEW MEXICO	39.6	42.9	47.5	51.2	60.4	68.6	73.3	71.9	65.3	55.5	47.8	34.5
NEW YORK	21.2	27.3	30.3	44.7	58.2	67.5	72.0	66.5	62.8	47.3	42.8	29.1
NORTH CAROLINA	45.2	44.9	46.8	60.8	65.7	72.9	79.0	78.3	69.2	59.3	54.9	43.8
NORTH DAKOTA	6.9	22.7	31.2	42.8	54.8	63.0	69.5	67.7	54.3	43.4	37.6	24.4
OHIO	28.2	34.5	34.9	52.8	62.3	71.4	77.1	70.3	65.1	52.6	46.2	33.0
OKLAHOMA	39.5	49.0	48.4	60.0	67.5	75.4	82.4	83.6	70.7	61.9	56.2	42.9
OREGON	36.0	35.7	39.9	44.5	50.5	58.5	64.7	66.7	58.7	50.7	44.7	35.1
PENNSYLVANIA	27.2	31.7	34.1	48.9	59.8	67.9	74.6	69.0	63.4	49.8	45.2	32.7
RHODE ISLAND	30.8	34.6	39.8	49.2	59.0	69.0	74.9	71.3	66.7	52.8	47.7	37.0
SOUTH CAROLINA	48.9	49.2	51.0	65.1	68.2	75.2	80.8	82.1	71.8	62.3	57.2	46.4
SOUTH DAKOTA	17.8	33.0	36.8	45.2	56.4	65.6	73.8	71.4	57.8	48.1	42.7	29.5
TENNESSEE	41.7	44.4	44.5	61.2	65.9	74.5	79.7	77.3	69.7	58.4	53.0	41.4
TEXAS	49.9	56.2	57.3	67.0	72.9	79.4	82.1	84.5	76.1	65.9	59.7	48.5
UTAH	32.7	35.1	43.3	43.8	54.7	65.3	73.3	70.6	61.1	52.3	42.5	29.4
VERMONT	17.0	21.7	28.9	41.8	56.7	66.6	69.8	64.6	61.4	43.6	40.0	25.9
VIRGINIA	38.6	39.6	41.9	55.9	63.0	70.7	77.7	74.9	66.0	54.6	51.3	39.5
WASHINGTON	36.0	37.0	40.9	46.4	51.4	59.0	64.4	67.7	58.7	48.5	43.2	36.2
WEST VIRGINIA	33.9	35.5	35.7	53.6	60.7	69.2	75.4	70.3	63.2	52.1	47.2	35.3
WISCONSIN	12.2	26.5	31.9	46.6	58.6	65.6	72.8	66.4	58.4	46.2	40.1	23.0
WYOMING	25.2	28.8	35.4	37.7	48.2	58.2	67.4	66.4	52.4	45.9	39.2	25.8

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE TEMPERATURE (DEG F) (WEIGHTED BY AREA) -- 1999

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	18.0	23.7	32.0	42.6	56.4	66.5	70.0	65.7	62.6	44.7	40.1	27.6
MIDDLE ATLANTIC	24.8	29.9	32.7	47.0	59.1	67.9	73.6	68.2	63.4	48.9	44.3	31.3
E. N. CENTRAL	21.2	31.9	34.1	50.2	61.1	69.3	75.4	68.9	62.7	50.4	44.5	29.3
W. N. CENTRAL	19.7	33.2	36.9	48.5	59.3	67.6	75.6	71.8	60.5	50.3	44.3	29.9
SOUTH ATLANTIC	47.5	48.5	50.0	63.5	67.7	74.5	79.7	79.2	71.4	62.2	56.7	46.7
E. S. CENTRAL	45.0	48.0	48.5	64.1	68.1	76.0	80.4	79.7	71.6	61.1	54.6	44.0
W. S. CENTRAL	47.8	54.4	55.0	65.8	71.6	78.5	82.2	84.1	74.8	64.9	58.7	47.3
MOUNTAIN	32.5	36.1	42.1	44.7	54.8	64.0	70.6	70.0	60.1	51.9	44.1	31.6
PACIFIC	40.9	41.3	45.0	49.4	56.4	63.6	69.2	70.2	64.8	57.1	49.2	41.1
NATIONAL	34.1	39.9	43.3	52.3	60.9	69.0	74.9	73.6	64.9	55.2	48.5	36.5

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

STATE AVERAGE TEMPERATURE (DEG F) (DIVISIONS WEIGHTED BY AREA) -- 2000

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	46.5	51.8	58.7	-	-	-	-	-	-	-	-	-
ARIZONA	46.6	49.5	51.8	-	-	-	-	-	-	-	-	-
ARKANSAS	41.7	48.9	55.0	-	-	-	-	-	-	-	-	-
CALIFORNIA	47.7	49.4	52.3	-	-	-	-	-	-	-	-	-
COLORADO	29.1	34.2	37.2	-	-	-	-	-	-	-	-	-
CONNECTICUT	24.7	31.0	42.1	-	-	-	-	-	-	-	-	-
DELAWARE	33.9	39.5	49.0	-	-	-	-	-	-	-	-	-
FLORIDA	58.8	60.6	67.5	-	-	-	-	-	-	-	-	-
GEORGIA	45.9	51.3	58.8	-	-	-	-	-	-	-	-	-
IDAHO	27.2	33.3	36.9	-	-	-	-	-	-	-	-	-
ILLINOIS	27.2	36.9	45.9	-	-	-	-	-	-	-	-	-
INDIANA	26.6	36.2	45.3	-	-	-	-	-	-	-	-	-
IOWA	21.6	32.1	42.7	-	-	-	-	-	-	-	-	-
KANSAS	33.1	40.5	45.8	-	-	-	-	-	-	-	-	-
KENTUCKY	34.1	43.2	50.1	-	-	-	-	-	-	-	-	-
LOUISIANA	52.3	57.3	63.6	-	-	-	-	-	-	-	-	-
MAINE	13.8	17.6	32.2	-	-	-	-	-	-	-	-	-
MARYLAND & D.C.	32.8	39.2	48.6	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	23.8	30.4	41.2	-	-	-	-	-	-	-	-	-
MICHIGAN	19.9	26.8	38.8	-	-	-	-	-	-	-	-	-
MINNESOTA	10.8	23.1	36.6	-	-	-	-	-	-	-	-	-
MISSISSIPPI	47.2	52.8	59.5	-	-	-	-	-	-	-	-	-
MISSOURI	32.7	41.5	47.8	-	-	-	-	-	-	-	-	-
MONTANA	23.2	27.7	37.2	-	-	-	-	-	-	-	-	-
NEBRASKA	28.4	34.7	41.7	-	-	-	-	-	-	-	-	-
NEVADA	35.5	38.8	41.7	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE	17.1	23.0	35.9	-	-	-	-	-	-	-	-	-
NEW JERSEY	30.4	35.7	45.8	-	-	-	-	-	-	-	-	-
NEW MEXICO	39.1	44.0	46.3	-	-	-	-	-	-	-	-	-
NEW YORK	19.5	26.0	38.2	-	-	-	-	-	-	-	-	-
NORTH CAROLINA	39.1	45.6	53.7	-	-	-	-	-	-	-	-	-
NORTH DAKOTA	12.5	22.1	35.1	-	-	-	-	-	-	-	-	-
OHIO	26.1	35.3	44.6	-	-	-	-	-	-	-	-	-
OKLAHOMA	40.3	47.8	52.6	-	-	-	-	-	-	-	-	-
OREGON	33.8	39.1	40.8	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	25.9	31.5	42.6	-	-	-	-	-	-	-	-	-
RHODE ISLAND	28.0	34.1	43.0	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	43.3	48.9	57.2	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA	21.5	30.1	39.4	-	-	-	-	-	-	-	-	-
TENNESSEE	37.5	45.0	52.1	-	-	-	-	-	-	-	-	-
TEXAS	50.4	56.4	61.0	-	-	-	-	-	-	-	-	-
UTAH	33.1	37.2	40.5	-	-	-	-	-	-	-	-	-
VERMONT	14.8	20.7	34.2	-	-	-	-	-	-	-	-	-
VIRGINIA	33.8	41.0	49.2	-	-	-	-	-	-	-	-	-
WASHINGTON	32.1	36.7	41.3	-	-	-	-	-	-	-	-	-
WEST VIRGINIA	29.1	38.2	45.4	-	-	-	-	-	-	-	-	-
WISCONSIN	15.2	25.1	38.3	-	-	-	-	-	-	-	-	-
WYOMING	24.3	29.4	34.3	-	-	-	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE TEMPERATURE (DEG F) (WEIGHTED BY AREA) -- 2000

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	16.7	21.7	35.1	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	23.2	29.1	40.7	-	-	-	-	-	-	-	-	-
E. N. CENTRAL	22.5	31.5	42.2	-	-	-	-	-	-	-	-	-
W. N. CENTRAL	22.9	32.0	41.2	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	43.2	48.7	56.5	-	-	-	-	-	-	-	-	-
E. S. CENTRAL	41.8	48.6	55.5	-	-	-	-	-	-	-	-	-
W. S. CENTRAL	47.9	54.2	59.2	-	-	-	-	-	-	-	-	-
MOUNTAIN	32.3	36.7	41.0	-	-	-	-	-	-	-	-	-
PACIFIC	40.3	43.6	46.6	-	-	-	-	-	-	-	-	-
NATIONAL	33.9	40.0	46.5	-	-	-	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

STATE AVERAGE PRECIPITATION (IN.) (DIVISIONS WEIGHTED BY AREA) -- 1999

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	8.16	2.45	5.74	2.59	4.21	8.63	4.86	2.15	2.05	3.32	2.66	3.42
ARIZONA	.16	.34	.21	1.40	.15	.35	3.77	2.46	2.05	.00	.00	.03
ARKANSAS	6.90	1.35	5.29	5.74	4.75	5.39	1.81	1.11	1.75	3.14	1.88	4.91
CALIFORNIA	3.35	4.93	2.22	1.74	.28	.25	.29	.18	.17	.62	2.06	.58
COLORADO	.74	.41	.55	3.74	2.39	1.57	2.53	3.29	1.35	.51	.30	.53
CONNECTICUT	6.99	3.90	5.25	1.37	4.31	.86	2.78	3.32	10.93	4.48	3.09	2.83
DELAWARE	6.05	2.62	5.05	2.75	1.54	2.37	1.93	4.70	11.16	3.83	2.18	2.73
FLORIDA	4.01	1.25	1.79	1.72	3.93	9.48	5.93	6.90	7.06	4.96	2.18	1.91
GEORGIA	5.25	3.00	2.50	1.94	2.65	6.29	4.77	3.09	3.89	2.95	2.28	2.27
IDAHO	2.66	3.11	1.17	1.18	1.66	1.66	.28	.91	.17	.96	1.64	2.14
ILLINOIS	4.24	2.31	1.74	5.57	3.62	5.22	2.77	2.65	2.22	1.72	.55	2.76
INDIANA	4.95	3.49	2.17	5.01	3.14	3.98	2.76	2.35	1.36	2.04	1.07	3.25
IOWA	1.31	.95	1.05	6.29	5.02	5.29	5.38	3.16	1.92	.77	1.00	.74
KANSAS	1.28	.54	1.70	5.22	4.46	5.36	2.77	3.21	3.36	.61	.79	1.26
KENTUCKY	6.84	2.73	3.35	3.54	2.92	5.00	2.18	1.84	1.28	2.98	2.33	3.42
LOUISIANA	8.64	1.38	5.28	3.00	4.55	7.17	4.32	1.74	3.57	3.44	.97	4.42
MAINE	5.39	2.21	5.41	.83	2.64	3.02	3.00	3.04	9.10	4.30	3.39	2.72
MARYLAND & D.C.	5.37	2.62	4.36	3.17	1.60	2.15	2.59	4.48	10.45	3.17	2.00	2.65
MASSACHUSETTS	6.82	3.72	5.03	1.12	3.97	1.36	3.40	2.53	8.66	4.58	2.88	2.24
MICHIGAN	3.38	1.52	.87	3.26	3.17	3.83	4.83	2.52	2.83	1.99	1.17	2.25
MINNESOTA	1.22	.40	1.32	2.92	5.03	4.29	5.55	4.05	3.41	1.09	.34	.31
MISSISSIPPI	10.09	2.30	6.52	3.70	3.89	5.33	3.99	1.99	2.77	3.04	2.11	3.73
MISSOURI	3.53	2.39	2.86	6.00	4.65	5.00	1.93	2.16	2.68	1.56	1.14	3.84
MONTANA	.90	.76	.44	1.46	2.11	2.42	1.02	1.78	.99	.76	.79	.50
NEBRASKA	.33	.56	.88	4.28	3.75	5.63	2.52	3.11	1.70	.12	.37	.32
NEVADA	1.20	.62	.32	1.38	.61	.92	.54	.57	.30	.13	.16	.13
NEW HAMPSHIRE	6.43	1.81	4.98	.73	3.45	2.79	3.66	3.00	9.38	3.94	2.90	1.86
NEW JERSEY	7.40	2.84	4.96	2.79	3.05	1.76	1.42	5.52	9.58	3.47	2.34	3.01
NEW MEXICO	.44	.05	.84	1.47	1.65	1.47	3.08	3.41	1.57	.34	.02	.34
NEW YORK	5.43	1.31	3.80	1.85	2.55	2.16	3.35	2.84	6.89	2.96	3.12	2.02
NORTH CAROLINA	5.84	2.53	3.22	3.69	2.89	3.81	4.30	4.64	13.30	4.65	2.42	1.97
NORTH DAKOTA	.92	.38	.54	1.28	5.23	2.91	2.79	3.36	2.40	.31	.05	.25
OHIO	4.32	2.67	2.03	4.04	2.23	2.10	3.80	3.12	1.87	2.19	2.50	2.66
OKLAHOMA	2.14	.94	4.20	5.86	5.41	6.53	1.35	1.43	3.92	1.90	.90	3.15
OREGON	4.44	6.04	2.53	1.15	1.62	.79	.23	1.16	.03	1.81	4.12	2.86
PENNSYLVANIA	5.74	1.92	3.28	4.01	2.55	2.40	2.88	3.72	6.74	2.25	3.38	2.46
RHODE ISLAND	6.62	5.67	5.30	1.64	4.00	.16	1.49	2.84	7.41	5.90	2.92	2.63
SOUTH CAROLINA	5.24	2.73	2.64	3.94	2.49	4.72	3.79	3.25	6.87	4.29	1.96	2.33
SOUTH DAKOTA	.53	.30	.77	3.19	3.69	4.74	2.71	2.76	2.68	.44	.24	.20
TENNESSEE	8.30	3.31	4.50	4.11	4.46	5.63	4.24	1.52	1.32	2.49	3.18	3.18
TEXAS	1.79	.25	2.86	1.98	3.73	3.90	2.07	1.37	1.56	1.31	.26	1.29
UTAH	.86	.76	.34	2.32	1.20	1.00	1.30	1.53	.70	.09	.19	.46
VERMONT	5.35	1.51	3.79	.84	3.60	2.48	3.59	2.54	8.61	4.19	3.34	1.60
VIRGINIA	4.90	2.27	3.47	2.90	2.30	1.84	4.15	3.38	10.47	2.63	2.26	2.24
WASHINGTON	6.26	8.25	3.56	1.11	2.17	1.68	.87	1.15	.34	3.16	7.48	6.53
WEST VIRGINIA	5.50	2.44	4.16	3.04	2.75	1.77	3.37	3.41	3.20	3.38	3.29	2.78
WISCONSIN	2.23	1.29	.56	4.18	5.02	4.29	7.75	3.25	2.17	1.30	1.23	.76
WYOMING	.66	.62	.47	2.72	1.87	1.97	.77	.98	1.43	.26	.34	.45

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE PRECIPITATION (IN.) (WEIGHTED BY AREA) -- 1999

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	5.85	2.43	5.06	.91	3.21	2.49	3.18	2.92	9.12	4.31	3.22	2.39
MIDDLE ATLANTIC	5.71	1.70	3.66	2.87	2.59	2.24	3.00	3.43	7.03	2.69	3.18	2.29
E. N. CENTRAL	3.70	2.13	1.38	4.38	3.53	3.98	4.55	2.79	2.17	1.81	1.25	2.24
W. N. CENTRAL	1.27	.76	1.31	4.09	4.52	4.74	3.35	3.14	2.64	.69	.54	.96
SOUTH ATLANTIC	5.08	2.34	2.88	2.73	2.86	5.09	4.50	4.33	7.87	3.85	2.32	2.20
E. S. CENTRAL	8.40	2.67	5.13	3.44	3.90	6.26	3.89	1.89	1.90	2.98	2.56	3.44
W. S. CENTRAL	3.22	.62	3.64	3.17	4.21	4.86	2.17	1.39	2.18	1.86	.64	2.37
MOUNTAIN	.90	.76	.53	1.92	1.47	1.45	1.72	1.93	1.11	.39	.41	.52
PACIFIC	4.29	5.96	2.59	1.43	1.08	.71	.39	.68	.16	1.51	3.82	2.51
NATIONAL	3.00	1.74	2.10	2.80	2.87	3.31	2.62	2.29	2.56	1.53	1.36	1.65

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

STATE AVERAGE PRECIPITATION (IN.) (DIVISIONS WEIGHTED BY AREA) -- 2000

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
ALABAMA	4.95	1.98	5.17	-	-	-	-	-	-	-	-	-
ARIZONA	.26	.57	1.69	-	-	-	-	-	-	-	-	-
ARKANSAS	2.36	2.60	4.11	-	-	-	-	-	-	-	-	-
CALIFORNIA	4.94	7.14	1.82	-	-	-	-	-	-	-	-	-
COLORADO	.89	.75	2.10	-	-	-	-	-	-	-	-	-
CONNECTICUT	3.70	2.52	4.20	-	-	-	-	-	-	-	-	-
DELAWARE	3.51	2.17	7.34	-	-	-	-	-	-	-	-	-
FLORIDA	2.37	1.17	2.70	-	-	-	-	-	-	-	-	-
GEORGIA	4.60	1.83	4.83	-	-	-	-	-	-	-	-	-
IDAHO	2.53	2.35	1.45	-	-	-	-	-	-	-	-	-
ILLINOIS	1.70	2.58	2.09	-	-	-	-	-	-	-	-	-
INDIANA	2.69	3.57	2.11	-	-	-	-	-	-	-	-	-
IOWA	.77	1.39	1.00	-	-	-	-	-	-	-	-	-
KANSAS	.45	1.59	4.13	-	-	-	-	-	-	-	-	-
KENTUCKY	4.20	4.59	3.53	-	-	-	-	-	-	-	-	-
LOUISIANA	2.06	1.11	5.28	-	-	-	-	-	-	-	-	-
MAINE	3.53	3.01	3.54	-	-	-	-	-	-	-	-	-
MARYLAND & D.C.	2.90	2.38	4.80	-	-	-	-	-	-	-	-	-
MASSACHUSETTS	3.62	3.41	4.40	-	-	-	-	-	-	-	-	-
MICHIGAN	1.73	1.42	1.67	-	-	-	-	-	-	-	-	-
MINNESOTA	.66	1.04	1.19	-	-	-	-	-	-	-	-	-
MISSISSIPPI	3.28	1.84	5.05	-	-	-	-	-	-	-	-	-
MISSOURI	1.42	2.73	2.73	-	-	-	-	-	-	-	-	-
MONTANA	.65	.80	.66	-	-	-	-	-	-	-	-	-
NEBRASKA	.30	1.00	1.52	-	-	-	-	-	-	-	-	-
NEVADA	1.12	1.91	.80	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE	3.57	3.50	3.58	-	-	-	-	-	-	-	-	-
NEW JERSEY	3.16	2.16	4.64	-	-	-	-	-	-	-	-	-
NEW MEXICO	.23	.14	1.51	-	-	-	-	-	-	-	-	-
NEW YORK	3.14	2.79	3.00	-	-	-	-	-	-	-	-	-
NORTH CAROLINA	5.07	2.04	3.30	-	-	-	-	-	-	-	-	-
NORTH DAKOTA	.26	1.04	.73	-	-	-	-	-	-	-	-	-
OHIO	2.63	3.31	2.52	-	-	-	-	-	-	-	-	-
OKLAHOMA	1.22	1.52	4.32	-	-	-	-	-	-	-	-	-
OREGON	5.41	3.99	2.13	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	2.26	2.72	3.36	-	-	-	-	-	-	-	-	-
RHODE ISLAND	4.13	3.20	5.73	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	6.02	1.65	4.20	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA	.38	.73	1.32	-	-	-	-	-	-	-	-	-
TENNESSEE	3.65	3.74	4.61	-	-	-	-	-	-	-	-	-
TEXAS	1.06	1.03	2.49	-	-	-	-	-	-	-	-	-
UTAH	1.33	1.64	1.12	-	-	-	-	-	-	-	-	-
VERMONT	2.91	3.56	2.97	-	-	-	-	-	-	-	-	-
VIRGINIA	3.37	1.87	3.28	-	-	-	-	-	-	-	-	-
WASHINGTON	5.13	3.87	3.45	-	-	-	-	-	-	-	-	-
WEST VIRGINIA	2.05	4.07	3.06	-	-	-	-	-	-	-	-	-
WISCONSIN	1.24	1.32	1.39	-	-	-	-	-	-	-	-	-
WYOMING	.74	.71	.73	-	-	-	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.

REGIONAL & NATIONAL AVERAGE PRECIPITATION (IN.) (WEIGHTED BY AREA) -- 2000

AREA	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
NEW ENGLAND	3.48	3.17	3.66	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	2.76	2.71	3.28	-	-	-	-	-	-	-	-	-
E. N. CENTRAL	1.90	2.29	1.91	-	-	-	-	-	-	-	-	-
W. N. CENTRAL	.59	1.34	1.85	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	3.90	1.93	3.66	-	-	-	-	-	-	-	-	-
E. S. CENTRAL	4.04	2.93	4.64	-	-	-	-	-	-	-	-	-
W. S. CENTRAL	1.35	1.31	3.29	-	-	-	-	-	-	-	-	-
MOUNTAIN	.89	1.04	1.24	-	-	-	-	-	-	-	-	-
PACIFIC	5.12	5.51	2.26	-	-	-	-	-	-	-	-	-
NATIONAL	2.03	2.01	2.35	-	-	-	-	-	-	-	-	-

NOTE : DASHES INDICATE DATA NOT AVAILABLE OR MISSING.