






**Monthly Station Normals
of Temperature, Precipitation,
and Heating and Cooling
Degree Days
1971 - 2000**



**10
IDAHO**



**NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC**




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

IDAHO

Page 2

(This Page Intentionally Left Blank)



CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 3

NOTES

Product Description:

This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:

No. = Station Number in State Map

COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)

WBAN ID = Weather Bureau Army Navy ID, if assigned

Elements = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)

Call = 3-Letter Station Call Sign, if assigned

MAX = Normal Maximum Temperature (degrees Fahrenheit)

MEAN = Average of MAX and MIN (degrees Fahrenheit)

MIN = Normal Minimum Temperature (degrees Fahrenheit)

HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)

CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)

Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)

Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)

Elev = Elevation in feet above mean sea level

Flag 1 = * if a published *Local Climatological Data* station

Flag 2 = + if WMO Fully Qualified (see *Note* below)

HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000

MEDIAN = Median Mean Monthly Value/Year, 1971-2000

LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000

MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule

MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO, 1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (e.g., changes in station location, instrumentation, time of observation, etc.) and be serially complete (i.e., no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al.*, 1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (e.g., after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (e.g., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.


References:


- Easterling, D.R., and T.C. Peterson, 1995: [A new method for detecting and adjusting for undocumented discontinuities in climatological time series](#). *Intl. J. Clim.*, **15**, 369-377.
- Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland, 1986: [A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States](#). *J. Clim. Appl. Met.*, **25**, 145-160.
- Peterson, T.C., and D.R. Easterling, 1994: [Creation of homogeneous composite climatological reference series](#). *Intl. J. Clim.*, **14**, 671-679.
- Peterson, T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: [Global Historical Climatology Network \(GHCN\) quality control of monthly temperature data](#). *Intl. J. Clim.*, **18**, 1169-1179.
- Thom, H.C.S., 1966: [Normal degree days above any base by the universal truncation coefficient](#). *Month. Wea. Rev.*, **94**, 461-465.
- World Meteorological Organization, 1989: [Calculation of Monthly and Annual 30-Year Standard Normals](#), WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

Release Date: Revised 01/2002

National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina

10 - IDAHO






CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 5

STATION INVENTORY										
No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	100010		XNP	ABERDEEN EXPERIMNT STN		42 57 N	112 50 W	4405		+
2	100227		XNP	AMERICAN FALLS 3 NW		42 47 N	112 55 W	4405		+
3	100282		XNP	ANDERSON DAM		43 22 N	115 27 W	3882		
4	100347		XNP	ARBON 2 NW		42 30 N	112 35 W	5210		
5	100375		XNP	ARCO		43 38 N	113 18 W	5325		
6	100448		XNP	ARROWROCK DAM		43 37 N	115 55 W	3275		+
7	100470		XNP	ASHTON		44 04 N	111 27 W	5212		+
8	100528		XNP	AVERY RS #2		47 15 N	115 56 W	2390		
9	100667		XNP	BAYVIEW MODEL BASIN		47 59 N	116 34 W	2075		+
10	100915		XNP	BLACKFOOT 1 SE		43 11 N	112 19 W	4498		
11	101002		XNP	BLISS 4 NW		42 57 N	115 01 W	3275		
12	101017		XNP	BOISE 7 N		43 44 N	116 12 W	3885		+
13	101018		XNP	BOISE LUCKY PEAK DAM		43 32 N	116 03 W	2840		
14	101022	24131	XNP	BOISE AIR TERMINAL	BOI	43 34 N	116 14 W	2814	*	+
15	101079		XNP	BONNERS FERRY		48 42 N	116 19 W	1770		+
16	101180		XNP	BROWNLEE DAM		44 50 N	116 52 W	1844		+
17	101195		XNP	BRUNEAU		42 53 N	115 48 W	2530		+
18	101220		XNP	BUHL NO 2		42 36 N	114 45 W	3800		
19	101303	24133	XNP	BURLEY MUNICIPAL AP	BYI	42 33 N	113 46 W	4157		+
20	101363		XNP	CABINET GORGE		48 05 N	116 04 W	2260		+
21	101380		XNP	CALDWELL		43 40 N	116 41 W	2370		+
22	101408		XNP	CAMBRIDGE		44 34 N	116 41 W	2650		+
23	101514		XNP	CASCADE 1 NW		44 31 N	116 03 W	4896		+
24	101551		XNP	CASTLEFORD 2 N		42 33 N	114 52 W	3825		+
25	101636		P	CENTERVILLE ARBAUGH RNCH		43 58 N	115 51 W	4440		
26	101663		XNP	CHALLIS		44 30 N	114 14 W	5175		
27	101671		XNP	CHILLY BARTON FLAT		43 59 N	113 50 W	6260		+
28	101932		XNP	COBALT		45 05 N	114 14 W	5008		
29	101956		XNP	COEUR D'ALENE		47 41 N	116 48 W	2133		
30	102159		XNP	COTTONWOOD 2 WSW		46 02 N	116 24 W	3945		
31	102187		XNP	COUNCIL		44 44 N	116 26 W	2950		
32	102260		XNP	CRATERS OF THE MOON		43 28 N	113 33 W	5897		+
33	102444		XNP	DEER FLAT DAM		43 35 N	116 45 W	2510		+
34	102575		XNP	DIXIE		45 33 N	115 28 W	5620		+
35	102676		XNP	DRIGGS		43 44 N	111 07 W	6286		+
36	102707		XNP	DUBOIS EXPERIMENT STN		44 15 N	112 12 W	5450		+
37	102845		XNP	DWORSHAK FISH HATCHERY		46 30 N	116 19 W	995		+
38	102875		XNP	ELK CITY 1 NE		45 50 N	115 27 W	4058		+
39	102892		XNP	ELK RIVER 1 S		46 46 N	116 11 W	2918		+
40	102942		XNP	EMMETT 2 E		43 51 N	116 28 W	2390		+
41	103108		XNP	FAIRFIELD RANGER STN		43 21 N	114 47 W	5065		+
42	103143		XNP	FENN RANGER STN (LOWELL)	P69	46 06 N	115 33 W	1590		+
43	103297		XNP	FORT HALL 1 NNE		43 03 N	112 25 W	4465		+
44	103448		XNP	GARDEN VALLEY		44 06 N	115 58 W	3100		+
45	103554		XNP	GIBBONSVILLE		45 34 N	113 56 W	4480		
46	103631		XNP	GLENNS FERRY		42 57 N	115 19 W	2510		
47	103732	94193	XNP	GRACE		42 35 N	111 45 W	5550		+
48	103760		XNP	GRAND VIEW 4 NW		43 01 N	116 11 W	2400		+
49	103771	24195	XNP	GRANGEVILLE	S80	45 56 N	116 07 W	3360		+
50	103882		XNP	GROUSE		43 42 N	113 36 W	6137		
51	103932		XNP	HAGERMAN 2 SW		42 48 N	114 55 W	2875		
52	103942	94161	P	HAILEY 3 NNW		43 34 N	114 20 W	5424		
53	103964		XNP	HAMER 4 NW		43 58 N	112 16 W	4790		+
54	104140		XNP	HAZELTON		42 36 N	114 08 W	4060		+
55	104150		XNP	HEADQUARTERS		46 38 N	115 49 W	3165		
56	104268		XNP	HILL CITY 1 W		43 18 N	115 04 W	5100		+
57	104295		XNP	HOLLISTER		42 21 N	114 35 W	4525		
58	104384		XNP	HOWE		43 48 N	113 00 W	4820		
59	104442		XNP	IDAHO CITY		43 50 N	115 50 W	3965		+
60	104455		XNP	IDAHO FALLS 2 ESE		43 29 N	112 01 W	4765		
61	104456		XNP	IDAHO FALLS 16 SE		43 21 N	111 47 W	5850		+
62	104457	24145	XNP	IDAHO FALLS FANNING AP	IDA	43 31 N	112 04 W	4729		
63	104460	94143	XNP	IDAHO FALLS 46 W		43 32 N	112 57 W	4938		+
64	104598		XNP	ISLAND PARK		44 25 N	111 22 W	6290		+
65	104670		XNP	JEROME		42 44 N	114 31 W	3740		+
66	104793		P	KAMIAH		46 14 N	116 02 W	1230		
67	104831		XNP	KELLOGG		47 32 N	116 08 W	2320		+
68	104845		XNP	KETCHUM RANGER STN		43 41 N	114 22 W	5890		+
69	105013		XNP	KOOSKIA 5 SSE		46 05 N	115 56 W	2330		
70	105038		XNP	KUNA		43 29 N	116 25 W	2690		




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 6

STATION INVENTORY										
No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
71	105177		XNP	LEADORE NO 2		44 41 N	113 22 W	6000		
72	105241	24149	XNP	LEWISTON AP	LWS	46 22 N	117 01 W	1436	*	+
73	105275		XNP	LIFTON PUMPING STN		42 07 N	111 19 W	5926		+
74	105414		XNP	LOWMAN		44 05 N	115 37 W	3920		
75	105462		XNP	MACKAY LOST RIVER RS		43 55 N	113 38 W	5897		+
76	105559	24151	XNP	MALAD CITY AP		42 09 N	112 17 W	4470		+
77	105563		XNP	MALTA 4 ESE		42 18 N	113 18 W	4590		+
78	105567	94186	P	MALTA AVIATION	77M	42 18 N	113 20 W	4540		
79	105678		XNP	MASSACRE ROCKS ST PARK		42 40 N	113 00 W	4195		+
80	105685		XNP	MAY 2 SSE		44 34 N	113 54 W	5050		
81	105708		XNP	MCCALL	MYL	44 53 N	116 06 W	5025		+
82	105716		XNP	MCCAMMON		42 39 N	112 12 W	4774		
83	105897		XNP	MIDDLE FORK LODGE		44 43 N	115 01 W	4480		+
84	105980		XNP	MINIDOKA DAM		42 41 N	113 30 W	4164		+
85	106053		XNP	MONTPELIER RANGER STN		42 19 N	111 18 W	5960		
86	106152		XNP	MOSCOW U OF I		46 43 N	116 58 W	2660		+
87	106174		XNP	MOUNTAIN HOME		43 08 N	115 43 W	3140		+
88	106305		XNP	NAMPA SUGAR FACTORY		43 36 N	116 35 W	2470		
89	106388		XNP	NEW MEADOWS RANGER STN		44 58 N	116 17 W	3870		+
90	106424		XNP	NEZPERCE		46 14 N	116 15 W	3240		+
91	106542		XNP	OAKLEY		42 14 N	113 54 W	4560		+
92	106590		XNP	OLA 4 S		44 08 N	116 17 W	2990		
93	106681		XNP	OROFINO		46 29 N	116 16 W	1320		
94	106764		XNP	PALISADES		43 21 N	111 13 W	5385		
95	106844		XNP	PARMA EXPERIMENT STN		43 48 N	116 57 W	2290		+
96	106877		XNP	PAUL 1 ENE		42 38 N	113 46 W	4150		+
97	106891		XNP	PAYETTE		44 05 N	116 56 W	2150		+
98	107040		XNP	PICABO		43 18 N	114 04 W	4830		+
99	107046		XNP	PIERCE		46 30 N	115 48 W	3080		
100	107211	24156	XNP	POCATELLO RGNL AP	PIH	42 55 N	112 34 W	4440	*	+
101	107264		XNP	PORTHILL		49 00 N	116 30 W	1775		+
102	107301		XNP	POTLATCH 3 NNE		46 57 N	116 53 W	2600		+
103	107320		XNP	POWELL		46 31 N	114 43 W	3530		+
104	107346		XNP	PRESTON		42 05 N	111 52 W	4800		
105	107386		XNP	PRIEST RIVER EXP STN		48 21 N	116 50 W	2380		+
106	107644		XNP	REXBURG RICKS COLLEGE		43 49 N	111 47 W	4925		
107	107648		XNP	REYNOLDS		43 12 N	116 45 W	3930		+
108	107673		XNP	RICHFIELD		43 03 N	114 09 W	4282		+
109	107706		XNP	RIGGINS		45 25 N	116 19 W	1800		+
110	107968		XNP	RUPERT 3 WSW		42 36 N	113 45 W	4200		
111	108022		XNP	SAINT ANTHONY 1 WNW		43 58 N	111 43 W	4950		+
112	108062		XNP	SAINT MARIES 1 W	S72	47 19 N	116 35 W	2320		+
113	108080	94180	XNP	SALMON KSRA	27U	45 11 N	113 54 W	3931		+
114	108137		XNP	SANDPOINT EXP STATION		48 18 N	116 33 W	2100		+
115	108380		XNP	SHOSHONE 1 WNW		42 56 N	114 25 W	3950		+
116	108395		XNP	SHOUP		45 23 N	114 17 W	3400		
117	108412		XNP	SILVER CITY 5 W		43 01 N	116 49 W	6160		
118	108535		XNP	SODA SPRINGS AP		42 39 N	111 35 W	5842		
119	108676		XNP	STANLEY		44 13 N	114 56 W	6271		
120	108928		XNP	SWAN FALLS P H		43 15 N	116 23 W	2325		+
121	108937		XNP	SWAN VALLEY 2 E		43 27 N	111 18 W	5360		+
122	109000		XNP	TAYLOR RANCH		45 06 N	114 51 W	3835		
123	109065		XNP	TETONIA EXPERIMENT STN		43 51 N	111 17 W	6170		
124	109293		XNP	TWIN FALLS KMVT		42 35 N	114 28 W	3670		
125	109303		XNP	TWIN FALLS 6 E	TWF	42 33 N	114 21 W	3960		+
126	109498		XNP	WALLACE WOODLAND PARK		47 29 N	115 55 W	2940		+
127	109560		XNP	WARREN		45 16 N	115 41 W	5907		+
128	109638		XNP	WEISER		44 15 N	116 58 W	2120		
129	109846		XNP	WINCHESTER		46 14 N	116 37 W	3950		+
130	109951		XNP	YELLOW PINE 7 S		44 51 N	115 31 W	5100		




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 7

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ABERDEEN EXPERIMNT STN	MAX	31.0	37.1	47.3	57.9	66.9	76.3	85.0	85.1	74.7	62.0	44.2	32.9	58.4
		MEAN	21.4	26.7	35.9	44.0	52.5	60.6	67.1	65.9	56.2	45.3	32.5	22.6	44.2
		MIN	11.7	16.3	24.5	30.1	38.1	44.8	49.1	46.7	37.7	28.5	20.8	12.2	30.0
002	AMERICAN FALLS 3 NW	MAX	32.9	39.2	49.7	60.1	68.7	78.2	86.3	85.8	75.4	61.8	44.1	33.8	59.7
		MEAN	25.2	30.5	39.2	47.5	55.4	63.6	70.4	69.7	60.4	49.1	35.7	26.3	47.8
		MIN	17.5	21.8	28.6	34.9	42.0	48.9	54.5	53.6	45.3	36.4	27.3	18.7	35.8
003	ANDERSON DAM	MAX	35.9	40.3	48.6	59.6	69.4	79.4	89.1	88.5	77.7	64.4	45.6	35.6	61.2
		MEAN	27.0	30.0	37.5	46.2	54.9	63.2	71.3	70.8	61.6	50.6	36.4	27.3	48.1
		MIN	18.1	19.7	26.4	32.8	40.3	46.9	53.4	53.0	45.4	36.7	27.1	18.9	34.9
004	ARBON 2 NW	MAX	30.2	34.9	45.1	56.2	65.8	76.0	84.9	84.2	74.1	60.4	41.9	31.7	57.1
		MEAN	22.4	26.5	35.1	43.3	51.4	59.8	67.0	66.4	57.2	46.0	32.4	23.4	44.2
		MIN	14.6	18.1	25.0	30.4	36.9	43.6	49.1	48.5	40.3	31.6	22.9	15.1	31.3
005	ARCO	MAX	29.5	35.5	45.7	58.1	67.0	76.6	84.6	83.2	73.6	61.1	41.9	30.4	57.3
		MEAN	17.2	22.6	33.2	43.5	51.8	60.0	66.5	65.1	55.8	45.1	29.8	18.3	42.4
		MIN	4.8	9.6	20.7	28.8	36.6	43.4	48.4	47.0	38.0	29.0	17.6	6.2	27.5
006	ARROWROCK DAM	MAX	34.7	41.5	50.9	60.3	69.6	79.4	89.2	89.0	77.6	63.8	45.3	35.4	61.4
		MEAN	28.0	33.2	41.1	48.5	56.6	65.0	73.0	72.6	62.3	50.8	37.6	28.9	49.8
		MIN	21.3	24.9	31.2	36.7	43.5	50.5	56.8	56.2	46.9	37.8	29.8	22.4	38.2
007	ASHTON	MAX	29.5	34.4	41.9	53.3	64.4	73.6	81.6	82.0	72.9	60.6	41.8	30.9	55.6
		MEAN	19.0	23.9	31.5	41.3	50.7	58.0	63.9	63.2	54.7	44.5	30.4	20.0	41.8
		MIN	8.5	13.4	21.1	29.3	36.9	42.3	46.2	44.3	36.5	28.3	18.9	9.0	27.9
008	AVERY RS #2	MAX	32.1	36.7	47.2	58.4	68.2	76.0	84.5	84.7	73.3	56.2	38.4	31.2	57.2
		MEAN	26.8	30.3	38.1	46.4	54.4	61.4	67.4	67.1	58.3	45.6	33.3	26.9	46.3
		MIN	21.4	23.8	28.9	34.3	40.6	46.7	50.3	49.5	43.2	34.9	28.1	22.5	35.4
009	BAYVIEW MODEL BASIN	MAX	35.1	39.0	46.5	56.2	65.6	73.5	80.5	80.1	68.6	55.7	42.4	35.5	56.6
		MEAN	28.5	31.5	36.8	44.0	52.0	59.1	64.7	63.9	54.3	43.9	35.3	29.1	45.3
		MIN	21.8	23.9	27.0	31.8	38.4	44.7	48.9	47.6	39.9	32.0	28.1	22.7	33.9
010	BLACKFOOT 1 SE	MAX	30.5	37.4	48.7	59.0	67.8	77.3	85.0	84.8	74.8	61.9	43.9	32.0	58.6
		MEAN	22.3	28.0	37.1	45.2	53.2	61.1	67.5	66.8	57.7	46.8	33.4	23.1	45.2
		MIN	14.0	18.6	25.5	31.4	38.5	44.9	50.0	48.7	40.5	31.6	22.9	14.2	31.7
011	BLISS 4 NW	MAX	35.9	43.1	53.7	62.8	71.8	81.6	90.1	89.1	78.8	66.2	48.0	37.2	63.2
		MEAN	27.2	33.0	41.1	48.7	56.9	65.4	72.2	70.7	61.5	50.3	37.0	28.4	49.4
		MIN	18.4	22.8	28.4	34.5	41.9	49.2	54.3	52.3	44.2	34.4	25.9	19.5	35.5
012	BOISE 7 N	MAX	35.6	42.0	50.2	58.4	67.7	77.8	87.6	86.8	75.4	61.7	45.3	36.2	60.4
		MEAN	28.8	34.1	40.7	47.0	54.7	63.5	72.0	71.8	62.2	50.8	37.7	29.3	49.4
		MIN	22.0	26.2	31.1	35.5	41.7	49.1	56.3	56.8	48.9	39.9	30.1	22.4	38.3
013	BOISE LUCKY PEAK DAM	MAX	38.6	45.4	54.4	62.9	72.1	81.4	90.2	90.0	79.5	66.8	49.3	39.1	64.1
		MEAN	30.2	35.9	42.8	50.0	58.0	65.7	72.9	72.8	63.4	53.1	39.9	30.8	51.3
		MIN	21.7	26.4	31.1	37.1	43.8	49.9	55.6	55.5	47.3	39.3	30.4	22.4	38.4
014	BOISE AIR TERMINAL	MAX	36.7	44.5	53.6	61.7	70.7	80.3	89.2	88.0	77.2	64.3	47.5	37.2	62.6
		MEAN	30.2	36.7	43.8	50.6	58.6	67.2	74.7	73.9	64.2	52.8	39.9	30.6	51.9
		MIN	23.6	28.8	34.0	39.4	46.6	54.2	60.3	59.8	51.2	41.3	32.4	24.1	41.3
015	BONNERS FERRY	MAX	33.3	39.2	49.5	60.4	69.3	76.0	83.1	83.4	72.3	57.4	41.3	33.5	58.2
		MEAN	26.9	31.8	39.3	47.6	55.5	61.8	66.9	66.7	57.1	45.8	35.0	27.8	46.9
		MIN	20.5	24.3	29.1	34.7	41.6	47.6	50.7	50.0	41.9	34.1	28.6	22.1	35.4
016	BROWNLEE DAM	MAX	37.7	44.9	55.3	65.0	74.1	83.5	94.1	93.7	82.1	67.5	49.1	39.3	65.5
		MEAN	30.5	36.0	44.7	52.9	61.1	69.5	78.0	77.7	67.4	55.0	41.0	32.3	53.8
		MIN	23.3	27.0	34.0	40.7	48.0	55.5	61.9	61.7	52.7	42.4	32.8	25.2	42.1
017	BRUNEAU	MAX	40.2	48.3	58.3	66.7	75.1	84.6	93.0	92.0	81.5	68.6	51.1	40.0	66.6
		MEAN	31.4	37.5	45.1	51.9	59.9	68.1	75.1	73.7	63.8	52.8	40.2	31.1	52.6
		MIN	22.5	26.7	31.9	37.1	44.6	51.6	57.1	55.3	46.0	37.0	29.3	22.2	38.4
018	BUHL NO 2	MAX	33.5	40.1	49.7	58.7	67.1	76.6	85.7	85.0	74.5	62.2	45.1	34.9	59.4
		MEAN	26.3	31.6	39.4	46.8	54.8	63.2	70.9	69.8	60.1	49.3	36.0	27.3	48.0
		MIN	19.0	23.1	29.1	34.8	42.4	49.7	56.1	54.5	45.6	36.4	26.8	19.6	36.4
019	BURLEY MUNICIPAL AP	MAX	36.9	43.9	52.8	61.8	70.5	80.6	88.6	87.8	77.0	64.5	47.7	38.0	62.5
		MEAN	28.3	34.1	41.5	48.8	56.9	65.3	71.9	70.7	61.0	50.3	37.4	29.0	49.6
		MIN	19.7	24.2	30.1	35.8	43.2	50.0	55.2	53.5	45.0	36.0	27.1	19.9	36.6
020	CABINET GORGE	MAX	31.6	37.3	45.7	55.2	64.3	70.8	79.6	79.7	69.7	55.8	39.5	32.4	55.1
		MEAN	26.3	30.4	37.0	44.5	52.3	58.6	64.9	64.9	56.7	46.0	34.4	27.8	45.3
		MIN	20.9	23.5	28.2	33.7	40.3	46.3	50.1	50.0	43.6	36.2	29.3	23.2	35.4
021	CALDWELL	MAX	37.1	46.1	57.4	66.3	75.1	84.2	92.6	91.7	80.8	67.0	49.3	37.9	65.5
		MEAN	29.1	36.2	45.0	52.4	60.7	68.5	75.4	73.8	63.3	51.8	38.9	29.6	52.1
		MIN	21.1	26.2	32.6	38.5	46.2	52.8	58.1	55.8	45.8	36.6	28.4	21.3	38.6
022	CAMBRIDGE	MAX	30.8	38.1	51.7	63.0	72.0	81.0	90.6	89.8	79.5	65.0	45.1	32.6	61.6
		MEAN	23.0	28.9	40.5	49.3	57.2	65.2	72.6	71.3	61.3	49.4	35.8	24.7	48.3
		MIN	15.1	19.6	29.2	35.5	42.4	49.3	54.5	52.7	43.1	33.8	26.5	16.8	34.9
023	CASCADE 1 NW	MAX	29.2	34.7	42.1	51.1	61.2	70.1	79.4	79.3	69.3	56.8	39.0	29.8	53.5
		MEAN	19.5	23.6	30.7	38.4	47.1	54.6	61.5	60.7	51.6	41.6	29.5	20.6	40.0
		MIN	9.7	12.5	19.2	25.7	32.9	39.0	43.6	42.0	33.8	26.3	19.9	11.3	26.3




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 8

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
024	CASTLEFORD 2 N	MAX	35.3	42.8	52.8	62.6	71.2	80.3	87.3	85.7	76.1	63.9	46.6	36.1	61.7
		MEAN	27.8	33.8	41.3	48.8	56.3	64.3	70.5	69.0	60.3	49.9	36.8	28.2	48.9
		MIN	20.2	24.8	29.8	34.9	41.4	48.3	53.6	52.3	44.5	35.8	27.0	20.3	36.1
026	CHALLIS	MAX	31.4	38.8	49.0	58.7	67.4	76.8	85.3	84.0	74.3	61.2	42.7	31.6	58.4
		MEAN	21.9	28.2	37.4	45.4	53.4	61.5	68.6	67.1	57.9	47.0	32.8	22.2	45.3
		MIN	12.4	17.6	25.8	32.0	39.4	46.2	51.8	50.1	41.4	32.7	22.9	12.7	32.1
027	CHILLY BARTON FLAT	MAX	30.1	35.3	42.9	53.6	62.8	72.4	81.2	80.2	70.9	58.4	39.9	30.5	54.9
		MEAN	17.4	21.9	30.7	39.7	47.9	56.0	63.0	61.7	52.8	42.4	27.7	18.1	39.9
		MIN	4.7	8.4	18.4	25.8	32.9	39.6	44.8	43.1	34.7	26.4	15.5	5.7	25.0
028	COBALT	MAX	31.1	38.8	47.2	56.9	65.7	75.0	84.1	82.9	73.4	60.3	40.7	29.9	57.2
		MEAN	19.4	25.3	33.1	41.0	48.7	56.2	62.9	61.5	53.2	42.8	29.0	19.0	41.0
		MIN	7.6	11.7	18.9	25.1	31.6	37.4	41.7	40.1	33.0	25.2	17.2	8.1	24.8
029	COEUR D'ALENE	MAX	34.7	41.0	49.3	57.8	66.6	73.7	82.6	83.7	73.9	59.9	43.1	35.8	58.5
		MEAN	28.4	33.0	39.6	46.6	54.7	61.7	68.7	69.2	60.3	48.9	36.7	30.3	48.2
		MIN	22.1	25.0	29.8	35.4	42.8	49.6	54.8	54.7	46.6	37.9	30.3	24.8	37.8
030	COTTONWOOD 2 WSW	MAX	34.8	39.7	46.1	53.6	61.6	69.2	77.7	79.0	69.8	57.2	41.4	34.9	55.4
		MEAN	28.9	32.9	38.0	44.2	51.4	58.6	65.9	66.7	58.3	47.8	35.2	28.9	46.4
		MIN	22.9	26.1	29.8	34.7	41.2	47.9	54.0	54.3	46.7	38.3	28.9	22.9	37.3
031	COUNCIL	MAX	33.7	40.1	51.1	62.0	71.5	80.7	90.9	90.8	80.3	65.9	47.0	35.2	62.4
		MEAN	25.3	30.5	40.1	48.6	56.7	64.7	73.0	72.6	62.6	50.4	36.9	26.8	49.0
		MIN	16.8	20.9	29.1	35.1	41.9	48.6	55.1	54.3	44.8	34.9	26.7	18.3	35.5
032	CRATERS OF THE MOON	MAX	29.7	35.0	43.2	55.2	65.4	75.8	84.9	84.1	73.1	59.8	40.8	30.6	56.5
		MEAN	20.2	24.7	32.3	42.2	51.3	60.3	68.4	67.4	57.1	45.6	30.4	20.9	43.4
		MIN	10.6	14.3	21.3	29.1	37.1	44.7	51.9	50.7	41.1	31.3	19.9	11.1	30.3
033	DEER FLAT DAM	MAX	38.0	46.1	56.8	65.1	73.0	80.8	88.2	88.0	78.9	67.1	50.2	39.0	64.3
		MEAN	31.2	37.7	46.1	53.0	60.5	67.4	73.8	73.0	64.5	53.8	41.3	31.9	52.9
		MIN	24.3	29.3	35.3	40.9	47.9	54.0	59.3	57.9	50.0	40.5	32.3	24.8	41.4
034	DIXIE	MAX	30.3	34.6	39.4	46.1	55.8	65.4	74.9	75.5	65.9	53.4	37.6	30.6	50.8
		MEAN	17.2	20.7	26.7	33.7	42.5	50.3	56.3	55.7	47.4	38.0	25.7	17.6	36.0
		MIN	4.1	6.7	14.0	21.2	29.1	35.1	37.7	35.9	28.8	22.6	13.7	4.5	21.1
035	DRIGGS	MAX	28.7	33.1	40.2	51.0	61.6	71.2	78.8	78.2	68.8	56.6	39.7	29.8	53.1
		MEAN	18.5	22.3	29.7	38.8	47.7	56.0	62.6	61.5	52.7	42.2	29.1	19.3	40.0
		MIN	8.3	11.4	19.1	26.5	33.8	40.8	46.3	44.8	36.6	27.8	18.4	8.8	26.9
036	DUBOIS EXPERIMENT STN	MAX	27.9	33.0	41.9	54.7	64.9	75.0	84.2	83.7	72.8	58.2	38.9	28.8	55.3
		MEAN	19.0	23.6	31.8	42.2	51.2	59.8	67.5	66.6	56.7	44.8	29.4	19.8	42.7
		MIN	10.0	14.1	21.7	29.7	37.5	44.5	50.8	49.5	40.6	31.3	19.9	10.8	30.0
037	DWORSHAK FISH HATCHERY	MAX	38.8	45.9	55.2	63.8	72.2	79.3	88.6	89.7	79.5	64.4	47.0	38.8	63.6
		MEAN	32.5	37.5	44.5	51.5	58.9	65.4	72.4	72.6	63.6	51.6	39.8	33.1	52.0
		MIN	26.2	29.0	33.8	39.1	45.6	51.5	56.1	55.4	47.6	38.8	32.6	27.3	40.3
038	ELK CITY 1 NE	MAX	35.0	41.8	47.3	54.3	62.6	71.0	80.3	81.7	72.0	59.4	41.9	33.7	56.8
		MEAN	23.2	28.0	33.8	40.4	47.8	55.0	60.8	60.3	52.2	42.8	31.2	22.6	41.5
		MIN	11.4	14.2	20.2	26.4	33.0	39.0	41.2	38.8	32.3	26.2	20.4	11.5	26.2
039	ELK RIVER 1 S	MAX	33.7	39.3	46.2	54.4	63.3	70.8	79.2	80.5	70.6	57.6	40.7	33.1	55.8
		MEAN	25.8	29.9	35.8	42.9	50.5	57.0	62.8	62.8	54.1	44.0	33.3	25.9	43.7
		MIN	17.9	20.4	25.4	31.3	37.6	43.1	46.3	45.1	37.6	30.3	25.9	18.6	31.6
040	EMMETT 2 E	MAX	36.6	44.9	55.0	63.2	72.2	81.3	89.9	88.9	78.7	65.9	48.5	37.7	63.6
		MEAN	29.8	36.4	44.0	50.6	58.6	66.8	74.0	72.9	63.6	52.5	39.5	30.9	51.6
		MIN	23.0	27.8	32.9	37.9	45.0	52.2	58.0	56.8	48.5	39.1	30.5	24.0	39.6
041	FAIRFIELD RANGER STN	MAX	30.8	36.2	44.5	56.9	67.1	76.1	85.3	84.9	75.6	63.4	43.3	31.5	58.0
		MEAN	18.4	22.6	31.6	42.7	51.5	59.0	66.4	65.2	56.1	45.5	30.7	19.4	42.4
		MIN	5.9	9.0	18.6	28.5	35.9	41.9	47.4	45.5	36.5	27.5	18.0	7.2	26.8
042	FENN RANGER STN (LOWELL)	MAX	35.7	42.2	52.0	61.6	70.7	78.1	87.6	88.3	76.0	60.8	44.2	35.6	61.1
		MEAN	30.9	35.3	42.4	49.4	56.8	63.5	70.4	70.4	60.9	49.5	38.3	31.3	49.9
		MIN	26.0	28.3	32.7	37.1	42.9	48.9	53.1	52.4	45.8	38.2	32.3	26.9	38.7
043	FORT HALL 1 NNE	MAX	31.1	37.5	47.4	57.2	66.1	75.6	84.2	84.1	74.2	61.4	43.6	32.4	57.9
		MEAN	22.2	27.6	36.1	43.9	52.0	60.0	66.5	65.6	56.6	45.7	32.8	23.0	44.3
		MIN	13.2	17.6	24.8	30.5	37.8	44.4	48.7	47.1	39.0	29.9	22.0	13.5	30.7
044	GARDEN VALLEY	MAX	34.3	41.4	51.2	61.0	70.3	79.2	88.4	88.3	78.1	64.7	43.8	33.6	61.2
		MEAN	25.9	30.9	38.8	46.2	53.9	61.3	67.7	66.8	58.0	47.5	34.4	25.9	46.4
		MIN	17.4	20.3	26.3	31.4	37.4	43.4	47.0	45.2	37.8	30.3	25.0	18.1	31.6
045	GIBBONSVILLE	MAX	28.1	35.3	45.5	55.6	64.6	73.2	83.1	81.8	71.9	58.0	38.7	28.2	55.3
		MEAN	18.8	24.2	33.4	41.5	49.2	56.5	63.7	62.4	53.8	42.9	29.5	19.3	41.3
		MIN	9.4	13.1	21.2	27.3	33.7	39.8	44.3	42.9	35.6	27.8	20.3	10.4	27.2
046	GLENNS FERRY	MAX	39.8	47.6	57.5	66.7	75.4	85.9	95.2	93.7	82.6	68.9	51.0	40.1	67.0
		MEAN	30.4	35.9	43.2	50.3	58.0	66.7	73.9	72.1	61.9	50.5	38.4	30.2	51.0
		MIN	20.9	24.2	28.8	33.8	40.6	47.4	52.5	50.5	41.1	32.1	25.8	20.2	34.8
047	GRACE	MAX	31.1	36.5	45.5	56.5	66.1	76.2	85.0	84.9	74.9	61.6	43.1	33.0	57.9
		MEAN	21.2	25.1	33.8	42.7	51.2	59.3	66.3	65.6	56.5	45.6	32.0	22.7	43.5
		MIN	11.3	13.7	22.0	28.9	36.2	42.4	47.5	46.2	38.0	29.5	20.9	12.4	29.1




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 9

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
048	GRAND VIEW 4 NW	MAX	38.4	47.2	57.7	66.1	74.5	83.0	90.7	89.8	79.3	66.5	49.5	38.3	65.1
		MEAN	29.9	36.4	44.3	51.6	59.7	67.4	73.5	71.9	62.0	51.0	38.7	29.6	51.3
		MIN	21.4	25.5	30.8	37.0	44.9	51.7	56.3	53.9	44.7	35.4	27.9	20.8	37.5
049	GRANGEVILLE	MAX	38.1	44.0	50.4	57.7	64.9	72.3	81.6	82.9	72.8	59.9	45.2	37.9	59.0
		MEAN	31.2	35.3	40.3	46.3	53.3	60.1	66.9	67.3	58.3	48.1	37.7	31.1	48.0
		MIN	24.3	26.6	30.2	34.8	41.6	47.9	52.2	51.7	43.7	36.2	30.1	24.2	37.0
050	GROUSE	MAX	26.6	32.2	40.5	50.4	60.6	69.6	78.7	77.6	68.7	56.6	38.3	27.8	52.3
		MEAN	12.4	17.1	27.0	37.0	46.4	53.5	59.8	58.7	50.3	39.5	24.8	14.0	36.7
		MIN	-1.8	2.0	13.4	23.5	32.2	37.3	40.9	39.7	31.8	22.3	11.2	0.1	21.1
051	HAGERMAN 2 SW	MAX	40.8	49.0	58.3	67.5	76.4	85.6	94.5	93.4	83.2	70.8	52.4	41.3	67.8
		MEAN	30.2	36.3	43.9	51.1	59.4	67.4	74.0	72.2	62.6	52.1	39.5	30.7	51.6
		MIN	19.6	23.6	29.4	34.7	42.4	49.2	53.4	51.0	42.0	33.3	26.6	20.1	35.4
053	HAMER 4 NW	MAX	28.3	35.0	47.0	59.9	69.3	78.8	87.0	85.9	75.6	62.0	41.9	29.6	58.4
		MEAN	16.4	22.5	33.5	43.8	53.1	61.3	67.5	65.7	55.9	44.2	29.0	17.5	42.5
		MIN	4.4	10.0	19.9	27.6	36.9	43.8	47.9	45.5	36.1	26.4	16.0	5.3	26.7
054	HAZELTON	MAX	34.9	41.7	51.2	60.6	69.3	79.5	88.1	87.4	77.2	64.5	46.5	36.2	61.4
		MEAN	26.5	32.0	39.7	47.0	55.3	64.1	71.2	69.8	59.9	48.9	35.9	27.3	48.1
		MIN	18.1	22.2	28.2	33.4	41.2	48.6	54.2	52.1	42.6	33.2	25.2	18.3	34.8
055	HEADQUARTERS	MAX	34.8	39.8	46.1	54.5	63.5	71.3	79.7	81.0	70.5	58.0	41.3	33.9	56.2
		MEAN	26.6	30.0	35.4	42.0	49.4	56.5	62.3	62.5	53.5	43.9	33.1	26.4	43.5
		MIN	18.3	20.2	24.7	29.4	35.3	41.7	44.9	43.9	36.5	29.8	24.9	18.9	30.7
056	HILL CITY 1 W	MAX	29.3	33.8	41.8	54.4	65.1	74.6	84.3	84.3	74.5	61.8	41.8	30.7	56.4
		MEAN	18.7	22.8	31.4	42.0	50.4	57.3	64.5	63.9	54.9	44.5	30.2	19.6	41.7
		MIN	8.1	11.7	21.0	29.6	35.7	39.9	44.7	43.4	35.3	27.2	18.6	8.4	27.0
057	HOLLISTER	MAX	37.3	43.4	51.2	59.8	68.0	77.8	86.1	84.9	75.1	62.9	47.4	38.8	61.1
		MEAN	28.4	33.4	39.5	46.1	53.6	62.2	70.0	69.1	60.2	49.5	37.4	29.4	48.2
		MIN	19.5	23.3	27.7	32.4	39.2	46.5	53.8	53.3	45.3	36.1	27.4	19.9	35.4
058	HOWE	MAX	30.7	36.9	48.0	60.6	69.1	78.1	86.9	85.7	75.1	61.5	43.0	31.4	58.9
		MEAN	18.4	24.3	35.2	45.1	53.3	61.4	68.1	66.6	56.6	45.2	30.3	18.9	43.6
		MIN	6.0	11.6	22.3	29.6	37.4	44.6	49.3	47.5	38.1	28.8	17.6	6.3	28.3
059	IDAHO CITY	MAX	34.9	41.0	48.0	57.3	66.8	76.1	85.8	85.6	75.4	62.8	43.8	34.8	59.4
		MEAN	23.6	28.0	35.0	42.5	50.7	58.2	65.1	64.3	55.1	44.8	32.1	23.7	43.6
		MIN	12.2	15.0	21.9	27.6	34.6	40.2	44.4	43.0	34.8	26.8	20.4	12.6	27.8
060	IDAHO FALLS 2 ESE	MAX	29.7	36.6	47.6	58.7	67.9	77.8	86.0	85.8	75.1	61.4	43.0	31.3	58.4
		MEAN	21.1	26.7	36.2	45.0	53.3	61.9	68.7	67.9	58.2	46.8	33.1	22.4	45.1
		MIN	12.5	16.8	24.8	31.3	38.7	46.0	51.4	49.9	41.3	32.2	23.2	13.4	31.8
061	IDAHO FALLS 16 SE	MAX	29.7	34.5	41.1	50.7	60.2	69.6	78.1	77.2	67.9	55.7	39.0	30.0	52.8
		MEAN	18.9	23.3	30.6	38.7	46.8	54.1	60.7	59.6	51.0	40.7	27.6	18.9	39.2
		MIN	8.1	12.0	20.0	26.6	33.3	38.5	43.2	42.0	34.1	25.6	16.2	7.7	25.6
062	IDAHO FALLS FANNING AP	MAX	27.5	33.9	45.8	57.3	66.6	77.0	85.9	85.1	74.0	59.8	41.5	29.5	57.0
		MEAN	19.3	24.8	35.4	44.6	52.9	61.5	68.4	67.1	57.3	45.5	31.8	20.8	44.1
		MIN	11.1	15.6	25.0	31.9	39.1	46.0	50.8	49.1	40.6	31.1	22.1	12.1	31.2
063	IDAHO FALLS 46 W	MAX	27.9	34.0	44.8	56.9	66.3	76.8	86.6	85.7	74.6	60.9	41.4	29.4	57.1
		MEAN	16.2	22.1	32.8	42.4	51.2	60.0	67.6	66.2	55.7	43.4	28.7	17.1	42.0
		MIN	4.5	10.2	20.7	27.9	36.1	43.2	48.5	46.7	36.8	25.9	15.9	4.8	26.8
064	ISLAND PARK	MAX	26.5	31.2	38.0	47.9	58.7	69.8	78.8	79.3	69.7	55.7	36.7	27.0	51.6
		MEAN	15.9	19.2	26.4	35.6	45.4	53.9	60.6	59.9	51.2	40.5	26.1	16.4	37.6
		MIN	5.3	7.2	14.8	23.3	32.1	38.0	42.4	40.5	32.6	25.3	15.5	5.8	23.6
065	JEROME	MAX	35.6	42.3	52.1	61.6	70.8	81.0	90.2	89.5	78.3	65.2	47.5	36.9	62.6
		MEAN	27.0	32.2	39.9	47.3	56.0	64.8	72.6	71.5	61.5	50.2	36.6	27.8	49.0
		MIN	18.3	22.0	27.7	33.0	41.1	48.6	54.9	53.5	44.6	35.1	25.7	18.6	35.3
067	KELLOGG	MAX	35.7	41.6	49.5	58.6	67.5	74.6	82.6	82.6	72.2	58.4	42.7	35.3	58.4
		MEAN	28.3	32.8	39.2	46.3	54.0	60.6	66.4	66.0	57.0	45.9	35.4	28.6	46.7
		MIN	20.9	24.0	28.8	33.9	40.5	46.5	50.2	49.4	41.7	33.4	28.1	21.9	34.9
068	KETCHUM RANGER STN	MAX	31.6	37.0	43.7	53.5	62.9	72.1	80.9	79.9	70.1	58.7	42.0	32.3	55.4
		MEAN	17.8	22.2	29.6	38.9	47.4	54.8	61.9	60.3	51.7	41.7	28.2	18.9	39.5
		MIN	3.9	7.4	15.4	24.2	31.8	37.5	42.8	40.6	33.2	24.7	14.4	5.4	23.4
069	KOOSKIA 5 SSE	MAX	35.8	42.8	50.7	58.5	66.5	73.1	82.5	85.9	74.8	60.8	44.3	36.1	59.3
		MEAN	29.2	34.1	40.8	47.6	55.1	61.1	68.2	69.4	60.5	49.1	37.0	29.6	48.5
		MIN	22.5	25.4	30.9	36.7	43.6	49.0	53.8	52.9	46.1	37.3	29.7	23.1	37.6
070	KUNA	MAX	36.7	45.7	56.7	65.3	73.0	81.7	89.2	88.0	78.3	66.1	48.6	37.4	63.9
		MEAN	29.4	36.5	44.6	51.0	58.3	65.9	71.8	70.5	61.6	51.2	38.8	29.7	50.8
		MIN	22.1	27.2	32.5	36.6	43.6	50.0	54.3	52.9	44.8	36.3	28.9	21.9	37.6
071	LEADORE NO 2	MAX	29.8	35.4	43.4	53.8	63.3	73.3	82.7	81.2	71.2	57.7	39.0	29.2	55.0
		MEAN	16.0	21.3	30.0	39.2	47.6	55.7	62.1	60.6	51.9	40.8	26.4	16.1	39.0
		MIN	2.1	7.1	16.6	24.6	31.9	38.1	41.4	40.0	32.5	23.9	13.7	2.9	22.9
072	LEWISTON AP	MAX	39.4	45.6	53.8	61.6	70.0	78.0	87.6	87.6	76.7	62.0	46.8	39.2	62.4
		MEAN	33.7	38.4	44.7	51.1	58.5	65.8	73.5	73.4	63.8	51.6	40.4	33.9	52.4
		MIN	28.0	31.2	35.6	40.6	47.0	53.6	59.3	59.3	50.9	41.2	34.1	28.5	42.4




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

IDAHO

Page 10

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
073	LIFTON PUMPING STN	MAX	28.8	32.1	40.3	50.8	60.9	71.2	79.3	78.2	68.1	55.4	39.6	30.4	52.9
		MEAN	17.4	19.2	28.8	40.2	50.1	58.9	65.3	63.0	53.4	42.2	29.6	20.0	40.7
		MIN	5.9	6.2	17.3	29.5	39.3	46.6	51.3	47.8	38.7	29.0	19.5	9.6	28.4
074	LOWMAN	MAX	32.7	39.5	48.2	57.8	66.6	75.4	84.9	84.7	75.1	61.8	41.3	31.8	58.3
		MEAN	23.6	28.7	36.2	43.9	51.5	58.5	64.5	63.5	55.2	45.3	32.7	23.1	43.9
		MIN	14.4	17.8	24.1	30.0	36.3	41.5	44.1	42.2	35.3	28.7	24.0	14.4	29.4
075	MACKAY LOST RIVER RS	MAX	30.4	35.7	44.1	55.8	65.3	74.9	83.8	82.5	73.1	60.1	41.4	30.7	56.5
		MEAN	18.4	23.1	31.9	41.7	50.4	58.5	65.6	64.1	55.4	44.5	29.7	19.1	41.9
		MIN	6.4	10.4	19.6	27.6	35.4	42.1	47.3	45.6	37.7	28.9	18.0	7.5	27.2
076	MALAD CITY AP	MAX	31.1	37.8	48.6	58.5	68.0	79.2	88.3	87.2	77.0	63.5	45.4	33.6	59.9
		MEAN	20.8	25.8	35.6	43.2	52.1	60.8	68.0	66.7	57.2	45.8	32.8	22.7	44.3
		MIN	10.4	13.7	22.5	27.9	36.1	42.3	47.7	46.2	37.3	28.1	20.2	11.8	28.7
077	MALTA 4 ESE	MAX	36.0	42.3	51.4	60.7	69.0	79.1	87.6	86.8	76.2	63.5	46.4	37.0	61.3
		MEAN	26.5	32.0	39.2	46.3	53.9	61.7	68.8	67.7	58.2	47.8	35.2	26.9	47.0
		MIN	16.9	21.6	27.0	31.9	38.7	44.3	49.9	48.5	40.1	32.0	23.9	16.7	32.6
079	MASSACRE ROCKS ST PARK	MAX	34.7	41.8	51.3	60.8	70.2	81.1	90.4	89.8	79.0	65.1	46.1	36.0	62.2
		MEAN	24.6	30.5	38.4	46.1	55.0	64.0	71.7	70.5	60.7	48.7	34.7	25.8	47.6
		MIN	14.4	19.2	25.5	31.4	39.7	46.9	52.9	51.2	42.3	32.3	23.3	15.5	32.9
080	MAY 2 SSE	MAX	30.3	37.8	47.7	57.0	66.1	76.2	85.3	83.6	74.4	60.8	41.7	30.3	57.6
		MEAN	18.3	24.6	34.2	41.9	50.4	58.8	65.5	63.4	55.0	43.6	29.2	18.6	42.0
		MIN	6.3	11.4	20.6	26.7	34.7	41.3	45.7	43.1	35.5	26.3	16.6	6.9	26.3
081	MCCALL	MAX	31.2	36.6	42.9	51.4	61.1	70.0	79.7	80.1	70.0	57.8	39.7	31.2	54.3
		MEAN	21.9	25.8	31.8	39.2	47.5	54.7	61.3	60.6	51.6	42.2	30.8	22.7	40.8
		MIN	12.6	14.9	20.6	27.0	33.8	39.4	42.9	41.0	33.2	26.5	21.9	14.1	27.3
082	MCCAMMON	MAX	30.5	36.6	47.6	58.3	67.1	77.3	85.5	84.2	74.7	61.8	43.4	32.5	58.3
		MEAN	23.1	27.5	36.8	45.2	52.8	61.1	67.9	66.8	57.8	46.9	33.7	24.3	45.3
		MIN	15.6	18.4	25.9	32.0	38.5	44.9	50.3	49.4	40.9	32.0	24.0	16.1	32.3
083	MIDDLE FORK LODGE	MAX	34.9	41.9	50.8	59.2	67.7	76.5	85.9	85.0	75.7	62.3	43.6	33.9	59.8
		MEAN	23.7	28.7	37.0	43.9	51.6	58.8	65.7	64.5	56.1	45.4	32.3	23.4	44.3
		MIN	12.5	15.5	23.1	28.6	35.4	41.1	45.5	44.0	36.4	28.4	20.9	12.9	28.7
084	MINIDOKA DAM	MAX	35.4	41.8	51.1	60.0	69.0	79.3	88.3	88.1	77.8	64.6	47.4	36.8	61.6
		MEAN	25.4	30.8	38.8	46.5	55.1	63.9	71.3	70.5	61.1	49.5	36.2	26.9	48.0
		MIN	15.4	19.8	26.5	33.0	41.2	48.5	54.2	52.9	44.3	34.3	25.0	16.9	34.3
085	MONTPELIER RANGER STN	MAX	30.4	34.5	42.8	53.6	64.0	74.8	84.7	84.7	73.4	60.0	41.5	31.9	56.4
		MEAN	19.2	21.1	30.5	39.8	49.4	58.4	66.5	65.3	55.0	43.8	29.7	20.6	41.6
		MIN	7.9	7.7	18.2	25.9	34.8	42.0	48.2	45.8	36.5	27.5	17.8	9.3	26.8
086	MOSCOW U OF I	MAX	35.6	41.3	49.0	57.5	65.9	73.1	82.6	84.0	74.4	60.5	43.1	35.5	58.5
		MEAN	29.4	34.1	40.1	46.5	53.3	59.2	65.5	66.4	58.7	48.3	36.5	29.6	47.3
		MIN	23.2	26.8	31.2	35.4	40.6	45.2	48.4	48.7	42.9	36.0	29.9	23.6	36.0
087	MOUNTAIN HOME	MAX	37.6	44.9	53.6	62.5	71.6	82.3	91.7	91.2	79.5	66.2	48.5	38.2	64.0
		MEAN	29.0	34.7	41.7	48.8	57.2	66.4	74.2	73.4	62.7	50.8	37.7	29.3	50.5
		MIN	20.4	24.4	29.7	35.1	42.8	50.4	56.7	55.5	45.8	35.4	26.9	20.3	37.0
088	NAMPA SUGAR FACTORY	MAX	37.0	44.5	55.3	63.6	72.7	82.0	90.5	89.4	78.7	66.1	49.1	38.8	64.0
		MEAN	28.9	35.1	43.2	50.0	58.2	66.4	73.3	71.8	62.1	51.1	38.7	30.1	50.7
		MIN	20.8	25.7	31.1	36.4	43.6	50.7	56.0	54.2	45.4	36.0	28.3	21.3	37.5
089	NEW MEADOWS RANGER STN	MAX	29.7	36.5	45.5	55.0	64.3	73.2	82.7	83.1	72.8	60.2	41.3	30.2	56.2
		MEAN	18.9	23.8	32.6	40.8	48.6	56.1	62.4	61.8	52.7	42.5	30.6	19.8	40.9
		MIN	8.0	11.0	19.7	26.6	32.9	39.0	42.1	40.4	32.5	24.7	19.8	9.3	25.5
090	NEZPERCE	MAX	34.9	41.0	47.7	55.4	63.1	70.4	79.5	80.7	71.0	58.0	42.2	34.8	56.6
		MEAN	28.3	33.1	38.5	44.5	51.3	57.6	64.1	64.7	56.4	46.3	35.1	28.5	45.7
		MIN	21.7	25.1	29.2	33.6	39.4	44.7	48.6	48.6	41.8	34.5	27.9	22.1	34.8
091	OAKLEY	MAX	36.6	42.6	50.5	58.7	66.6	76.0	83.1	83.1	73.8	62.4	46.0	37.4	59.7
		MEAN	27.9	32.9	39.4	45.8	53.4	61.8	68.6	68.3	59.3	49.1	36.3	28.4	47.6
		MIN	19.1	23.2	28.2	32.9	40.1	47.5	54.1	53.5	44.7	35.8	26.6	19.4	35.4
092	OLA 4 S	MAX	34.1	42.5	53.9	63.3	72.3	80.9	89.7	89.0	78.8	64.4	45.4	34.5	62.4
		MEAN	24.6	31.4	40.1	47.2	55.2	63.0	70.3	68.8	59.4	47.5	34.6	25.3	47.3
		MIN	15.1	20.2	26.3	31.1	38.1	45.0	50.9	48.6	39.9	30.6	23.7	16.1	32.1
093	OROFINO	MAX	37.7	45.8	55.4	64.0	72.0	79.7	88.9	90.2	78.8	63.2	46.1	37.3	63.3
		MEAN	31.5	36.9	43.7	50.9	58.1	65.0	71.3	71.6	62.1	49.8	38.6	31.8	50.9
		MIN	25.2	28.0	32.0	37.8	44.1	50.3	53.7	52.9	45.3	36.4	31.1	26.2	38.6
094	PALISADES	MAX	31.0	36.6	45.3	56.1	65.8	75.9	84.7	83.8	74.8	61.5	43.0	32.1	57.6
		MEAN	23.2	26.7	34.4	43.4	52.2	61.1	68.6	67.4	58.8	48.1	34.5	24.9	45.3
		MIN	15.3	16.7	23.4	30.7	38.6	46.3	52.5	51.0	42.7	34.6	25.9	17.6	32.9
095	PARMA EXPERIMENT STN	MAX	35.5	43.6	55.7	64.5	72.8	81.5	90.6	90.4	79.7	66.6	48.5	36.9	63.9
		MEAN	27.2	34.0	42.9	50.1	58.2	65.7	72.4	71.2	61.4	50.1	37.5	28.3	49.9
		MIN	18.8	24.3	30.1	35.7	43.6	49.8	54.2	52.0	43.1	33.5	26.5	19.7	35.9
096	PAUL 1 ENE	MAX	35.1	41.7	51.2	60.3	68.8	78.7	87.4	87.3	76.4	63.9	46.8	36.6	61.2
		MEAN	26.4	31.6	39.4	46.7	54.8	63.4	70.4	69.3	59.3	48.6	35.9	27.3	47.8
		MIN	17.7	21.5	27.5	33.0	40.8	48.1	53.4	51.2	42.1	33.2	25.0	17.9	34.3




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 11


No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
097	PAYETTE	MAX	36.7	45.8	57.7	66.1	74.3	82.4	90.8	89.6	80.1	67.6	50.1	38.7	65.0
		MEAN	28.1	35.4	44.8	51.9	60.1	67.8	74.9	73.5	64.1	52.4	39.4	30.0	51.9
		MIN	19.5	24.9	31.8	37.7	45.9	53.2	58.9	57.3	48.1	37.1	28.6	21.3	38.7
098	PICABO	MAX	30.9	36.7	45.6	56.8	65.7	75.4	84.7	84.2	73.4	61.1	42.4	31.9	57.4
		MEAN	18.8	23.9	32.8	42.0	50.0	58.0	65.4	64.7	55.1	44.5	30.3	20.4	42.2
		MIN	6.7	11.0	19.9	27.1	34.3	40.6	46.0	45.1	36.8	27.9	18.1	8.8	26.9
099	PIERCE	MAX	33.2	37.9	45.6	54.3	64.0	71.7	81.4	82.6	72.3	59.0	40.5	33.0	56.3
		MEAN	25.0	28.2	34.3	41.4	49.6	56.2	62.4	61.9	53.1	43.1	32.2	25.3	42.7
		MIN	16.7	18.4	23.0	28.5	35.1	40.7	43.4	41.2	33.8	27.2	23.9	17.6	29.1
100	POCATELLO RGNL AP	MAX	32.5	39.0	48.5	58.5	67.7	78.3	87.5	86.8	75.7	62.0	44.5	33.8	59.6
		MEAN	24.4	30.0	37.9	45.6	53.5	62.0	69.2	68.4	58.8	47.7	34.7	25.3	46.5
		MIN	16.3	20.9	27.3	32.6	39.2	45.7	50.9	49.9	41.8	33.3	24.9	16.8	33.3
101	PORTHILL	MAX	33.3	38.8	48.5	59.3	68.1	74.5	81.6	81.8	71.2	56.7	41.6	33.8	57.4
		MEAN	25.6	30.2	37.9	46.5	54.6	60.9	66.3	65.4	55.8	44.4	34.0	26.6	45.7
		MIN	17.8	21.5	27.2	33.6	41.1	47.3	51.0	49.0	40.4	32.0	26.3	19.3	33.9
102	POTLATCH 3 NNE	MAX	36.0	41.7	48.5	56.8	64.8	71.6	80.4	81.9	72.8	59.8	43.2	36.1	57.8
		MEAN	29.0	33.5	38.8	45.0	51.4	57.1	62.6	62.8	55.1	45.5	35.7	29.2	45.5
		MIN	21.9	25.2	29.1	33.1	37.9	42.6	44.7	43.7	37.3	31.2	28.2	22.3	33.1
103	POWELL	MAX	30.9	37.0	44.6	53.5	63.3	71.4	80.4	80.4	69.4	56.2	37.8	30.0	54.6
		MEAN	24.1	28.2	34.6	41.4	49.0	56.4	62.6	62.1	52.9	43.1	31.0	23.7	42.4
		MIN	17.3	19.3	24.5	29.2	34.7	41.4	44.8	43.7	36.4	30.0	24.2	17.3	30.2
104	PRESTON	MAX	30.3	36.6	47.7	57.9	67.5	78.0	87.1	86.1	76.1	62.5	44.6	32.8	58.9
		MEAN	21.3	26.4	36.6	45.0	53.5	61.9	69.4	68.2	58.6	46.9	33.6	23.3	45.4
		MIN	12.2	16.2	25.5	32.1	39.5	45.8	51.6	50.3	41.1	31.3	22.6	13.8	31.8
105	PRIEST RIVER EXP STN	MAX	30.4	36.1	45.4	56.6	66.5	73.5	81.4	81.7	71.1	55.5	37.6	30.6	55.5
		MEAN	24.6	28.7	35.2	43.1	51.8	58.1	63.5	63.1	54.1	43.0	31.6	25.4	43.5
		MIN	18.7	21.3	24.9	29.6	37.0	42.7	45.6	44.5	37.1	30.4	25.6	20.1	31.5
106	REXBURG RICKS COLLEGE	MAX	28.5	33.9	45.0	56.8	65.7	74.6	83.6	84.0	74.0	59.7	40.9	29.6	56.4
		MEAN	19.3	24.2	33.7	43.2	51.8	59.6	66.1	65.2	55.8	44.2	30.3	19.6	42.8
		MIN	10.0	14.5	22.4	29.6	37.8	44.5	48.6	46.4	37.6	28.6	19.6	9.6	29.1
107	REYNOLDS	MAX	38.9	44.0	51.0	58.9	67.3	76.9	85.7	85.5	74.8	63.3	48.0	39.4	61.1
		MEAN	29.3	33.7	39.4	45.6	53.3	61.2	68.8	68.2	58.2	47.8	36.5	29.2	47.6
		MIN	19.6	23.4	27.7	32.3	39.2	45.5	51.8	50.9	41.5	32.3	24.9	18.9	34.0
108	RICHFIELD	MAX	30.2	36.3	47.2	58.2	67.0	76.7	85.4	85.0	74.9	61.9	43.2	32.1	58.2
		MEAN	22.2	27.4	36.6	45.0	53.2	61.3	68.5	67.8	58.4	47.0	33.3	23.8	45.4
		MIN	14.1	18.5	26.0	31.7	39.3	45.8	51.6	50.5	41.9	32.0	23.4	15.4	32.5
109	RIGGINS	MAX	40.9	48.5	56.9	65.0	72.7	80.6	90.2	90.9	80.3	66.4	49.3	41.0	65.2
		MEAN	33.9	39.4	45.9	52.5	59.4	66.5	74.0	74.2	64.9	53.5	41.1	34.4	53.3
		MIN	26.9	30.3	34.9	39.9	46.0	52.3	57.7	57.4	49.5	40.5	32.9	27.8	41.3
110	RUPERT 3 WSW	MAX	34.4	40.5	50.2	59.9	68.2	77.7	85.5	85.6	75.7	63.4	46.2	35.9	60.3
		MEAN	25.0	30.2	38.1	45.8	53.5	61.6	67.7	66.8	57.5	46.8	34.5	25.8	46.1
		MIN	15.5	19.8	25.9	31.6	38.8	45.5	49.9	47.9	39.2	30.2	22.8	15.6	31.9
111	SAINT ANTHONY 1 WNW	MAX	28.8	34.0	43.6	55.7	65.6	74.4	82.8	82.7	73.0	60.1	41.7	30.3	56.1
		MEAN	17.9	21.6	30.6	40.6	50.0	57.8	64.3	63.0	54.1	43.3	29.3	19.0	41.0
		MIN	6.9	9.2	17.5	25.4	34.3	41.2	45.8	43.3	35.1	26.4	16.9	7.6	25.8
112	SAINT MARIES 1 W	MAX	34.4	41.0	49.6	58.5	66.7	74.0	82.9	83.7	73.3	58.0	40.9	33.8	58.1
		MEAN	28.9	33.7	39.9	46.6	53.8	60.4	66.6	66.8	57.8	46.3	35.3	28.8	47.1
		MIN	23.3	26.3	30.1	34.7	40.9	46.7	50.2	49.8	42.3	34.6	29.6	23.8	36.0
113	SALMON KSRA	MAX	28.4	37.0	49.7	59.9	69.1	77.9	87.3	85.5	74.9	60.3	40.7	29.2	58.3
		MEAN	18.9	26.1	37.2	45.9	54.3	62.0	69.1	67.0	57.7	45.3	30.9	20.3	44.6
		MIN	9.3	15.2	24.7	31.8	39.5	46.1	50.9	48.5	40.4	30.2	21.0	11.4	30.8
114	SANDPOINT EXP STATION	MAX	31.6	37.6	46.5	56.4	65.4	72.1	80.1	80.2	70.0	56.1	40.0	32.4	55.7
		MEAN	25.5	30.2	37.3	45.3	53.2	59.4	64.9	64.5	55.7	44.7	33.8	26.9	45.1
		MIN	19.4	22.8	28.1	34.2	40.9	46.7	49.7	48.7	41.4	33.2	27.5	21.4	34.5
115	SHOSHONE 1 WNW	MAX	33.4	40.2	51.1	62.1	72.0	82.7	91.4	90.4	78.6	64.5	45.7	35.1	62.3
		MEAN	25.2	30.6	39.3	47.9	56.8	65.9	73.7	72.7	62.0	50.0	35.8	26.6	48.9
		MIN	16.9	21.0	27.4	33.6	41.6	49.1	55.9	54.9	45.3	35.4	25.9	18.0	35.4
116	SHOUP	MAX	31.2	39.6	52.1	63.0	71.9	80.7	89.8	88.7	78.1	61.9	42.1	30.7	60.8
		MEAN	23.1	29.6	40.0	48.3	55.9	63.3	70.4	69.4	60.1	47.5	33.7	23.5	47.1
		MIN	15.0	19.5	27.8	33.5	39.8	45.9	51.0	50.0	42.1	33.1	25.2	16.2	33.3
117	SILVER CITY 5 W	MAX	35.7	39.3	44.0	51.6	60.4	71.1	80.9	80.9	71.1	59.0	43.3	37.1	56.2
		MEAN	28.2	31.0	35.1	41.3	49.9	58.8	68.1	68.1	59.1	48.2	34.5	28.8	45.9
		MIN	20.7	22.6	26.1	30.9	39.4	46.5	55.2	55.3	47.1	37.4	25.6	20.5	35.6
118	SODA SPRINGS AP	MAX	28.6	32.2	40.5	52.3	63.0	73.9	83.2	81.8	71.3	58.1	40.6	30.2	54.6
		MEAN	18.4	21.6	29.7	39.5	48.8	57.3	64.2	63.0	53.3	42.2	29.5	19.2	40.6
		MIN	8.1	10.9	18.9	26.6	34.5	40.7	45.2	44.1	35.3	26.3	18.3	8.1	26.4
119	STANLEY	MAX	27.0	33.9	42.3	49.7	59.0	68.1	77.8	77.6	68.4	56.3	37.8	26.0	52.0
		MEAN	12.7	16.7	25.4	34.5	43.7	51.2	57.2	56.1	48.1	39.1	25.2	12.5	35.2
		MIN	-1.7	-0.6	8.5	19.2	28.4	34.2	36.6	34.6	27.7	21.8	12.6	-1.0	18.4



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

IDAHO

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
120	SWAN FALLS P H	MAX	39.6	48.0	58.2	66.6	75.7	85.6	94.5	93.3	83.0	69.2	50.8	40.2	67.1
		MEAN	31.6	38.0	46.5	53.7	62.1	70.9	78.6	77.2	67.2	55.3	41.0	32.1	54.5
		MIN	23.5	27.9	34.7	40.8	48.5	56.1	62.7	61.0	51.4	41.3	31.1	23.9	41.9
121	SWAN VALLEY 2 E	MAX	29.6	35.4	44.1	54.9	64.4	74.7	83.7	82.9	73.1	59.7	41.2	30.6	56.2
		MEAN	20.7	25.1	33.5	41.9	50.2	58.4	65.2	64.3	55.3	44.3	31.2	21.5	42.6
		MIN	11.7	14.8	22.8	28.9	36.0	42.0	46.6	45.7	37.5	28.8	21.1	12.4	29.0
122	TAYLOR RANCH	MAX	27.8	36.1	46.7	56.6	65.7	74.2	84.3	83.9	72.8	56.4	38.0	27.9	55.9
		MEAN	20.5	26.6	35.6	43.2	50.8	57.9	65.0	64.3	55.3	43.3	30.6	21.6	42.9
		MIN	13.1	17.1	24.4	29.7	35.9	41.6	45.7	44.6	37.7	30.1	23.2	15.3	29.9
123	TETONIA EXPERIMENT STN	MAX	27.0	33.1	39.8	49.2	60.6	70.5	78.7	77.9	68.6	55.6	37.8	27.9	52.2
		MEAN	15.3	20.7	27.9	37.2	46.7	54.9	61.5	60.4	51.3	40.4	26.3	16.1	38.2
		MIN	3.5	8.2	16.0	25.1	32.8	39.2	44.3	42.8	34.0	25.1	14.7	4.2	24.2
124	TWIN FALLS KMVT	MAX	36.6	43.3	52.3	61.0	69.8	79.1	87.9	86.7	76.6	64.7	48.2	37.9	62.0
		MEAN	28.2	33.2	40.7	47.9	56.3	64.9	72.2	70.4	60.7	50.1	37.7	29.0	49.3
		MIN	19.7	23.1	29.1	34.7	42.7	50.6	56.5	54.1	44.8	35.5	27.2	20.0	36.5
125	TWIN FALLS 6 E	MAX	34.9	41.4	50.7	59.5	67.7	77.0	85.0	84.1	74.2	62.5	46.2	36.4	60.0
		MEAN	27.1	32.4	39.8	46.6	54.5	62.5	68.9	67.6	58.5	48.4	36.3	27.9	47.5
		MIN	19.2	23.4	28.8	33.7	41.2	48.0	52.8	51.1	42.8	34.2	26.4	19.3	35.1
126	WALLACE WOODLAND PARK	MAX	33.6	38.9	46.0	54.7	63.1	70.0	78.3	79.3	69.6	57.2	40.7	33.3	55.4
		MEAN	26.7	30.8	36.6	43.7	51.1	57.6	63.6	63.9	55.2	45.2	34.1	27.1	44.6
		MIN	19.8	22.6	27.1	32.7	39.0	45.2	48.9	48.4	40.7	33.2	27.5	20.9	33.8
127	WARREN	MAX	34.2	39.3	43.6	49.6	58.2	67.1	76.1	75.8	67.1	56.0	39.7	32.7	53.3
		MEAN	20.1	23.9	28.5	34.4	42.2	49.3	55.4	54.7	47.4	39.4	27.5	19.9	36.9
		MIN	5.9	8.4	13.4	19.2	26.1	31.4	34.6	33.6	27.6	22.8	15.2	7.0	20.4
128	WEISER	MAX	34.8	43.5	56.0	64.6	73.3	82.2	91.2	89.6	79.7	66.1	47.7	36.2	63.7
		MEAN	27.7	34.8	44.9	52.2	60.5	68.6	75.6	73.7	64.0	52.1	39.0	29.3	51.9
		MIN	20.6	26.1	33.7	39.7	47.6	54.9	59.9	57.8	48.3	38.0	30.3	22.3	39.9
129	WINCHESTER	MAX	35.2	39.7	44.7	52.2	59.6	67.3	76.1	77.8	68.6	56.7	41.4	34.9	54.5
		MEAN	27.5	31.1	35.4	41.6	48.2	54.8	61.0	61.7	53.8	44.6	33.7	27.3	43.4
		MIN	19.7	22.4	26.1	31.0	36.7	42.2	45.9	45.6	39.0	32.5	25.9	19.7	32.2
130	YELLOW PINE 7 S	MAX	32.8	38.6	44.9	52.3	61.5	70.1	79.8	79.7	70.3	58.0	40.3	32.3	55.1
		MEAN	20.2	24.2	30.6	37.3	45.3	52.2	58.7	57.9	49.9	40.9	28.8	20.5	38.9
		MIN	7.6	9.7	16.2	22.2	29.1	34.3	37.6	36.0	29.4	23.7	17.3	8.6	22.6




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 13

No.	Station Name	PRECIPITATION NORMALS (Total in Inches)												
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ABERDEEN EXPERIMNT STN	.74	.72	.86	.75	1.12	.92	.56	.53	.77	.84	.73	.70	9.24
002	AMERICAN FALLS 3 NW	1.10	.97	1.35	1.20	1.60	.95	.61	.60	.84	.95	1.20	1.06	12.43
003	ANDERSON DAM	3.23	2.27	2.09	1.40	1.48	.88	.53	.38	.87	1.20	2.86	3.17	20.36
004	ARBON 2 NW	1.72	1.51	1.64	1.44	1.95	1.24	.98	.94	1.00	1.11	1.42	1.39	16.34
005	ARCO	.82	1.05	.86	.75	1.32	.90	.83	.78	.70	.63	.80	.81	10.25
006	ARROWROCK DAM	2.87	2.43	2.01	1.52	1.41	.95	.40	.33	.85	1.07	2.70	2.96	19.50
007	ASHTON	2.25	1.67	1.60	1.47	2.38	1.64	1.12	1.08	1.18	1.41	2.03	2.25	20.08
008	AVERY RS #2	5.19	3.70	3.34	2.74	3.15	2.30	1.46	1.34	1.99	2.67	4.81	4.85	37.54
009	BAYVIEW MODEL BASIN	2.66	2.32	2.18	1.94	2.37	1.92	1.25	1.19	1.25	1.81	3.13	3.29	25.31
010	BLACKFOOT 1 SE	.86	.73	.89	.93	1.33	.87	.53	.45	.70	.84	.81	.75	9.69
011	BLISS 4 NW	1.49	1.12	1.01	.76	.80	.54	.25	.27	.53	.69	1.43	1.22	10.11
012	BOISE 7 N	2.19	1.94	2.24	1.96	2.03	1.13	.49	.45	1.07	1.26	2.21	2.23	19.20
013	BOISE LUCKY PEAK DAM	1.78	1.49	1.71	1.49	1.50	.93	.39	.33	.82	.90	1.83	1.79	14.96
014	BOISE AIR TERMINAL	1.39	1.14	1.41	1.27	1.27	.74	.39	.30	.76	.76	1.38	1.38	12.19
015	BONNERS FERRY	2.70	1.77	1.49	1.42	1.76	1.62	1.02	1.07	1.16	1.61	3.03	2.91	21.56
016	BROWNLEE DAM	2.10	1.67	1.80	1.55	1.86	1.29	.58	.60	.80	1.04	1.91	2.21	17.41
017	BRUNEAU	.83	.59	.84	.65	.80	.68	.18	.19	.55	.56	.91	.74	7.52
018	BUHL NO 2	1.11	.68	1.00	.85	1.08	.81	.27	.30	.51	.69	1.00	.87	9.17
019	BURLEY MUNICIPAL AP	1.18	.83	1.08	.97	1.28	.87	.35	.41	.64	.67	1.00	1.01	10.29
020	CABINET GORGE	4.06	3.13	2.72	2.19	2.43	2.37	1.31	1.30	1.49	2.28	4.37	4.42	32.07
021	CALDWELL	1.55	1.11	1.29	1.13	1.01	.67	.30	.35	.59	.73	1.28	1.39	11.40
022	CAMBRIDGE	2.88	2.68	2.18	1.35	1.52	1.04	.44	.46	.83	1.17	2.75	3.20	20.50
023	CASCADE 1 NW	2.73	2.48	2.20	1.87	1.91	1.65	.69	.69	1.04	1.48	2.79	3.06	22.59
024	CASTLEFORD 2 N	1.32	.87	1.08	.97	1.36	.81	.22	.34	.62	.67	1.10	.94	10.30
025	CENTERVILLE ARBAUGH RNC	4.10	3.30	2.52	2.24	2.11	1.61	.79	.52	1.34	1.62	3.54	3.99	27.68
026	CHALLIS	.51	.35	.58	.58	1.12	.99	.78	.65	.64	.43	.56	.53	7.72
027	CHILLY BARTON FLAT	.31	.27	.48	.60	1.29	1.26	.92	.81	.79	.59	.44	.34	8.10
028	COBALT	1.54	.98	1.20	1.59	2.02	1.84	1.27	1.22	1.10	1.01	1.48	1.58	16.83
029	COEUR D'ALENE	3.28	2.47	2.34	1.89	2.25	2.06	1.02	1.16	1.12	1.67	3.35	3.46	26.07
030	COTTONWOOD 2 WSW	1.88	1.45	1.71	2.39	2.99	2.39	1.53	1.09	1.25	1.50	2.12	1.77	22.07
031	COUNCIL	3.03	2.88	2.56	1.95	2.05	1.49	.67	.58	1.11	1.57	3.28	3.19	24.36
032	CRATERS OF THE MOON	1.76	1.65	1.35	1.12	1.80	1.12	.81	.78	.85	.93	1.48	1.57	15.22
033	DEER FLAT DAM	1.13	.93	1.21	1.04	1.05	.75	.37	.35	.54	.62	1.05	1.11	10.15
034	DIXIE	3.34	2.68	2.45	2.11	2.26	2.19	1.33	1.23	1.33	1.51	3.19	3.58	27.20
035	DRIGGS	1.30	1.04	1.25	1.33	2.14	1.30	1.28	1.04	1.15	1.23	1.22	1.45	15.73
036	DUBOIS EXPERIMENT STN	.77	.71	.95	1.12	2.00	1.67	1.07	1.01	1.01	.84	1.01	.91	13.07
037	DWORSHAK FISH HATCHERY	2.87	2.45	2.41	2.35	2.53	1.69	1.20	.92	1.32	1.67	3.24	3.02	25.67
038	ELK CITY 1 NE	3.39	2.51	2.62	2.69	3.26	3.14	1.90	1.45	1.75	2.07	3.22	3.14	31.14
039	ELK RIVER 1 S	4.81	4.13	3.13	2.51	2.98	2.33	1.46	1.10	1.73	2.39	4.56	4.93	36.06
040	EMMETT 2 E	1.72	1.60	1.58	1.21	1.29	.82	.30	.33	.71	.87	1.72	1.66	13.81
041	FAIRFIELD RANGER STN	2.22	1.71	1.45	1.05	1.33	.83	.60	.42	.69	.82	1.77	1.98	14.87
042	FENN RANGER STN (LOWELL	4.64	3.53	3.71	3.60	3.53	3.14	1.39	1.27	2.16	2.84	4.84	4.21	38.86
043	FORT HALL 1 NNE	.94	.91	1.17	1.08	1.63	1.00	.68	.77	.84	1.06	.99	.95	12.02
044	GARDEN VALLEY	3.82	2.77	2.45	1.77	1.74	1.40	.64	.49	1.18	1.46	3.44	3.87	25.03
045	GIBBONSVILLE	1.99	1.25	1.12	1.15	1.65	1.66	.91	.93	.88	.74	1.60	1.82	15.70
046	GLENNS FERRY	1.43	1.00	1.05	.62	.81	.58	.28	.27	.49	.71	1.22	1.30	9.76
047	GRACE	1.27	1.12	1.43	1.38	2.18	1.31	1.10	1.22	1.32	1.36	1.14	1.14	15.97
048	GRAND VIEW 4 NW	.64	.57	.79	.66	.85	.66	.25	.22	.59	.51	.78	.59	7.11
049	GRANGEVILLE	1.45	1.30	2.37	2.82	3.63	2.84	1.66	1.16	1.62	1.78	1.81	1.50	23.94
050	GROUSE	1.09	1.14	1.25	.97	1.58	1.55	1.03	.87	.79	.78	1.04	1.20	13.29
051	HAGERMAN 2 SW	1.31	1.00	1.09	.64	.90	.68	.21	.27	.39	.63	1.29	1.37	9.78
052	HAILEY 3 NNW	2.32	1.66	1.30	.98	1.54	1.03	.64	.52	.76	.74	1.71	1.97	15.17
053	HAMER 4 NW	.66	.51	.70	.87	1.52	1.18	.91	.76	.61	.65	.74	.66	9.77
054	HAZELTON	1.41	1.02	1.11	.80	1.14	.67	.21	.29	.64	.72	1.29	1.27	10.57
055	HEADQUARTERS	4.93	3.93	3.40	3.09	3.36	2.59	1.49	1.34	1.78	2.60	5.00	4.93	38.44
056	HILL CITY 1 W	2.23	1.47	1.25	1.00	1.16	.85	.51	.33	.76	.90	1.63	2.04	14.13
057	HOLLISTER	.91	.58	.89	.95	1.52	1.12	.47	.51	.78	.84	.96	.81	10.34
058	HOWE	.49	.62	.58	.60	1.10	1.11	.74	.77	.53	.56	.65	.68	8.43
059	IDAHO CITY	3.44	2.77	2.44	1.87	1.88	1.33	.67	.51	1.16	1.45	3.08	3.51	24.11
060	IDAHO FALLS 2 ESE	1.25	1.01	1.33	1.27	2.01	1.18	.74	.93	.94	1.12	1.17	1.26	14.21
061	IDAHO FALLS 16 SE	1.41	1.12	1.48	1.43	2.03	1.20	1.06	.90	1.13	1.17	1.59	1.35	15.87
062	IDAHO FALLS FANNING AP	.84	.80	.95	.95	1.58	1.10	.64	.73	.76	.92	.92	.83	11.02
063	IDAHO FALLS 46 W	.64	.62	.69	.79	1.24	1.08	.66	.44	.73	.57	.69	.67	8.82
064	ISLAND PARK	3.38	2.80	2.51	1.91	2.58	2.32	1.60	1.50	1.59	1.69	2.44	3.33	27.65
065	JEROME	1.40	1.07	1.28	.86	1.14	.76	.22	.27	.49	.77	1.29	1.23	10.78
066	KAMIAH	2.23	1.84	2.61	2.53	2.97	2.15	1.23	1.09	1.43	1.69	2.54	2.07	24.38
067	KELLOGG	3.89	2.96	3.03	2.57	2.79	2.23	1.43	1.38	1.69	2.25	4.24	4.31	32.77
068	KETCHUM RANGER STN	2.25	2.06	1.96	1.23	1.83	1.48	.86	.82	1.19	1.13	1.78	2.32	18.91
069	KOOSKIA 5 SSE	1.96	1.58	2.65	2.75	3.92	2.36	.96	.88	1.23	2.09	2.58	1.94	24.90




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 14


No.	Station Name	PRECIPITATION NORMALS (Total in Inches)												
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	KUNA	.99	.76	1.15	1.06	1.06	.74	.28	.26	.55	.60	1.35	1.14	9.94
071	LEADORE NO 2	.32	.21	.45	.70	1.38	1.12	1.03	.82	.71	.49	.38	.40	8.01
072	LEWISTON AP	1.14	.95	1.12	1.31	1.56	1.16	.72	.75	.81	.96	1.21	1.05	12.74
073	LIFTON PUMPING STN	.81	.81	.82	1.07	1.62	.97	.89	.89	1.19	1.17	.84	.61	11.69
074	LOWMAN	3.57	3.11	2.50	2.18	2.03	1.50	.68	.67	1.25	1.57	3.35	3.67	26.08
075	MACKAY LOST RIVER RS	.65	.55	.80	.66	1.24	1.30	1.06	.89	.71	.58	.66	.67	9.77
076	MALAD CITY AP	1.28	1.10	1.20	1.25	2.01	1.13	1.08	.95	1.09	1.24	1.03	1.05	14.41
077	MALTA 4 ESE	.79	.64	.98	1.11	1.70	1.18	.92	.87	.88	.79	.75	.65	11.26
078	MALTA AVIATION	.68	.48	.75	.85	1.43	.91	.53	.75	.74	.61	.55	.44	8.72
079	MASSACRE ROCKS ST PARK	1.09	.99	1.30	1.34	1.55	.92	.63	.48	.77	.99	1.19	1.06	12.31
080	MAY 2 SSE	.44	.30	.31	.53	1.32	1.13	.86	.69	.66	.43	.63	.54	7.84
081	MCCALL	3.28	2.92	2.55	2.07	2.35	2.08	1.03	1.05	1.45	1.78	3.20	3.45	27.21
082	MCCAMMON	1.81	1.32	1.78	1.27	2.15	.95	.98	1.46	1.02	1.05	1.41	1.75	16.95
083	MIDDLE FORK LODGE	1.69	1.35	1.34	1.51	1.65	1.58	.95	.98	1.00	1.21	1.88	1.74	16.88
084	MINIDOKA DAM	1.02	.83	1.02	.92	1.19	.84	.32	.38	.67	.71	1.03	.92	9.85
085	MONTPELIER RANGER STN	1.29	1.23	1.31	1.16	1.70	1.25	.84	.88	1.25	1.24	1.16	1.16	14.47
086	MOSCOW U OF I	2.99	2.52	2.57	2.52	2.62	1.87	1.12	1.19	1.28	2.01	3.54	3.14	27.37
087	MOUNTAIN HOME	1.32	.97	1.19	.92	.86	.59	.38	.20	.68	.76	1.32	1.38	10.57
088	NAMPA SUGAR FACTORY	1.37	1.14	1.35	1.12	1.22	.63	.32	.24	.58	.72	1.28	1.40	11.37
089	NEW MEADOWS RANGER STN	2.88	2.62	2.38	2.05	2.26	1.90	.90	.81	1.28	1.54	2.71	3.20	24.53
090	NEZPERCE	1.51	1.33	1.85	2.19	3.01	1.99	1.26	1.11	1.31	1.48	1.94	1.43	20.41
091	OAKLEY	.82	.64	1.09	1.11	1.71	1.19	.78	.73	.96	.80	.79	.70	11.32
092	OLA 4 S	2.65	2.34	2.35	1.92	1.47	1.15	.53	.50	.88	1.17	2.92	2.87	20.75
093	OROFINO	2.91	2.66	2.53	2.40	2.59	1.67	1.06	.88	1.24	1.98	3.38	3.29	26.59
094	PALISADES	2.03	1.59	1.63	1.67	2.63	1.68	1.28	1.52	1.44	1.45	1.78	1.71	20.41
095	PARMA EXPERIMENT STN	1.38	1.01	1.25	.96	1.13	.84	.35	.41	.65	.67	1.23	1.27	11.15
096	PAUL 1 ENE	1.02	.74	.97	.89	1.32	.87	.41	.37	.65	.70	1.02	.92	9.88
097	PAYETTE	1.46	1.24	1.10	.80	.97	.73	.32	.32	.46	.63	1.43	1.60	11.06
098	PICABO	1.62	1.43	1.32	.92	1.29	.92	.46	.39	.70	.89	1.46	1.51	12.91
099	PIERCE	5.44	4.29	3.92	3.39	3.86	2.86	1.80	1.39	2.00	2.95	5.29	5.13	42.32
100	POCATELLO RGNL AP	1.14	1.01	1.38	1.18	1.51	.91	.70	.66	.89	.97	1.13	1.10	12.58
101	PORTHILL	2.13	1.69	1.52	1.43	1.92	1.85	1.34	1.21	1.24	1.41	2.76	2.41	20.91
102	POTLATCH 3 NNE	2.85	2.70	2.52	2.26	2.69	1.78	1.15	1.13	1.29	1.81	3.25	3.18	26.61
103	POWELL	5.16	3.86	3.20	2.65	2.96	2.82	1.58	1.57	2.15	2.77	4.82	5.35	38.89
104	PRESTON	1.39	1.26	1.47	1.39	2.14	1.20	.94	1.05	1.31	1.61	1.20	1.33	16.29
105	PRIEST RIVER EXP STN	3.74	3.12	2.72	2.25	2.60	2.24	1.39	1.32	1.43	1.92	4.30	4.39	31.42
106	REXBURG RICKS COLLEGE	1.28	1.02	1.11	1.12	1.90	1.49	.92	.72	.87	1.11	1.22	1.09	13.85
107	REYNOLDS	1.18	.92	1.11	.94	1.30	.99	.38	.46	.61	.77	1.09	1.15	10.90
108	RICHFIELD	1.62	1.28	1.14	.73	1.07	.64	.37	.32	.58	.72	1.32	1.38	11.17
109	RIGGINS	1.18	1.13	1.71	1.78	2.31	1.80	1.08	.91	1.08	1.12	1.52	1.29	16.91
110	RUPERT 3 WSW	1.14	.76	1.10	.79	1.15	1.00	.36	.35	.56	.63	.99	1.01	9.84
111	SAINT ANTHONY 1 WNW	1.26	.90	1.10	1.13	2.02	1.52	.97	.75	.92	1.00	1.32	1.30	14.19
112	SAINT MARIES 1 W	3.91	3.10	2.68	2.28	2.49	1.96	1.28	1.13	1.40	2.02	4.13	4.25	30.63
113	SALMON KSRA	.68	.49	.54	.79	1.42	1.42	1.03	.82	.77	.65	.73	.78	10.12
114	SANDPOINT EXP STATION	3.94	3.47	2.85	2.25	2.75	2.46	1.63	1.43	1.60	2.30	4.75	4.75	34.18
115	SHOSHONE 1 WNW	1.38	1.11	1.26	.69	.95	.59	.26	.31	.57	.65	1.28	1.20	10.25
116	SHOUP	1.30	1.10	.88	1.18	1.69	1.64	.99	.91	.96	.91	1.42	1.48	14.46
117	SILVER CITY 5 W	3.21	2.48	2.62	2.26	2.34	1.37	.68	.54	.88	1.51	2.79	3.03	23.71
118	SODA SPRINGS AP	1.14	1.27	1.42	1.35	2.13	1.36	1.25	1.31	1.07	1.26	1.16	1.03	15.75
119	STANLEY	1.66	1.54	1.19	1.07	1.24	1.20	.73	.76	.88	1.14	1.55	2.03	14.99
120	SWAN FALLS P H	.83	.59	.96	1.01	1.06	.68	.29	.22	.53	.53	.89	.81	8.40
121	SWAN VALLEY 2 E	1.54	.97	1.38	1.62	2.75	1.48	1.39	1.34	1.39	1.37	1.53	1.30	18.06
122	TAYLOR RANCH	1.09	.98	1.09	1.59	2.06	1.84	1.16	1.09	.81	1.01	1.22	1.03	14.97
123	TETONIA EXPERIMENT STN	2.00	1.19	1.28	1.36	2.61	1.67	1.29	1.26	1.38	1.43	1.48	1.66	18.61
124	TWIN FALLS KMVT	1.07	.75	1.03	.83	1.04	.77	.22	.33	.45	.75	1.12	1.06	9.42
125	TWIN FALLS 6 E	1.29	.93	1.21	.95	1.40	.84	.27	.38	.65	.78	1.17	1.12	10.99
126	WALLACE WOODLAND PARK	5.12	4.10	3.68	2.91	3.01	2.61	1.41	1.37	1.75	2.71	5.30	5.25	39.22
127	WARREN	2.64	2.03	2.42	2.25	2.49	2.48	1.41	1.22	1.41	1.81	2.60	2.65	25.41
128	WEISER	1.42	1.38	1.17	.97	.96	.92	.34	.31	.50	.63	1.65	1.82	12.07
129	WINCHESTER	1.94	1.69	2.46	2.76	3.18	2.18	1.45	1.24	1.44	1.87	2.51	1.99	24.71
130	YELLOW PINE 7 S	3.22	2.83	2.35	1.95	2.10	1.99	1.13	1.09	1.49	1.81	3.22	3.38	26.56



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

IDAHO

No.	Station Name	Element	DEGREE DAYS (Total)												ANNUAL
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
036	DUBOIS EXPERIMENT STN	HDD	1428	1161	1030	684	429	197	63	68	278	629	1069	1401	8437
		CDD	0	0	0	0	1	38	140	116	30	0	0	0	325
037	DWORSHAK FISH HATCHERY	HDD	1006	772	636	409	210	76	11	17	134	418	755	990	5434
		CDD	0	0	0	1	20	89	240	252	90	2	0	0	694
038	ELK CITY 1 NE	HDD	1296	1036	969	739	534	303	164	171	389	688	1017	1314	8620
		CDD	0	0	0	0	0	3	31	23	5	0	0	0	62
039	ELK RIVER 1 S	HDD	1215	985	904	666	452	250	127	129	338	654	952	1213	7885
		CDD	0	0	0	0	0	8	58	60	11	0	0	0	137
040	EMMETT 2 E	HDD	1090	801	653	435	220	80	16	16	123	390	764	1058	5646
		CDD	0	0	0	2	22	133	294	259	80	2	0	0	792
041	FAIRFIELD RANGER STN	HDD	1446	1188	1038	670	419	209	72	90	286	607	1030	1416	8471
		CDD	0	0	0	0	1	29	113	96	16	0	0	0	255
042	FENN RANGER STN (LOWELL	HDD	1058	832	702	470	268	106	23	21	174	481	801	1046	5982
		CDD	0	0	0	0	12	61	188	187	51	0	0	0	499
043	FORT HALL 1 NNE	HDD	1329	1048	895	636	406	181	55	72	267	599	965	1303	7756
		CDD	0	0	0	0	2	31	100	90	16	0	0	0	239
044	GARDEN VALLEY	HDD	1214	957	814	564	348	150	55	65	238	544	919	1215	7083
		CDD	0	0	0	0	2	38	139	119	27	0	0	0	325
045	GIBBONSVILLE	HDD	1433	1143	982	706	491	266	107	124	345	686	1065	1418	8766
		CDD	0	0	0	0	0	11	67	43	8	0	0	0	129
046	GLENNS FERRY	HDD	1074	815	677	445	237	66	10	22	162	450	798	1081	5837
		CDD	0	0	0	2	20	116	286	243	66	1	0	0	734
047	GRACE	HDD	1358	1118	970	669	430	193	64	73	268	603	990	1310	8046
		CDD	0	0	0	0	0	22	102	89	11	0	0	0	224
048	GRAND VIEW 4 NW	HDD	1088	802	642	410	199	64	11	20	146	437	790	1100	5709
		CDD	0	0	0	6	34	135	275	234	56	0	0	0	740
049	GRANGEVILLE	HDD	1049	832	766	562	366	176	65	61	233	525	821	1052	6508
		CDD	0	0	0	0	2	29	124	132	31	0	0	0	318
050	GROUSE	HDD	1632	1342	1180	842	577	352	182	210	444	792	1208	1583	10344
		CDD	0	0	0	0	0	5	22	14	1	0	0	0	42
051	HAGERMAN 2 SW	HDD	1080	803	657	422	201	56	7	16	133	402	766	1065	5608
		CDD	0	0	0	6	28	127	285	239	62	1	0	0	748
053	HAMER 4 NW	HDD	1508	1191	978	638	370	154	50	71	298	645	1083	1474	8460
		CDD	0	0	0	0	2	43	126	91	24	0	0	0	286
054	HAZELTON	HDD	1194	926	784	540	315	113	20	34	194	502	874	1170	6666
		CDD	0	0	0	0	13	84	211	181	41	0	0	0	530
055	HEADQUARTERS	HDD	1192	980	918	692	484	267	134	133	355	655	957	1197	7964
		CDD	0	0	0	0	0	12	50	54	10	0	0	0	126
056	HILL CITY 1 W	HDD	1435	1183	1042	691	453	253	100	106	313	634	1043	1409	8662
		CDD	0	0	0	0	0	21	84	70	10	0	0	0	185
057	HOLLISTER	HDD	1135	887	792	569	362	155	28	35	186	481	829	1106	6565
		CDD	0	0	0	2	8	69	181	162	43	1	0	0	466
058	HOWE	HDD	1445	1141	925	597	369	168	50	55	266	617	1041	1431	8105
		CDD	0	0	0	0	5	58	147	104	13	0	0	0	327
059	IDAHO CITY	HDD	1284	1037	932	676	443	221	92	105	311	626	987	1281	7995
		CDD	0	0	0	0	0	15	96	81	15	0	0	0	207
060	IDAHO FALLS 2 ESE	HDD	1362	1072	894	600	366	146	34	51	235	564	957	1323	7604
		CDD	0	0	0	0	4	53	148	138	30	0	0	0	373
061	IDAHO FALLS 16 SE	HDD	1430	1168	1067	791	567	334	170	204	426	755	1123	1429	9464
		CDD	0	0	0	0	0	6	35	37	7	0	0	0	85
062	IDAHO FALLS FANNING AP	HDD	1416	1127	918	613	379	149	40	50	251	607	996	1371	7917
		CDD	0	0	0	0	2	43	142	114	21	0	0	0	322
063	IDAHO FALLS 46 W	HDD	1513	1201	999	677	429	193	57	64	294	670	1091	1485	8673
		CDD	0	0	0	0	1	43	137	101	14	0	0	0	296
064	ISLAND PARK	HDD	1521	1283	1197	881	608	337	165	180	419	760	1166	1507	10024
		CDD	0	0	0	0	0	5	30	22	3	0	0	0	60
065	JEROME	HDD	1181	919	778	531	295	104	19	23	165	463	851	1154	6483
		CDD	0	0	0	0	15	98	253	224	59	2	0	0	651
067	KELLOGG	HDD	1137	902	801	563	347	168	78	77	268	591	889	1130	6951
		CDD	0	0	0	0	5	34	122	108	27	0	0	0	296
068	KETCHUM RANGER STN	HDD	1465	1198	1098	785	548	316	151	178	401	722	1105	1431	9398
		CDD	0	0	0	0	0	11	54	30	2	0	0	0	97
069	KOOSKIA 5 SSE	HDD	1112	867	751	522	312	154	49	30	187	494	840	1098	6416
		CDD	0	0	0	0	4	35	146	167	51	0	0	0	403
070	KUNA	HDD	1104	799	632	423	223	72	21	21	148	427	787	1095	5752
		CDD	0	0	0	1	16	98	229	190	45	0	0	0	579
071	LEADORE NO 2	HDD	1521	1225	1086	774	540	286	130	160	396	751	1160	1517	9546
		CDD	0	0	0	0	0	6	38	23	2	0	0	0	69




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO


No.	Station Name	Element	DEGREE DAYS (Total)												ANNUAL
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
072	LEWISTON AP	HDD*	962	742	616	411	218	71	10	10	104	403	722	951	5211
		CDD*	0	0	0	3	29	105	283	285	84	3	0	0	792
073	LIFTON PUMPING STN	HDD	1478	1284	1122	746	463	209	77	114	352	706	1064	1395	9010
		CDD	0	0	0	0	0	25	86	52	4	0	0	0	167
074	LOWMAN	HDD	1285	1019	894	633	421	211	90	103	302	613	971	1298	7840
		CDD	0	0	0	0	0	13	75	55	8	0	0	0	151
075	MACKAY LOST RIVER RS	HDD	1444	1175	1027	699	455	223	81	93	296	635	1059	1424	8611
		CDD	0	0	0	0	1	27	99	64	8	0	0	0	199
076	MALAD CITY AP	HDD	1372	1099	913	654	403	165	40	58	248	595	966	1312	7825
		CDD	0	0	0	0	1	37	134	110	14	0	0	0	296
077	MALTA 4 ESE	HDD	1196	927	800	561	351	146	35	51	228	536	896	1183	6910
		CDD	0	0	0	0	4	46	150	132	23	0	0	0	355
079	MASSACRE ROCKS ST PARK	HDD	1254	966	825	567	319	111	16	21	170	506	909	1217	6881
		CDD	0	0	0	0	7	80	222	191	39	0	0	0	539
080	MAY 2 SSE	HDD	1448	1131	956	695	452	211	81	111	311	664	1075	1439	8574
		CDD	0	0	0	0	0	22	97	59	10	0	0	0	188
081	MCCALL	HDD	1337	1099	1032	774	544	314	154	180	405	709	1026	1314	8888
		CDD	0	0	0	0	0	4	38	41	4	0	0	0	87
082	MCCAMMON	HDD	1300	1050	876	597	381	159	45	56	234	562	939	1262	7461
		CDD	0	0	0	0	2	43	135	112	19	0	0	0	311
083	MIDDLE FORK LODGE	HDD	1279	1016	869	633	419	210	80	93	283	610	983	1289	7764
		CDD	0	0	0	0	1	24	102	77	15	0	0	0	219
084	MINIDOKA DAM	HDD	1228	958	813	555	316	111	18	23	164	483	864	1182	6715
		CDD	0	0	0	0	8	77	211	192	45	1	0	0	534
085	MONTPELIER RANGER STN	HDD	1421	1230	1071	758	484	224	60	74	309	659	1061	1376	8727
		CDD	0	0	0	0	0	26	104	82	8	0	0	0	220
086	MOSCOW U OF I	HDD	1104	867	774	557	367	194	73	70	225	520	855	1100	6706
		CDD	0	0	0	0	2	18	88	111	35	0	0	0	254
087	MOUNTAIN HOME	HDD	1117	851	724	489	267	87	14	18	148	442	819	1108	6084
		CDD	0	0	0	3	25	128	299	278	77	2	0	0	812
088	NAMPA SUGAR FACTORY	HDD	1120	836	676	452	230	70	10	21	153	434	788	1083	5873
		CDD	0	0	0	2	17	110	265	233	64	1	0	0	692
089	NEW MEADOWS RANGER STN	HDD	1430	1156	1004	727	510	278	135	140	378	699	1034	1403	8894
		CDD	0	0	0	0	0	11	53	39	6	0	0	0	109
090	NEZPERCE	HDD	1137	895	823	616	427	236	102	98	277	581	898	1133	7223
		CDD	0	0	0	0	0	12	72	87	20	0	0	0	191
091	OAKLEY	HDD	1151	899	794	577	365	145	33	46	207	494	860	1135	6706
		CDD	0	0	0	0	4	48	145	148	35	0	0	0	380
092	OLA 4 S	HDD	1254	942	772	534	310	126	29	40	209	544	913	1231	6904
		CDD	0	0	0	0	6	65	194	159	39	0	0	0	463
093	OROFINO	HDD	1041	786	661	425	233	83	20	19	150	470	792	1032	5712
		CDD	0	0	0	2	17	83	214	222	62	0	0	0	600
094	PALISADES	HDD	1297	1073	949	648	399	165	41	41	209	527	916	1244	7509
		CDD	0	0	0	0	1	47	152	116	23	0	0	0	339
095	PARMA EXPERIMENT STN	HDD	1174	868	686	448	230	78	16	26	167	464	825	1138	6120
		CDD	0	0	0	2	20	98	246	219	59	1	0	0	645
096	PAUL 1 ENE	HDD	1196	935	796	550	323	116	24	38	208	511	873	1170	6740
		CDD	0	0	0	0	8	68	191	170	36	0	0	0	473
097	PAYETTE	HDD	1145	830	628	396	179	50	8	11	107	395	769	1085	5603
		CDD	0	0	0	2	28	134	313	272	80	2	0	0	831
098	PICABO	HDD	1432	1153	1000	692	467	231	87	98	318	636	1043	1385	8542
		CDD	0	0	0	0	2	22	97	87	20	0	0	0	228
099	PIERCE	HDD	1241	1032	951	708	480	269	137	137	363	679	985	1230	8212
		CDD	0	0	0	0	0	6	57	41	5	0	0	0	109
100	POCATELLO RGNL AP	HDD*	1274	996	842	584	353	129	21	26	201	536	907	1240	7109
		CDD*	0	0	0	0	3	51	167	143	23	0	0	0	387
101	PORTHILL	HDD	1224	976	842	556	328	156	71	84	289	640	932	1192	7290
		CDD	0	0	0	0	5	33	111	97	12	0	0	0	258
102	POTLATCH 3 NNE	HDD	1118	883	811	603	424	242	118	122	309	605	879	1109	7223
		CDD	0	0	0	0	0	5	43	54	10	0	0	0	112
103	POWELL	HDD	1268	1033	944	710	496	268	138	142	370	679	1020	1282	8350
		CDD	0	0	0	0	0	11	63	51	7	0	0	0	132
104	PRESTON	HDD	1356	1080	881	600	359	140	24	28	217	560	942	1293	7480
		CDD	0	0	0	0	3	46	160	127	26	0	0	0	362
105	PRIEST RIVER EXP STN	HDD	1254	1017	926	657	412	219	113	111	337	684	1002	1229	7961
		CDD	0	0	0	0	1	12	66	52	10	0	0	0	141
106	REXBURG RICKS COLLEGE	HDD	1419	1143	971	654	412	193	68	80	291	645	1042	1407	8325
		CDD	0	0	0	0	2	30	101	87	16	0	0	0	236



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

IDAHO

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
107	REYNOLDS	HDD	1109	878	794	582	371	167	49	54	240	535	858	1112	6749
		CDD	0	0	0	0	6	52	165	153	34	0	0	0	410
108	RICHFIELD	HDD	1328	1054	881	601	373	157	44	57	234	561	952	1279	7521
		CDD	0	0	0	0	6	44	152	144	36	0	0	0	382
109	RIGGINS	HDD	964	717	593	388	204	87	18	17	102	363	717	950	5120
		CDD	0	0	0	11	29	130	295	301	99	4	0	0	869
110	RUPERT 3 WSW	HDD	1242	976	836	578	361	147	44	63	250	564	915	1217	7193
		CDD	0	0	0	0	4	45	128	118	24	0	0	0	319
111	SAINT ANTHONY 1 WNW	HDD	1461	1216	1070	734	466	230	107	117	335	674	1071	1428	8909
		CDD	0	0	0	0	0	14	85	56	7	0	0	0	162
112	SAINT MARIES 1 W	HDD	1121	879	779	553	350	171	86	77	258	580	893	1123	6870
		CDD	0	0	0	0	3	32	134	130	42	0	0	0	341
113	SALMON KSRA	HDD	1429	1090	861	574	335	140	34	50	238	613	1025	1387	7776
		CDD	0	0	0	0	3	50	161	113	17	0	0	0	344
114	SANDPOINT EXP STATION	HDD	1224	975	858	592	368	187	87	89	290	632	938	1182	7422
		CDD	0	0	0	0	1	20	83	71	10	0	0	0	185
115	SHOSHONE 1 WNW	HDD	1235	964	798	515	277	88	10	19	166	469	876	1193	6610
		CDD	0	0	0	1	22	115	279	257	75	2	0	0	751
116	SHOUP	HDD	1298	993	776	503	296	109	34	50	204	543	939	1289	7034
		CDD	0	0	0	0	12	59	201	184	55	0	0	0	511
117	SILVER CITY 5 W	HDD	1140	953	928	713	470	226	70	59	229	522	917	1122	7349
		CDD	0	0	0	0	2	40	165	154	51	2	0	0	414
118	SODA SPRINGS AP	HDD	1446	1217	1094	767	505	245	102	117	356	707	1067	1422	9045
		CDD	0	0	0	0	0	15	76	53	5	0	0	0	149
119	STANLEY	HDD	1626	1355	1228	917	660	417	250	280	509	804	1194	1630	10870
		CDD	0	0	0	0	0	0	7	4	0	0	0	0	11
120	SWAN FALLS P H	HDD	1037	758	575	351	144	32	2	3	68	309	721	1022	5022
		CDD	0	0	0	11	55	206	423	379	133	7	0	0	1214
121	SWAN VALLEY 2 E	HDD	1374	1118	977	693	459	223	95	92	304	644	1014	1348	8341
		CDD	0	0	0	0	0	24	99	71	12	0	0	0	206
122	TAYLOR RANCH	HDD	1381	1075	913	655	441	227	89	108	308	675	1032	1346	8250
		CDD	0	0	0	0	0	15	89	86	16	0	0	0	206
123	TETONIA EXPERIMENT STN	HDD	1542	1241	1151	836	568	311	147	167	412	765	1163	1518	9821
		CDD	0	0	0	0	0	7	38	24	2	0	0	0	71
124	TWIN FALLS KMVT	HDD	1142	891	753	515	286	99	14	27	172	463	820	1118	6300
		CDD	0	0	0	1	14	95	238	194	44	1	0	0	587
125	TWIN FALLS 6 E	HDD	1176	913	783	552	331	128	34	45	222	517	861	1153	6715
		CDD	0	0	0	0	5	54	154	125	26	0	0	0	364
126	WALLACE WOODLAND PARK	HDD	1188	959	882	639	432	235	121	108	316	614	927	1175	7596
		CDD	0	0	0	0	1	13	77	71	20	0	0	0	182
127	WARREN	HDD	1393	1153	1132	917	709	473	306	325	530	794	1127	1399	10258
		CDD	0	0	0	0	0	0	6	4	0	0	0	0	10
128	WEISER	HDD	1156	846	623	390	176	48	4	13	121	403	781	1109	5670
		CDD	0	0	0	5	36	156	331	284	91	2	0	0	905
129	WINCHESTER	HDD	1164	951	919	702	522	312	164	153	348	633	940	1168	7976
		CDD	0	0	0	0	0	3	39	50	12	0	0	0	104
130	YELLOW PINE 7 S	HDD	1388	1144	1069	833	611	386	213	235	455	749	1085	1381	9549
		CDD	0	0	0	0	0	1	17	13	1	0	0	0	32




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 19

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
001	ABERDEEN EXPE	HIGHEST MEAN	30.7	35.2	43.0	49.8	58.5	66.0	71.6	70.2	63.0	52.8	39.6	30.3	71.6		
		MEDIAN	21.0	27.5	36.5	43.4	52.0	60.0	66.8	66.0	56.3	45.0	33.5	23.0	44.7		
		LOWEST MEAN	8.2	11.8	26.3	36.4	48.2	56.7	59.5	62.1	50.9	41.7	23.4	8.7	8.2		
		HIGHEST MEAN YEAR	1998	1992	1986	1987	1992	1988	1998	1994	1990	1988	1995	1975	1998		
		LOWEST MEAN YEAR	1979	1985	1985	1975	1975	1998	1993	1993	1986	1984	1985	1985	1979		
		MIN OBS TIME ADJUSTMENT	1.2	0.7	0.8	-0.1	-0.4	-0.4	-0.4	-0.3	-0.4	0.3	0.2	0.8			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1			
		002	AMERICAN FALL	HIGHEST MEAN	33.8	39.0	46.6	54.4	63.7	70.6	75.0	74.2	67.8	57.7	42.7	32.5	75.0
				MEDIAN	25.5	30.8	39.5	46.8	54.8	63.2	70.7	69.3	59.8	48.7	36.0	26.5	47.9
LOWEST MEAN	13.6			19.0	26.3	40.2	50.5	57.6	63.9	65.4	55.5	43.8	27.3	13.4	13.4		
HIGHEST MEAN YEAR	1994			1992	1986	1992	1992	1988	1988	1994	1990	1988	1999	1980	1988		
LOWEST MEAN YEAR	1985			1985	1985	1975	1975	1998	1993	1976	1972	1984	2000	1985	1985		
MIN OBS TIME ADJUSTMENT	-1.1			-0.9	-0.8	-0.9	-0.6	-0.5	-0.5	-0.7	-0.8	-1.1	-1.2	-0.9			
MAX OBS TIME ADJUSTMENT	-1.9			-1.3	-1.6	-2.3	-1.8	-1.6	-1.4	-1.8	-1.9	-2.0	-1.7	-1.6			
003	ANDERSON DAM			HIGHEST MEAN	33.8	38.1	45.9	53.5	61.1	69.5	76.1	74.4	68.4	59.6	43.1	32.1	76.1
				MEDIAN	25.8	29.8	37.8	45.3	54.7	63.7	71.0	71.6	61.2	50.3	36.6	28.4	48.1
		LOWEST MEAN	16.6	20.0	28.8	38.4	49.7	57.9	64.0	65.0	55.5	45.8	27.7	16.5	16.5		
		HIGHEST MEAN YEAR	1981	1991	1992	1987	1992	1986	1985	1986	1990	1988	1999	1989	1985		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1977	1993	1993	1976	1971	1981	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	0.4	0.6	0.0	-0.6	-0.6	-0.6	-0.6	-0.7	-0.8	-0.6	0.2	0.2			
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.1			
		004	ARBON 2 NW	HIGHEST MEAN	30.2	35.9	42.9	50.0	56.2	67.3	71.4	71.0	63.7	53.3	40.8	30.6	71.4
				MEDIAN	22.5	27.0	35.8	42.6	51.2	59.5	67.1	66.4	57.5	45.9	33.6	24.4	44.4
LOWEST MEAN	11.6			15.9	27.2	35.7	47.3	54.4	58.3	62.1	51.5	40.0	24.5	13.4	11.6		
HIGHEST MEAN YEAR	1994			1992	1986	1987	1992	1988	1988	2000	1990	1988	1999	1995	1988		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1998	1993	1975	1971	1984	2000	1990	1979		
MIN OBS TIME ADJUSTMENT	-1.0			-0.8	-0.7	-0.8	-0.6	-0.5	-0.5	-0.7	-0.7	-1.0	-1.0	-0.8			
MAX OBS TIME ADJUSTMENT	-1.0			-0.6	-0.9	-1.2	-0.9	-0.9	-0.7	-1.2	-0.9	-0.9	-0.8	-0.8			
005	ARCO			HIGHEST MEAN	23.9	33.1	41.4	50.4	58.6	65.7	72.4	70.0	62.9	52.3	37.8	26.7	72.4
				MEDIAN	17.5	22.5	34.0	43.1	51.5	60.0	66.7	65.6	55.8	44.7	29.9	19.3	43.1
		LOWEST MEAN	9.5	7.8	22.1	35.3	47.9	55.4	58.0	60.2	49.3	40.2	21.6	8.6	7.8		
		HIGHEST MEAN YEAR	1998	1992	1992	1987	1992	1988	1998	1971	1998	1988	1999	1995	1998		
		LOWEST MEAN YEAR	1985	1985	1985	1975	1977	1993	1993	1993	1985	1984	1994	1983	1985		
		MIN OBS TIME ADJUSTMENT	-1.2	-0.9	-0.8	-0.9	-0.6	-0.6	-0.5	-0.7	-0.8	-1.1	-1.3	-0.9			
		MAX OBS TIME ADJUSTMENT	-1.9	-1.6	-1.6	-2.3	-1.8	-1.7	-1.5	-1.9	-2.0	-2.0	-1.7	-1.6			
		006	ARROWROCK DAM	HIGHEST MEAN	34.9	39.7	47.1	54.6	61.9	71.0	77.8	78.0	68.7	58.6	44.0	34.5	78.0
				MEDIAN	28.7	33.1	41.4	47.7	56.7	65.3	73.6	72.8	62.1	50.4	38.1	29.9	50.1
LOWEST MEAN	17.5			21.9	33.0	41.7	51.0	59.8	63.6	67.7	56.0	46.5	29.4	18.3	17.5		
HIGHEST MEAN YEAR	1998			1995	1992	1987	1987	1986	1985	1971	1990	1988	1999	1973	1971		
LOWEST MEAN YEAR	1979			1989	1976	1975	1977	1993	1993	1993	1985	1985	1985	1985	1979		
MIN OBS TIME ADJUSTMENT	0.4			0.5	0.0	-0.6	-0.6	-0.7	-0.6	-0.7	-0.9	-0.6	0.1	0.1			
MAX OBS TIME ADJUSTMENT	0.2			0.3	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.0			
007	ASHTON			HIGHEST MEAN	26.6	30.2	39.4	48.0	56.2	64.2	67.6	68.6	61.0	51.3	38.1	27.5	68.6
				MEDIAN	19.1	23.9	31.7	41.2	50.3	57.8	63.9	63.1	54.8	44.3	31.2	20.1	41.8
		LOWEST MEAN	8.0	14.4	25.1	34.0	45.3	51.1	55.7	59.2	49.3	38.2	22.6	10.7	8.0		
		HIGHEST MEAN YEAR	1981	1992	1992	1987	1992	1988	1989	1998	1990	1988	1998	1995	1998		
		LOWEST MEAN YEAR	1979	1985	1985	1975	1975	1998	1993	1975	1985	1984	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	0.6	-0.3	-0.1	-0.6	-0.6	-0.5	-0.5	-0.8	-0.8	-0.6	-0.8	0.3			
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.2	0.2	0.1	-0.1	-0.1	-0.1	-0.1	0.1			
		008	AVERY RS #2	HIGHEST MEAN	32.5	36.3	44.8	51.0	59.7	67.7	74.1	71.0	64.7	52.5	39.4	32.2	74.1
				MEDIAN	26.9	30.6	37.6	46.4	54.5	61.1	67.4	67.3	58.4	45.5	33.9	27.2	46.5
LOWEST MEAN	12.3			20.0	33.6	40.5	47.1	57.5	58.9	61.8	52.7	41.5	22.1	17.3	12.3		
HIGHEST MEAN YEAR	1983			1991	1978	1987	1979	1992	1998	1986	1998	1988	1999	1981	1998		
LOWEST MEAN YEAR	1979			1985	1976	1997	1996	1975	1993	1980	1971	1985	1985	1985	1979		
MIN OBS TIME ADJUSTMENT	1.2			1.3	0.7	-0.1	-0.5	-0.5	-0.5	-0.3	-0.5	0.3	1.0	0.6			
MAX OBS TIME ADJUSTMENT	0.5			0.4	0.4	0.3	0.3	0.3	0.2	0.0	-0.1	0.0	0.1	0.2			
009	BAYVIEW MODEL			HIGHEST MEAN	35.0	36.8	40.2	48.0	58.1	64.3	70.7	67.5	60.1	48.2	39.7	35.0	70.7
				MEDIAN	28.6	31.3	36.7	44.0	52.0	58.5	64.8	64.4	54.1	43.7	35.7	29.7	45.2
		LOWEST MEAN	15.9	21.5	32.7	39.4	44.9	54.9	59.3	59.4	49.6	40.9	25.1	21.8	15.9		
		HIGHEST MEAN YEAR	1994	1991	1986	1994	1993	1992	1998	1994	1998	1988	1983	1979	1998		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1996	1981	1993	1995	1971	1984	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	0.9	1.0	1.2	1.0	0.0	0.0	-0.1	0.6	0.4	0.8	0.8	0.4			
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.1			
		010	BLACKFOOT 1 S	HIGHEST MEAN	31.3	35.7	44.5	51.0	59.0	67.6	71.8	70.1	63.4	53.4	40.5	31.8	71.8
				MEDIAN	22.7	28.6	37.4	44.6	52.9	60.7	67.9	67.0	57.3	46.3	34.6	23.7	45.3
LOWEST MEAN	10.4			14.4	24.8	37.8	49.1	56.9	59.7	62.1	53.5	42.1	24.2	11.0	10.4		
HIGHEST MEAN YEAR	1998			1992	1986	1992	1992	1988	1985	2000	1998	1988	1999	1980	1985		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1998	1993	1993	1986	1984	1985	1985	1979		
MIN OBS TIME ADJUSTMENT	-1.0			-0.8	-0.7	-0.8	-0.6	-0.5	-0.5	-0.7	-0.7	-1.0	-1.0	-0.8			
MAX OBS TIME ADJUSTMENT	-1.0			-0.5	-0.9	-1.2	-0.9	-0.8	-0.7	-1.2	-0.9	-0.9	-0.7	-0.8			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 20

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
011	BLISS 4 NW	HIGHEST MEAN	34.7	41.6	46.9	54.1	62.9	70.8	75.7	75.1	68.5	59.7	44.1	38.9	75.7
		MEDIAN	27.4	33.6	41.2	47.8	56.9	65.8	72.6	70.8	61.4	50.3	37.4	29.6	49.7
		LOWEST MEAN	16.9	21.3	32.2	41.7	52.8	60.0	64.4	66.9	52.9	44.8	25.8	12.5	12.5
		HIGHEST MEAN YEAR	1998	1992	1986	1990	1992	1986	1998	1998	1998	1988	1999	1995	1998
		LOWEST MEAN YEAR	1979	1985	1985	1975	1977	1998	1993	1976	1985	1985	1985	1985	1985
		MIN OBS TIME ADJUSTMENT	1.1	1.2	0.9	-0.1	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.9	0.7	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1	
012	BOISE 7 N	HIGHEST MEAN	36.8	41.2	47.1	53.8	62.4	69.5	78.4	76.3	69.6	60.0	46.4	35.6	78.4
		MEDIAN	29.1	34.6	40.7	45.8	54.5	63.1	72.3	72.3	62.0	50.2	38.6	29.9	49.6
		LOWEST MEAN	16.9	23.1	34.6	39.0	50.3	58.1	62.1	66.2	54.5	47.3	28.2	16.1	16.1
		HIGHEST MEAN YEAR	1998	1992	1992	1987	1992	1986	1985	1986	1990	1988	1999	1979	1985
		LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1993	1993	1976	1985	1985	1985	1985	1985
		MIN OBS TIME ADJUSTMENT	-0.5	-0.4	-0.5	-0.6	-0.4	-0.5	-0.4	-0.6	-0.5	-0.6	-0.6	-0.4	
		MAX OBS TIME ADJUSTMENT	-0.2	-0.2	-0.2	-0.2	-0.1	-0.1	-0.1	-0.3	-0.2	-0.3	-0.3	-0.2	
013	BOISE LUCKY P	HIGHEST MEAN	37.5	43.0	49.9	56.9	65.0	71.9	77.9	78.0	70.0	59.4	46.1	36.8	78.0
		MEDIAN	30.8	36.4	42.8	49.4	57.9	65.7	73.3	72.8	62.9	52.7	39.8	31.6	51.8
		LOWEST MEAN	17.5	20.7	36.6	41.8	52.6	60.5	63.1	68.1	56.8	48.6	28.3	14.9	14.9
		HIGHEST MEAN YEAR	1998	1992	1986	1987	1992	1986	1985	1971	1998	1988	1999	1977	1971
		LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1991	1993	1976	1985	1971	1985	1985	1985
		MIN OBS TIME ADJUSTMENT	0.4	0.6	-0.1	-0.6	-0.6	-0.7	-0.6	-0.7	-0.9	-0.6	0.1	0.1	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.0	
014	BOISE AIR TER	HIGHEST MEAN	38.9	42.7	49.6	56.8	65.2	73.0	79.2	79.5	70.8	60.8	46.9	39.1	79.5
		MEDIAN	31.3	37.3	43.8	49.7	58.1	67.0	74.7	74.8	64.0	52.6	41.1	31.1	52.2
		LOWEST MEAN	17.0	23.8	36.6	45.0	54.9	62.6	66.0	68.8	57.2	47.8	28.5	13.3	13.3
		HIGHEST MEAN YEAR	1998	1992	1992	1987	1992	1986	1998	1971	1990	1988	1999	1973	1971
		LOWEST MEAN YEAR	1979	1989	1985	1975	1977	1984	1993	1980	1985	1984	1985	1985	1985
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
015	BONNERS FERRY	HIGHEST MEAN	35.1	37.9	43.5	51.9	61.2	67.1	72.5	69.6	62.8	51.3	39.6	34.4	72.5
		MEDIAN	27.2	31.6	39.6	47.5	55.7	61.4	67.0	67.0	57.1	45.6	35.4	28.8	47.0
		LOWEST MEAN	13.7	22.9	34.7	42.4	51.1	57.5	60.0	61.8	52.5	42.7	23.7	18.5	13.7
		HIGHEST MEAN YEAR	1994	1991	1992	1987	1993	1992	1985	1986	1998	1988	1999	1979	1985
		LOWEST MEAN YEAR	1979	1989	1976	1975	1996	1971	1993	1980	1971	1971	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-0.8	-0.7	-0.7	-0.6	-0.7	-0.6	-0.8	-0.8	-0.9	-1.0	-0.7	
		MAX OBS TIME ADJUSTMENT	-1.0	-0.5	-0.3	-0.5	-0.4	-0.5	-0.4	-0.6	-0.5	-0.6	-0.7	-0.7	
016	BROWNLEE DAM	HIGHEST MEAN	37.0	43.6	52.4	59.8	68.5	75.8	84.3	83.9	75.2	64.2	47.1	36.2	84.3
		MEDIAN	29.1	36.5	44.8	52.2	61.2	69.9	77.6	78.4	67.5	54.9	41.4	33.5	54.1
		LOWEST MEAN	16.1	24.4	37.9	44.6	55.1	64.1	68.5	69.8	61.0	51.6	31.6	22.9	16.1
		HIGHEST MEAN YEAR	1990	1992	1992	1987	1992	1986	1985	1971	1990	1988	1999	1989	1985
		LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1976	1993	1976	1985	1985	1985	1978	1979
		MIN OBS TIME ADJUSTMENT	0.4	0.6	0.0	-0.5	-0.7	-0.6	-0.5	-0.7	-0.9	-0.6	0.2	0.3	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.2	
017	BRUNEAU	HIGHEST MEAN	38.9	44.0	50.2	58.5	65.5	73.1	80.0	78.0	70.4	59.7	46.4	38.0	80.0
		MEDIAN	32.6	37.6	45.4	50.9	59.7	67.6	75.9	73.9	64.0	52.7	41.0	31.3	52.8
		LOWEST MEAN	20.4	26.9	39.5	45.5	55.9	62.5	66.3	69.1	57.7	49.2	29.8	16.5	16.5
		HIGHEST MEAN YEAR	1998	1995	1978	1987	1992	1977	1985	1971	1990	1988	1999	1977	1985
		LOWEST MEAN YEAR	1979	1989	1985	1975	1977	1993	1993	1993	1985	1984	1985	1985	1985
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.7	-0.8	-0.6	-0.6	-0.5	-0.7	-0.7	-0.9	-1.0	-0.6	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.4	-0.5	-0.6	-0.5	-0.5	-0.4	-0.8	-0.6	-0.6	-0.7	-0.4	
018	BUHL NO 2	HIGHEST MEAN	35.9	39.8	46.5	53.6	60.2	68.4	76.6	75.0	67.9	57.4	45.2	33.1	76.6
		MEDIAN	26.5	31.6	39.5	45.8	54.4	63.0	70.9	70.1	60.1	49.4	36.6	28.5	47.9
		LOWEST MEAN	12.8	22.4	32.6	39.1	50.1	58.6	62.3	64.6	53.9	43.4	27.1	14.8	12.8
		HIGHEST MEAN YEAR	1998	1992	1992	1987	1992	1986	1998	2000	1990	1988	1999	1977	1998
		LOWEST MEAN YEAR	1979	1985	1976	1975	1977	1993	1993	1976	1985	1981	1985	1985	1979
		MIN OBS TIME ADJUSTMENT	1.1	1.1	0.9	-0.1	-0.5	-0.5	-0.4	-0.3	-0.4	0.3	0.8	0.6	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1	
019	BURLEY MUNICI	HIGHEST MEAN	36.6	41.9	48.7	54.9	63.8	71.1	77.3	74.8	68.9	57.8	45.8	35.1	77.3
		MEDIAN	28.6	34.3	41.8	47.7	56.4	65.6	71.5	70.8	60.7	49.8	38.3	29.3	49.8
		LOWEST MEAN	14.7	22.7	31.2	41.6	51.7	60.3	64.6	64.8	55.4	45.7	27.9	16.5	14.7
		HIGHEST MEAN YEAR	1998	1992	1986	1987	1992	1988	1985	1991	1990	1988	1999	1980	1985
		LOWEST MEAN YEAR	1979	1985	1985	1975	1975	1998	1993	1975	1971	1971	2000	1985	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
020	CABINET GORGE	HIGHEST MEAN	33.6	36.4	43.3	49.1	58.2	64.1	70.9	68.6	63.0	51.8	40.5	33.4	70.9
		MEDIAN	26.7	30.7	37.2	43.9	52.9	58.2	64.6	65.1	57.0	45.8	34.4	28.7	45.4
		LOWEST MEAN	11.9	20.8	31.2	39.2	47.6	54.1	58.2	59.1	51.7	42.5	23.2	19.3	11.9
		HIGHEST MEAN YEAR	1981	1992	1992	1987	1993	1992	1998	1986	1998	1988	1999	1979	1998
		LOWEST MEAN YEAR	1979	1989	1976	1972	1996	1991	1993	1980	1971	1985	1985	1983	1979
		MIN OBS TIME ADJUSTMENT	0.6	0.6	-0.1	-0.5	-0.6	-0.6	-0.6	-0.7	-0.8	-0.6	0.2	0.3	
		MAX OBS TIME ADJUSTMENT	0.4	0.3	0.3	0.2	0.1	0.2	0.0	0.0	-0.2	0.0	0.0	0.2	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 22

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
032	CRATERS OF TH	HIGHEST MEAN	28.3	35.3	42.3	50.6	59.4	66.6	73.2	72.7	64.2	54.4	38.4	28.2	73.2		
		MEDIAN	20.0	24.7	32.2	42.0	50.3	59.8	67.9	68.0	56.8	45.2	30.4	21.3	43.7		
		LOWEST MEAN	10.3	12.7	24.5	32.9	46.6	55.6	59.6	62.2	48.9	40.0	21.8	12.3	10.3		
		HIGHEST MEAN YEAR	1981	1991	1992	1987	1992	1988	1989	1981	1990	1988	1999	1980	1989		
		LOWEST MEAN YEAR	1979	1985	1971	1975	1977	1998	1993	1976	1985	1984	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	-1.1	-0.9	-0.8	-0.9	-0.6	-0.6	-0.5	-0.7	-0.8	-1.1	-1.1	-0.9			
		MAX OBS TIME ADJUSTMENT	-1.5	-1.4	-1.4	-1.9	-1.4	-1.3	-1.2	-1.7	-1.5	-1.5	-1.1	-1.3			
		HIGHEST MEAN	39.5	43.3	50.8	59.6	65.7	72.6	78.0	77.2	69.9	60.6	46.0	39.3	78.0		
		MEDIAN	32.9	38.7	46.4	52.4	60.5	67.0	74.2	73.1	64.6	53.7	42.2	32.7	53.1		
		LOWEST MEAN	16.8	22.2	39.2	46.6	55.5	63.6	65.7	68.1	56.8	49.0	30.2	13.4	13.4		
033	DEER FLAT DAM	HIGHEST MEAN YEAR	1998	1995	1994	1987	1987	1986	1985	1971	1990	1988	1983	1973	1985		
		LOWEST MEAN YEAR	1979	1989	1985	1975	1977	1998	1993	1993	1985	1984	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.7	-0.8	-0.6	-0.7	-0.6	-0.8	-0.8	-1.0	-1.0	-0.6			
		MAX OBS TIME ADJUSTMENT	-0.7	-0.7	-0.8	-1.2	-1.0	-1.0	-0.9	-1.4	-1.0	-0.9	-1.0	-0.6			
		034	DIXIE	HIGHEST MEAN	24.2	28.5	34.9	39.0	47.6	56.2	61.5	59.6	52.8	45.2	32.6	25.5	61.5
				MEDIAN	17.5	20.6	27.1	33.9	42.6	49.7	56.2	56.1	47.1	37.8	25.7	17.9	35.9
				LOWEST MEAN	5.7	12.5	19.3	26.4	36.8	46.5	48.8	51.6	42.5	30.7	19.6	7.0	5.7
				HIGHEST MEAN YEAR	1981	1995	1986	1987	1987	1986	1975	1971	1990	1988	1999	1980	1975
				LOWEST MEAN YEAR	1979	1989	1971	1975	1975	1975	1993	1980	1971	1984	1985	1990	1979
				MIN OBS TIME ADJUSTMENT	0.5	0.6	-0.1	-0.6	-0.7	-0.6	-0.6	-0.7	-0.8	-0.5	0.2	0.4	
MAX OBS TIME ADJUSTMENT	0.3			0.3	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2			
035	DRIGGS			HIGHEST MEAN	25.2	29.8	37.7	45.2	53.4	62.0	66.0	64.8	57.7	48.4	37.9	27.9	66.0
				MEDIAN	18.2	21.8	30.1	38.9	47.7	55.7	63.1	61.9	52.8	42.1	29.5	19.0	40.0
				LOWEST MEAN	7.3	13.0	21.6	30.4	43.8	50.5	54.4	57.0	47.3	35.8	21.8	9.4	7.3
		HIGHEST MEAN YEAR	1998	1992	1992	1992	1992	1988	1975	2000	1990	1988	1999	1980	1975		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1975	1998	1993	1993	1986	1984	2000	1990	1979		
		MIN OBS TIME ADJUSTMENT	-1.3	-1.1	-0.9	-1.0	-0.6	-0.5	-0.5	-0.7	-0.9	-1.2	-1.3	-1.1			
		MAX OBS TIME ADJUSTMENT	-1.8	-1.1	-1.6	-2.0	-1.4	-1.3	-1.1	-1.2	-1.6	-1.6	-1.3	-1.5			
		036	DUBOIS EXPERI	HIGHEST MEAN	29.8	31.5	40.8	49.5	57.3	66.0	71.8	71.1	63.3	53.7	39.4	27.6	71.8
				MEDIAN	17.8	23.6	31.8	41.7	50.9	59.9	67.7	67.1	56.5	44.6	29.3	21.3	42.8
				LOWEST MEAN	9.6	13.9	24.1	31.1	45.8	54.6	57.6	61.3	49.1	39.3	19.7	9.7	9.6
HIGHEST MEAN YEAR	1981			1991	1992	1987	1992	1988	1998	1981	1990	1988	1999	1980	1998		
LOWEST MEAN YEAR	1979			1985	1976	1975	1975	1998	1993	1993	1985	1984	1985	1990	1979		
MIN OBS TIME ADJUSTMENT	-1.2			-1.0	-0.8	-0.9	-0.6	-0.5	-0.5	-0.7	-0.8	-1.1	-1.2	-1.2			
MAX OBS TIME ADJUSTMENT	-1.6			-1.0	-1.4	-1.9	-1.4	-1.2	-1.1	-1.6	-1.5	-1.5	-1.1	-1.5			
037	DWORSHAK FISH			HIGHEST MEAN	38.8	43.5	50.8	57.1	63.9	71.2	78.5	77.6	71.6	58.0	43.9	37.8	78.5
				MEDIAN	33.1	38.3	44.6	51.0	59.0	65.3	72.6	73.1	63.5	51.6	40.8	33.7	51.8
				LOWEST MEAN	18.4	28.4	39.3	44.6	54.8	61.7	66.1	66.8	58.0	47.3	30.8	25.7	18.4
		HIGHEST MEAN YEAR	1994	1992	1992	1987	1993	1992	1985	1971	1990	1988	1999	1973	1985		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1999	1976	1993	1980	1985	1985	1985	1983	1979		
		MIN OBS TIME ADJUSTMENT	0.6	0.6	0.0	-0.5	-0.6	-0.6	-0.5	-0.7	-0.8	-0.5	0.2	0.3			
		MAX OBS TIME ADJUSTMENT	0.4	0.3	0.3	0.3	0.1	0.2	0.1	0.0	-0.2	-0.1	0.0	0.2			
		038	ELK CITY 1 NE	HIGHEST MEAN	32.7	34.1	40.8	45.5	52.9	59.9	66.2	64.3	58.9	49.9	36.8	29.4	66.2
				MEDIAN	23.7	28.3	34.1	40.1	48.1	54.4	60.6	60.3	51.8	42.8	31.6	23.2	41.6
				LOWEST MEAN	10.2	19.2	27.2	34.3	43.9	52.0	54.3	55.4	45.6	38.3	22.2	10.5	10.2
HIGHEST MEAN YEAR	1981			1992	1992	1987	1993	1986	1998	1971	1998	1988	1981	1980	1998		
LOWEST MEAN YEAR	1979			1989	1971	1975	1975	1991	1993	1980	1971	1971	1985	1983	1979		
MIN OBS TIME ADJUSTMENT	0.5			0.6	-0.1	-0.6	-0.7	-0.6	-0.6	-0.7	-0.8	-0.5	0.2	0.3			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.3	0.3	0.1	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2			
039	ELK RIVER 1 S			HIGHEST MEAN	32.4	35.2	43.4	48.4	55.5	62.5	69.1	67.1	61.0	49.8	39.5	31.2	69.1
				MEDIAN	25.9	30.6	36.1	42.4	50.8	56.5	62.3	63.4	53.9	43.8	33.0	26.3	43.7
				LOWEST MEAN	13.4	21.1	31.8	37.1	46.5	53.5	56.3	57.5	48.9	40.1	21.5	18.0	13.4
		HIGHEST MEAN YEAR	1981	1992	1992	1987	1993	1986	1998	1971	1990	1988	1999	1979	1998		
		LOWEST MEAN YEAR	1979	1989	1971	1975	1984	1981	1993	1980	1985	1985	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	0.7	0.7	-0.1	-0.5	-0.6	-0.6	-0.6	-0.7	-0.9	-0.5	0.3	0.3			
		MAX OBS TIME ADJUSTMENT	0.5	0.4	0.3	0.3	0.1	0.2	0.0	0.0	-0.2	0.0	0.1	0.2			
		040	EMMETT 2 E	HIGHEST MEAN	37.9	42.3	49.3	56.2	63.5	74.1	79.5	78.1	70.2	59.6	45.5	38.6	79.5
				MEDIAN	32.2	36.9	43.8	50.0	58.4	66.2	74.6	73.4	63.6	52.6	41.0	31.5	51.9
				LOWEST MEAN	16.8	20.3	38.1	44.3	54.4	61.1	63.9	67.2	56.7	48.3	28.4	15.0	15.0
HIGHEST MEAN YEAR	1998			1992	1978	1977	1992	1974	1985	1986	1990	1988	1999	1973	1985		
LOWEST MEAN YEAR	1979			1989	1985	1975	1991	1993	1993	1993	1985	1985	1985	1985	1985		
MIN OBS TIME ADJUSTMENT	1.0			1.1	0.8	-0.1	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.8	0.6			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.3	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.0			
041	FAIRFIELD RAN			HIGHEST MEAN	24.4	33.5	42.1	50.8	57.1	64.7	71.4	70.0	61.2	54.8	38.2	25.6	71.4
				MEDIAN	18.1	22.5	31.6	42.4	51.2	59.1	66.3	65.1	56.0	45.0	30.8	19.9	42.6
				LOWEST MEAN	10.8	12.4	21.4	33.2	47.3	54.2	57.2	60.2	48.4	41.6	21.9	9.7	9.7
		HIGHEST MEAN YEAR	1998	1992	1992	1987	1992	1988	1989	1971	1990	1988	1999	1981	1989		
		LOWEST MEAN YEAR	1984	1989	1976	1975	1977	1998	1993	1993	1985	1982	1994	1985	1985		
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.8	-0.9	-0.6	-0.6	-0.5	-0.8	-0.8	-1.1	-1.2	-0.8			
		MAX OBS TIME ADJUSTMENT	-1.4	-1.3	-1.4	-1.9	-1.5	-1.4	-1.2	-1.7	-1.5	-1.5	-1.7	-1.2			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 23

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
042	FENN RANGER S	HIGHEST MEAN	37.4	41.7	49.4	53.9	62.8	69.7	75.1	73.8	68.0	54.1	42.9	37.3	75.1		
		MEDIAN	31.1	35.9	42.2	49.1	56.7	63.3	70.5	70.0	60.9	49.5	38.7	31.5	50.1		
		LOWEST MEAN	19.7	25.0	38.5	44.1	52.4	59.3	64.6	66.4	55.7	44.2	29.8	24.1	19.7		
		HIGHEST MEAN YEAR	1994	1992	1992	1990	1993	1986	1985	1991	1990	1988	1981	1980	1985		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1984	1999	1993	1980	1985	1985	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	0.5	0.7	0.0	-0.5	-0.6	-0.6	-0.5	-0.7	-0.8	-0.5	0.2	0.3			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.1	0.2	0.1	0.0	-0.2	-0.1	0.1	0.2			
		043	FORT HALL 1 N	HIGHEST MEAN	31.3	36.2	43.1	49.3	58.1	67.2	70.9	69.2	62.6	53.8	39.5	30.2	70.9
				MEDIAN	22.5	27.8	36.6	43.5	51.8	60.0	66.4	66.1	56.9	45.5	34.1	23.1	44.8
LOWEST MEAN	9.8			14.3	23.5	35.9	47.9	54.8	60.2	61.3	51.7	41.0	23.7	11.5	9.8		
HIGHEST MEAN YEAR	1998			1992	1992	1987	1992	1988	1988	2000	1990	1988	1999	1980	1988		
LOWEST MEAN YEAR	1979			1985	1985	1975	1978	1998	1993	1975	1971	1984	2000	1985	1979		
MIN OBS TIME ADJUSTMENT	1.2			0.7	0.8	-0.1	-0.4	-0.4	-0.4	-0.3	-0.4	0.3	0.1	0.8			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.3	0.4	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
044	GARDEN VALLEY			HIGHEST MEAN	32.3	37.9	45.3	51.8	58.9	66.3	72.3	73.5	65.4	53.1	39.6	31.7	73.5
				MEDIAN	25.7	30.8	39.0	45.5	53.2	61.3	68.2	66.7	57.5	47.6	35.0	26.7	46.7
		LOWEST MEAN	15.8	20.9	32.0	39.6	50.4	56.3	59.8	62.1	51.5	42.6	27.8	16.6	15.8		
		HIGHEST MEAN YEAR	1981	1991	1992	1987	1992	1988	1975	1971	1998	1988	1999	1977	1971		
		LOWEST MEAN YEAR	1979	1989	1976	1982	1982	1991	1993	1980	1985	1985	1985	1985	1979		
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.7	-0.8	-0.6	-0.6	-0.5	-0.8	-0.8	-1.0	-1.1	-0.7			
		MAX OBS TIME ADJUSTMENT	-0.8	-0.8	-0.9	-1.2	-0.9	-1.0	-0.8	-1.4	-1.0	-0.9	-1.1	-0.7			
		045	GIBBONSVILLE	HIGHEST MEAN	27.5	31.1	40.8	45.9	53.7	61.3	67.9	66.2	59.6	51.2	36.2	26.5	67.9
				MEDIAN	18.3	25.1	33.6	41.5	49.4	56.3	64.1	62.7	53.7	42.8	29.8	20.1	41.5
LOWEST MEAN	4.8			12.8	25.3	35.6	43.7	51.9	55.6	58.2	47.9	39.5	22.1	10.0	4.8		
HIGHEST MEAN YEAR	1990			1991	1992	1987	1992	1988	1998	1991	1998	1988	1999	1980	1998		
LOWEST MEAN YEAR	1979			1985	1985	1975	1974	1975	1993	1975	1986	1995	2000	1985	1979		
MIN OBS TIME ADJUSTMENT	0.5			0.7	0.0	-0.6	-0.7	-0.6	-0.5	-0.7	-0.8	-0.6	0.2	0.4			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.3	0.3	0.1	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2			
046	GLENNS FERRY			HIGHEST MEAN	38.2	42.6	48.1	56.4	63.9	72.3	78.0	76.7	68.5	57.9	45.1	36.4	78.0
				MEDIAN	30.6	36.3	43.2	49.4	57.5	66.5	73.8	72.5	61.5	50.4	38.7	31.5	51.4
		LOWEST MEAN	18.4	25.5	35.6	43.9	54.0	62.8	65.7	67.1	54.4	46.3	27.7	14.2	14.2		
		HIGHEST MEAN YEAR	1978	1992	1992	1990	1992	1977	1998	1998	1998	1988	1999	1977	1998		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1975	1993	1993	1976	1985	1985	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	0.5	0.6	-0.1	-0.6	-0.6	-0.6	-0.6	-0.7	-0.9	-0.6	0.3	0.2			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.1			
		047	GRACE	HIGHEST MEAN	27.9	36.1	41.6	48.2	56.7	65.5	70.5	69.0	62.1	51.9	40.0	31.2	70.5
				MEDIAN	20.8	25.0	34.6	42.5	51.2	59.1	66.5	66.3	56.4	44.9	32.4	23.1	43.8
LOWEST MEAN	9.2			16.3	23.7	35.0	46.7	54.1	57.8	59.8	51.3	40.3	25.0	12.8	9.2		
HIGHEST MEAN YEAR	1998			1995	1986	1987	1992	1988	1998	1971	1990	1988	1999	1995	1998		
LOWEST MEAN YEAR	1979			1985	1976	1975	1975	1993	1993	1993	1986	1984	2000	1990	1979		
MIN OBS TIME ADJUSTMENT	-1.2			-0.9	-0.9	-0.9	-0.6	-0.5	-0.5	-0.7	-0.8	-1.1	-1.2	-0.9			
MAX OBS TIME ADJUSTMENT	-1.6			-1.1	-1.5	-2.0	-1.4	-1.3	-1.1	-1.6	-1.5	-1.5	-1.3	-1.3			
048	GRAND VIEW 4			HIGHEST MEAN	38.7	43.2	50.5	58.6	67.1	73.4	79.3	76.0	67.9	57.7	45.3	36.3	79.3
				MEDIAN	30.6	37.1	44.4	50.6	59.4	67.5	73.1	72.1	61.9	51.0	39.4	30.4	51.5
		LOWEST MEAN	15.9	26.9	37.0	45.6	53.0	62.6	66.8	65.6	55.9	47.8	29.1	14.9	14.9		
		HIGHEST MEAN YEAR	1998	1986	1986	1987	1992	1986	1985	1971	1990	1988	1999	1996	1985		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1984	1993	1976	1985	1985	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.7	-0.8	-0.6	-0.6	-0.5	-0.7	-0.7	-0.9	-0.9	-0.6			
		MAX OBS TIME ADJUSTMENT	-0.4	-0.4	-0.4	-0.6	-0.5	-0.5	-0.4	-0.8	-0.6	-0.6	-0.7	-0.4			
		049	GRANGEVILLE	HIGHEST MEAN	37.8	42.1	46.2	52.1	59.2	65.1	72.1	72.7	64.7	55.0	45.8	37.8	72.7
				MEDIAN	31.9	35.5	40.5	45.5	53.3	59.7	66.8	68.0	58.6	48.0	38.2	31.6	48.1
LOWEST MEAN	18.2			24.8	35.2	40.0	49.2	55.8	58.6	62.7	52.4	43.7	26.7	22.7	18.2		
HIGHEST MEAN YEAR	1994			1991	1992	1987	1993	1986	1985	1971	1990	1988	1999	1980	1971		
LOWEST MEAN YEAR	1979			1989	1976	1975	1977	1991	1993	1985	1985	1971	1985	1990	1979		
MIN OBS TIME ADJUSTMENT	-1.0			-0.9	-0.7	-0.7	-0.6	-0.6	-0.5	-0.8	-0.7	-0.9	-1.1	-0.8			
MAX OBS TIME ADJUSTMENT	-0.9			-0.9	-0.8	-1.0	-0.8	-0.9	-0.7	-1.0	-0.9	-0.9	-1.1	-0.7			
050	GROUSE			HIGHEST MEAN	18.9	27.3	34.8	42.7	51.2	59.4	64.7	61.7	55.4	46.2	33.6	21.3	64.7
				MEDIAN	12.8	17.2	26.3	36.6	46.6	53.4	60.0	59.0	50.4	39.1	25.4	14.5	37.1
		LOWEST MEAN	2.6	6.0	19.5	28.4	42.1	47.9	51.9	53.4	44.2	34.5	15.8	5.1	2.6		
		HIGHEST MEAN YEAR	1981	1991	1992	1987	1992	1988	1985	1971	1990	1988	1995	1975	1985		
		LOWEST MEAN YEAR	1979	1985	1985	1975	1991	1998	1993	1980	1971	1984	1994	1990	1979		
		MIN OBS TIME ADJUSTMENT	1.2	1.2	0.9	0.0	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.2	0.7			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.1			
		051	HAGERMAN 2 SW	HIGHEST MEAN	38.0	44.0	50.4	57.8	65.4	72.9	79.9	76.1	69.6	57.9	44.5	36.7	79.9
				MEDIAN	30.2	36.8	44.3	50.3	59.3	67.2	74.2	72.9	62.6	52.1	40.1	31.7	51.6
LOWEST MEAN	19.1			25.4	36.7	43.9	54.9	63.5	67.1	67.0	58.0	48.9	30.6	16.7	16.7		
HIGHEST MEAN YEAR	1998			1992	1992	1987	1992	1988	1998	1998	1998	1988	1999	1995	1998		
LOWEST MEAN YEAR	1979			1985	1985	1975	1977	1993	1993	1976	1985	1971	1985	1985	1985		
MIN OBS TIME ADJUSTMENT	1.1			1.1	0.8	-0.1	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.8	0.6			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.3	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 26

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
074	LOWMAN	HIGHEST MEAN	29.8	34.6	42.3	48.6	55.5	63.0	69.5	67.9	61.0	50.1	39.4	28.5	69.5		
		MEDIAN	23.4	28.7	36.0	43.4	51.7	58.3	65.0	63.1	55.2	45.2	33.4	24.1	44.0		
		LOWEST MEAN	16.3	21.3	29.7	36.6	48.1	55.3	56.4	59.2	50.4	41.8	25.7	14.0	14.0		
		HIGHEST MEAN YEAR	1978	1992	1992	1987	1992	1988	1975	1983	1998	1988	1999	1977	1975		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1999	1993	1993	1980	1971	1984	1994	1990	1990		
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.7	-0.8	-0.6	-0.6	-0.5	-0.7	-0.8	-1.0	-1.1	-0.7			
		MAX OBS TIME ADJUSTMENT	-0.8	-0.8	-0.9	-1.2	-0.9	-1.0	-0.8	-1.3	-1.0	-0.9	-1.1	-0.7			
		075	MACKAY LOST R	HIGHEST MEAN	26.0	33.0	41.3	48.2	57.0	64.6	68.9	67.7	60.7	53.0	35.9	25.2	68.9
				MEDIAN	18.1	23.1	31.7	41.2	50.5	58.8	66.4	64.4	55.2	44.3	30.1	19.8	42.2
				LOWEST MEAN	8.4	12.7	24.8	34.0	45.7	53.2	57.0	59.1	49.5	38.9	21.0	10.2	8.4
HIGHEST MEAN YEAR	1981			1991	1992	1987	1992	1974	1985	1971	1990	1988	1995	1980	1985		
LOWEST MEAN YEAR	1979			1985	1985	1975	1978	1998	1993	1993	1986	1984	1994	1990	1979		
MIN OBS TIME ADJUSTMENT	-1.1			-1.0	-0.8	-0.9	-0.6	-0.6	-0.5	-0.7	-0.9	-1.1	-1.3	-0.9			
MAX OBS TIME ADJUSTMENT	-1.9			-1.7	-1.7	-2.3	-1.8	-1.7	-1.5	-1.9	-2.0	-2.0	-1.7	-1.6			
076	MALAD CITY AP			HIGHEST MEAN	30.1	35.7	41.2	49.0	57.0	66.3	72.4	71.9	63.7	51.9	38.9	30.3	72.4
				MEDIAN	18.6	26.7	36.5	42.7	51.8	60.8	68.3	66.8	56.6	45.8	33.4	23.8	44.9
				LOWEST MEAN	10.4	12.7	24.3	37.1	47.1	56.6	59.6	62.7	52.3	40.7	26.9	12.0	10.4
		HIGHEST MEAN YEAR	1994	1995	1992	2000	1992	1988	1998	2000	1990	1988	1999	1995	1998		
		LOWEST MEAN YEAR	1989	1985	1976	1975	1975	1998	1993	1993	1986	1984	1994	1985	1989		
		MIN OBS TIME ADJUSTMENT	1.0	1.3	1.4	1.9	1.0	1.0	0.7	1.1	0.9	0.8	0.8	0.6			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	-0.1	-0.1	0.0			
		077	MALTA 4 ESE	HIGHEST MEAN	36.1	38.8	45.6	52.8	59.4	67.2	73.0	71.9	64.4	54.7	43.2	34.2	73.0
				MEDIAN	26.9	32.3	39.0	45.8	54.0	61.4	68.9	67.8	57.7	47.6	36.0	27.1	47.0
				LOWEST MEAN	14.3	21.3	32.6	39.1	49.5	56.8	60.8	62.8	52.9	43.1	26.5	16.8	14.3
HIGHEST MEAN YEAR	1998			1995	1986	1987	1992	1988	1985	1971	1998	1988	1995	1977	1985		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1993	1993	1980	1986	1984	2000	1990	1979		
MIN OBS TIME ADJUSTMENT	-0.9			-0.7	-0.7	-0.9	-0.6	-0.6	-0.5	-0.7	-0.7	-1.0	-1.0	-0.8			
MAX OBS TIME ADJUSTMENT	-0.9			-0.6	-0.9	-1.2	-0.9	-0.9	-0.8	-1.2	-0.9	-0.9	-0.7	-0.7			
079	MASSACRE ROCK			HIGHEST MEAN	34.4	38.1	44.4	52.7	61.7	70.0	75.1	74.8	66.4	56.1	43.4	32.4	75.1
				MEDIAN	24.8	30.7	38.6	45.2	54.7	64.0	72.2	70.9	60.2	48.3	35.3	26.1	47.7
				LOWEST MEAN	12.4	20.0	28.9	38.3	50.4	58.4	63.2	66.5	55.8	44.5	27.7	16.0	12.4
		HIGHEST MEAN YEAR	1998	1992	1986	1987	1992	1988	1998	1971	1990	1988	1999	1977	1998		
		LOWEST MEAN YEAR	1979	1985	1985	1975	1975	1998	1993	1975	1986	1984	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	1.1	1.2	1.4	1.1	0.0	0.0	-0.1	0.6	0.4	0.9	0.9	0.7			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	-0.1	0.0	0.1			
		080	MAY 2 SSE	HIGHEST MEAN	25.4	31.9	40.7	47.3	56.8	65.3	71.2	67.3	60.9	50.9	35.5	27.9	71.2
				MEDIAN	18.2	25.6	34.6	41.6	50.6	58.3	65.8	64.0	54.5	43.4	29.7	19.9	42.3
				LOWEST MEAN	3.7	13.6	26.0	34.3	45.3	53.5	56.9	58.5	49.3	39.8	21.3	7.1	3.7
HIGHEST MEAN YEAR	1983			1991	1992	1987	1992	1988	1988	1981	1990	1988	1999	1980	1988		
LOWEST MEAN YEAR	1979			1989	1985	1975	1975	1998	1993	1993	1986	1984	2000	1985	1979		
MIN OBS TIME ADJUSTMENT	1.1			1.2	1.5	1.1	0.0	0.0	-0.1	0.6	0.5	0.9	0.8	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.2			
081	MCCALL			HIGHEST MEAN	27.3	32.9	40.8	45.8	53.9	60.5	66.2	64.8	58.4	47.4	37.3	27.8	66.2
				MEDIAN	22.3	25.5	31.8	39.4	47.6	54.5	61.6	61.7	51.6	41.8	31.2	23.2	40.8
				LOWEST MEAN	10.8	17.9	24.3	30.9	43.4	50.9	52.8	55.9	45.1	37.5	23.4	13.7	10.8
		HIGHEST MEAN YEAR	1990	1991	1992	1987	1992	1977	1998	1971	1998	1988	1999	1989	1998		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1975	1975	1993	1993	1986	1984	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.8	-0.8	-0.7	-0.6	-0.5	-0.8	-0.8	-1.1	-1.2	-0.9			
		MAX OBS TIME ADJUSTMENT	-1.4	-1.3	-1.3	-1.8	-1.5	-1.4	-1.2	-1.8	-1.5	-1.4	-1.7	-1.2			
		082	MCCAMMON	HIGHEST MEAN	31.0	37.2	43.3	51.1	58.9	67.1	72.1	71.2	64.6	54.4	40.5	31.0	72.1
				MEDIAN	22.5	27.9	37.2	44.9	52.7	61.0	67.9	67.3	57.7	46.7	34.5	24.9	45.3
				LOWEST MEAN	11.3	17.3	27.7	37.8	47.3	57.0	59.5	62.1	53.0	42.1	27.2	13.9	11.3
HIGHEST MEAN YEAR	1994			1995	1986	1992	1992	1988	1989	2000	1990	1988	1995	1995	1989		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1998	1993	1976	1971	1984	2000	1990	1979		
MIN OBS TIME ADJUSTMENT	-1.0			-0.8	-0.7	-0.8	-0.6	-0.5	-0.5	-0.7	-0.7	-1.0	-1.0	-0.8			
MAX OBS TIME ADJUSTMENT	-1.0			-0.6	-0.9	-1.2	-0.9	-0.9	-0.7	-1.2	-0.9	-0.9	-0.8	-0.8			
083	MIDDLE FORK L			HIGHEST MEAN	28.9	36.1	43.8	49.4	57.4	64.9	71.4	68.4	62.3	50.7	37.1	30.8	71.4
				MEDIAN	23.6	28.7	37.0	43.6	51.3	58.2	65.6	65.0	56.0	45.4	32.4	24.0	44.4
				LOWEST MEAN	10.4	21.1	30.0	37.7	47.8	53.6	58.0	59.2	51.2	41.7	26.3	14.6	10.4
		HIGHEST MEAN YEAR	1981	1991	1992	1987	1992	1977	1985	1981	1998	1988	1995	1980	1985		
		LOWEST MEAN YEAR	1979	1989	1976	1982	1984	1975	1993	1975	1986	1971	1985	1983	1979		
		MIN OBS TIME ADJUSTMENT	0.5	0.7	0.0	-0.6	-0.7	-0.6	-0.6	-0.7	-0.8	-0.6	0.2	0.4			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.1	0.2	0.1	0.0	-0.2	-0.1	0.0	0.2			
		084	MINIDOKA DAM	HIGHEST MEAN	33.8	39.4	46.3	53.8	62.0	69.5	75.2	74.6	68.1	57.0	42.7	33.5	75.2
				MEDIAN	25.0	31.3	39.2	45.8	54.6	64.0	71.1	70.8	60.9	49.5	37.5	27.5	48.2
				LOWEST MEAN	13.3	18.5	27.3	39.7	50.6	58.5	63.3	66.1	55.7	45.4	27.3	13.8	13.3
HIGHEST MEAN YEAR	1998			1992	1992	1987	1992	1986	1989	1991	1990	1988	1999	1980	1989		
LOWEST MEAN YEAR	1979			1985	1985	1975	1999	1998	1993	1980	1985	1984	1985	1985	1979		
MIN OBS TIME ADJUSTMENT	1.1			1.2	0.8	-0.1	-0.5	-0.4	-0.4	-0.3	-0.4	0.3	0.3	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.3	0.3	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 28

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
095	PARMA EXPERIM	HIGHEST MEAN	35.3	41.1	47.9	55.6	63.5	71.2	78.4	77.1	68.5	58.0	42.9	36.4	78.4		
		MEDIAN	28.2	35.5	43.4	49.1	57.7	66.0	72.3	71.3	61.1	50.0	38.1	29.5	50.3		
		LOWEST MEAN	13.1	16.1	37.3	43.7	53.4	61.6	65.3	65.9	54.8	45.5	27.6	11.1	11.1		
		HIGHEST MEAN YEAR	1998	1995	1986	1990	1992	1986	1998	1971	1998	1988	1999	1977	1998		
		LOWEST MEAN YEAR	1979	1989	1985	1975	1977	1980	1993	1976	1985	1985	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	0.4	0.6	0.0	-0.6	-0.6	-0.7	-0.6	-0.7	-0.9	-0.6	0.2	0.1			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.0			
		096	PAUL 1 ENE	HIGHEST MEAN	35.5	39.5	45.8	52.2	61.0	68.9	75.5	73.5	66.6	55.6	42.8	34.0	75.5
				MEDIAN	26.4	32.4	39.3	46.1	54.4	63.1	70.4	69.9	59.0	48.6	37.1	27.7	48.0
				LOWEST MEAN	14.8	20.1	28.0	39.8	50.2	59.0	62.5	63.3	53.9	44.4	26.5	13.6	13.6
HIGHEST MEAN YEAR	1998			1992	1986	1987	1992	1986	1998	1998	1990	1988	1995	1980	1998		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1993	1993	1976	1985	1984	1985	1985	1985		
MIN OBS TIME ADJUSTMENT	1.1			1.2	0.8	-0.1	-0.5	-0.4	-0.4	-0.3	-0.4	0.3	0.3	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.3	0.3	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1			
097	PAYETTE			HIGHEST MEAN	36.8	42.4	50.0	57.4	65.2	73.1	80.0	77.2	71.1	59.6	43.9	38.2	80.0
				MEDIAN	29.7	36.8	44.9	51.4	59.8	67.8	75.0	74.1	64.1	52.3	40.1	31.0	52.3
				LOWEST MEAN	14.3	20.9	39.3	46.3	55.3	64.0	67.0	67.3	59.1	48.8	28.4	12.6	12.6
		HIGHEST MEAN YEAR	1978	1992	1986	1987	1987	1986	1998	1971	1990	1988	1999	1977	1998		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1984	1993	1976	1985	1976	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	0.4	0.6	0.0	-0.6	-0.6	-0.7	-0.6	-0.7	-0.9	-0.6	0.2	0.1			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.0			
		098	PICABO	HIGHEST MEAN	28.9	35.7	42.6	47.6	57.1	63.2	70.9	69.2	62.1	51.5	37.5	28.3	70.9
				MEDIAN	18.4	23.4	32.9	41.6	49.5	57.8	65.5	64.7	55.0	44.2	30.5	21.7	42.3
				LOWEST MEAN	9.2	9.6	21.7	34.4	45.5	54.0	57.7	59.5	48.5	39.9	22.0	8.4	8.4
HIGHEST MEAN YEAR	1981			1992	1992	1992	1992	1977	1998	1991	1998	1988	1999	1995	1998		
LOWEST MEAN YEAR	1985			1985	1985	1975	1977	1998	1993	1985	1972	1984	1985	1985	1985		
MIN OBS TIME ADJUSTMENT	1.2			1.2	0.9	0.0	-0.5	-0.4	-0.4	-0.3	-0.4	0.3	0.2	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1			
099	PIERCE			HIGHEST MEAN	32.4	33.7	41.6	47.6	54.5	61.7	69.2	65.9	59.2	47.9	38.5	30.3	69.2
				MEDIAN	25.0	28.6	34.5	41.4	50.3	55.8	62.4	61.6	52.7	42.9	32.3	25.8	42.8
				LOWEST MEAN	12.6	20.2	29.1	35.2	45.7	52.1	55.3	57.9	47.9	39.5	22.6	17.0	12.6
		HIGHEST MEAN YEAR	1981	1992	1992	1987	1993	1986	1998	1971	1998	1988	1999	1979	1998		
		LOWEST MEAN YEAR	1979	1989	1971	1975	1996	1976	1993	1980	1971	1985	1985	1985	1979		
		MIN OBS TIME ADJUSTMENT	1.2	1.2	0.8	-0.1	-0.5	-0.5	-0.4	-0.3	-0.4	0.3	0.9	0.6			
		MAX OBS TIME ADJUSTMENT	0.5	0.4	0.3	0.3	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.2			
		100	POCATELLO RGN	HIGHEST MEAN	33.1	38.8	44.7	51.6	60.2	69.4	73.1	72.3	65.8	55.6	42.2	32.9	73.1
				MEDIAN	24.6	29.9	38.5	44.7	52.4	61.3	69.4	68.6	58.7	47.4	35.8	26.1	46.7
				LOWEST MEAN	11.3	19.0	27.8	39.1	50.0	57.4	60.9	64.4	51.6	42.2	25.8	11.9	11.3
HIGHEST MEAN YEAR	1998			1992	1992	1992	1992	1988	1988	1991	1990	1988	1995	1977	1988		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1993	1993	1993	1971	1971	2000	1985	1979		
MIN OBS TIME ADJUSTMENT	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
MAX OBS TIME ADJUSTMENT	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
101	PORTHILL			HIGHEST MEAN	34.0	36.7	42.3	50.4	60.4	66.2	72.6	69.9	61.6	48.2	39.9	34.3	72.6
				MEDIAN	25.1	30.5	38.0	46.2	54.9	60.4	66.5	66.2	55.7	44.5	34.7	27.0	45.6
				LOWEST MEAN	12.4	19.8	32.0	42.4	49.9	55.8	59.9	59.9	51.5	42.2	21.9	16.9	12.4
		HIGHEST MEAN YEAR	1994	1991	1992	1987	1993	1992	1985	1971	1998	1988	1999	1979	1985		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1984	1981	1993	1980	1985	1972	1985	1983	1979		
		MIN OBS TIME ADJUSTMENT	1.2	1.2	0.8	-0.1	-0.5	-0.6	-0.5	-0.3	-0.5	0.3	1.1	0.5			
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.1	0.3	0.1			
		102	POTLATCH 3 NN	HIGHEST MEAN	36.8	40.9	44.2	50.6	57.0	61.0	69.1	67.2	61.4	51.8	43.0	37.0	69.1
				MEDIAN	29.5	34.1	39.1	44.8	51.5	56.9	62.6	62.8	54.7	45.2	36.8	29.4	45.6
				LOWEST MEAN	11.4	21.6	33.4	39.8	46.8	52.8	57.4	57.6	50.6	42.3	21.9	17.8	11.4
HIGHEST MEAN YEAR	1994			1991	1992	1987	1993	1992	1998	1971	1998	1988	1999	1979	1998		
LOWEST MEAN YEAR	1979			1989	1971	1975	1974	1976	1993	1980	1971	1984	1985	1978	1979		
MIN OBS TIME ADJUSTMENT	-1.0			-0.8	-0.6	-0.7	-0.6	-0.6	-0.6	-0.7	-0.7	-0.9	-1.0	-0.6			
MAX OBS TIME ADJUSTMENT	-0.7			-0.5	-0.4	-0.6	-0.4	-0.5	-0.4	-0.6	-0.4	-0.6	-0.7	-0.5			
103	POWELL			HIGHEST MEAN	31.4	34.2	40.6	46.3	54.3	62.6	69.0	67.2	59.2	49.6	34.9	29.3	69.0
				MEDIAN	24.7	28.9	34.5	41.3	49.1	56.1	62.5	62.8	53.0	43.0	31.6	24.2	42.3
				LOWEST MEAN	11.8	19.3	29.0	35.2	43.2	52.4	55.4	57.0	47.7	38.6	22.2	13.6	11.8
		HIGHEST MEAN YEAR	1994	1991	1992	1987	1993	1986	1998	1971	1998	1988	1981	1973	1998		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1975	1981	1993	1980	1985	1985	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	1.2	1.2	1.4	1.0	0.0	0.0	-0.1	0.6	0.4	0.9	0.9	0.7			
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.2			
		104	PRESTON	HIGHEST MEAN	30.2	34.6	43.7	51.8	59.3	67.1	72.6	71.6	65.0	53.3	40.8	31.3	72.6
				MEDIAN	20.1	26.7	37.8	44.2	53.3	62.1	69.5	68.2	58.3	47.2	34.4	23.9	45.6
				LOWEST MEAN	10.2	14.5	26.7	38.4	49.6	56.5	61.8	64.4	53.8	40.7	27.0	13.2	10.2
HIGHEST MEAN YEAR	1994			2000	1986	1992	1994	1988	1985	2000	1990	1988	1995	1995	1985		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1998	1993	1976	1971	1984	1994	1990	1979		
MIN OBS TIME ADJUSTMENT	1.2			0.8	1.0	-0.1	-0.5	-0.4	-0.4	-0.3	-0.4	0.4	0.3	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 29

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
105	PRIEST RIVER	HIGHEST MEAN	31.8	34.5	42.4	48.0	58.0	62.8	69.3	66.9	60.1	47.0	36.9	31.8	69.3		
		MEDIAN	25.2	29.3	35.4	43.0	52.0	58.1	63.2	63.0	54.5	42.8	32.2	26.4	43.4		
		LOWEST MEAN	9.8	19.2	28.5	37.5	46.4	53.2	58.4	57.5	49.1	37.7	20.8	16.0	9.8		
		HIGHEST MEAN YEAR	1994	1991	1992	1987	1993	1992	1998	1986	1990	1988	1998	1979	1998		
		LOWEST MEAN YEAR	1979	1989	1976	1972	1984	1981	1993	1980	1984	1984	1985	1983	1979		
		MIN OBS TIME ADJUSTMENT	-1.2	-0.8	-0.7	-0.7	-0.6	-0.6	-0.6	-0.8	-0.8	-0.9	-1.1	-0.7			
		MAX OBS TIME ADJUSTMENT	-1.4	-0.8	-0.5	-0.8	-0.8	-0.9	-0.7	-1.0	-0.7	-0.8	-1.0	-0.9			
		106	REXBURG RICKS	HIGHEST MEAN	26.5	31.4	42.2	50.0	58.3	66.5	69.6	69.6	62.5	51.8	39.4	27.2	69.6
				MEDIAN	18.7	24.2	34.2	43.0	51.4	59.5	66.2	65.2	55.6	44.2	31.1	20.7	43.0
				LOWEST MEAN	5.0	13.8	24.9	34.3	47.5	53.8	58.4	60.9	50.7	40.0	22.6	10.8	5.0
HIGHEST MEAN YEAR	1998			1995	1992	1992	1992	1988	1989	1994	1990	1988	1999	1980	1994		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1998	1993	1976	1985	1984	2000	1978	1979		
MIN OBS TIME ADJUSTMENT	1.4			0.8	1.0	-0.1	-0.5	-0.4	-0.4	-0.3	-0.4	0.4	0.2	0.9			
MAX OBS TIME ADJUSTMENT	0.3			0.5	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1			
107	REYNOLDS			HIGHEST MEAN	37.1	39.5	45.2	52.4	60.0	67.9	74.0	72.8	64.5	55.7	44.0	36.8	74.0
				MEDIAN	29.1	34.0	39.4	44.8	53.2	61.2	68.7	68.9	58.4	47.7	37.2	29.7	47.8
				LOWEST MEAN	17.0	24.9	32.8	37.9	47.3	56.7	60.6	61.5	51.2	42.4	28.7	18.0	17.0
		HIGHEST MEAN YEAR	1998	1992	1986	1987	1992	1986	1985	1971	1990	1988	1999	1996	1985		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1980	1993	1976	1985	1984	1985	1990	1979		
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		108	RICHFIELD	HIGHEST MEAN	31.4	37.7	44.0	50.2	60.9	66.3	72.9	72.9	66.4	54.8	40.9	31.6	72.9
				MEDIAN	22.6	27.2	36.8	44.2	52.5	61.2	68.4	68.2	57.7	46.8	33.9	24.5	45.8
				LOWEST MEAN	13.4	15.2	26.0	38.9	49.5	56.6	60.8	63.0	51.8	42.0	24.0	12.8	12.8
HIGHEST MEAN YEAR	1981			1991	1992	1987	1992	1992	1998	1991	1990	1988	1999	1980	1991		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1998	1993	1976	1985	1984	1985	1985	1985		
MIN OBS TIME ADJUSTMENT	1.2			1.2	0.9	-0.1	-0.5	-0.4	-0.4	-0.3	-0.4	0.3	0.2	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	-0.1	0.0	0.1			
109	RIGGINS			HIGHEST MEAN	41.0	46.5	52.4	59.2	64.7	74.1	82.2	80.6	71.0	60.7	48.1	40.1	82.2
				MEDIAN	33.4	40.2	45.8	51.6	59.4	66.2	74.0	74.5	64.7	53.4	41.3	35.1	53.0
				LOWEST MEAN	20.7	31.0	38.1	44.2	54.3	61.6	64.8	69.2	59.5	48.9	33.7	26.4	20.7
		HIGHEST MEAN YEAR	1990	1992	1992	1987	1992	1986	1985	1971	1990	1988	1999	1980	1985		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1999	1999	1993	1995	1986	1975	1985	1978	1979		
		MIN OBS TIME ADJUSTMENT	0.5	0.6	-0.1	-0.6	-0.7	-0.6	-0.5	-0.7	-0.8	-0.5	0.2	0.3			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.1	0.2	0.1	0.0	-0.2	-0.1	0.0	0.2			
		110	RUPERT 3 WSW	HIGHEST MEAN	33.7	38.7	44.2	51.2	59.7	67.2	72.8	71.2	64.5	53.7	42.0	32.0	72.8
				MEDIAN	24.8	30.6	38.4	44.7	52.6	61.7	67.7	67.3	57.2	46.9	35.4	26.5	46.4
				LOWEST MEAN	13.0	17.7	26.4	38.9	49.5	57.3	60.9	62.3	51.8	42.2	24.5	12.5	12.5
HIGHEST MEAN YEAR	1998			1992	1986	1990	1992	1988	1998	2000	1990	1988	1999	1977	1998		
LOWEST MEAN YEAR	1979			1985	1985	1975	1975	1984	1993	1976	1985	1984	1985	1985	1985		
MIN OBS TIME ADJUSTMENT	1.1			1.2	0.8	-0.1	-0.5	-0.4	-0.4	-0.3	-0.4	0.3	0.3	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.3	0.3	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1			
111	SAINT ANTHONY			HIGHEST MEAN	28.0	27.8	39.7	45.5	54.5	63.7	69.5	67.1	59.7	49.6	37.4	29.1	69.5
				MEDIAN	17.7	21.8	30.2	41.0	49.7	57.4	64.9	63.7	54.6	43.2	29.7	18.7	41.2
				LOWEST MEAN	10.4	10.0	22.1	32.7	46.3	54.2	54.8	58.2	48.7	39.2	20.5	8.7	8.7
		HIGHEST MEAN YEAR	1981	1992	1992	1992	1992	1988	1998	1971	1990	1988	1999	1979	1998		
		LOWEST MEAN YEAR	1979	1985	1985	1975	1990	1993	1993	1993	1985	1995	2000	1990	1990		
		MIN OBS TIME ADJUSTMENT	1.3	1.5	1.7	1.2	0.0	0.0	-0.1	0.6	0.5	1.0	1.0	0.8			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1			
		112	SAINT MARIES	HIGHEST MEAN	35.7	42.3	45.3	52.2	59.5	65.1	73.1	71.8	67.4	50.7	41.6	37.5	73.1
				MEDIAN	29.3	34.8	39.5	45.7	54.0	60.1	66.6	67.1	57.4	46.0	36.1	29.7	47.2
				LOWEST MEAN	12.0	23.8	34.8	41.8	49.4	54.3	59.4	60.0	50.4	41.5	23.0	20.4	12.0
HIGHEST MEAN YEAR	1994			1991	1986	1987	1993	1974	1985	1971	1990	1986	1999	1979	1985		
LOWEST MEAN YEAR	1979			1989	1976	1975	1996	1981	1993	1980	1985	1985	1985	1983	1979		
MIN OBS TIME ADJUSTMENT	-1.2			-0.9	-0.8	-0.7	-0.7	-0.6	-0.6	-0.8	-0.8	-1.0	-1.1	-0.7			
MAX OBS TIME ADJUSTMENT	-1.0			-0.9	-0.6	-0.9	-0.8	-0.9	-0.8	-1.0	-0.7	-0.8	-1.1	-0.7			
113	SALMON KSRA			HIGHEST MEAN	27.9	32.6	43.0	51.6	59.2	67.6	73.4	71.4	62.6	51.0	37.3	29.5	73.4
				MEDIAN	19.1	27.2	37.7	46.0	53.9	62.2	69.4	67.1	57.2	45.4	31.8	21.3	44.9
				LOWEST MEAN	1.0	14.8	28.0	39.8	51.1	57.4	60.3	61.7	53.1	41.6	21.4	11.2	1.0
		HIGHEST MEAN YEAR	1990	1995	1992	1987	1992	1988	1985	1981	1979	1988	1998	1979	1985		
		LOWEST MEAN YEAR	1979	1989	1985	1975	1975	1998	1993	1993	1986	1984	2000	1985	1979		
		MIN OBS TIME ADJUSTMENT	1.2	1.3	0.9	-0.1	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.9	0.7			
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	-0.1	0.0	0.2			
		114	SANDPOINT EXP	HIGHEST MEAN	32.9	37.4	41.7	50.1	58.0	63.7	71.1	67.7	61.7	49.3	40.1	32.9	71.1
				MEDIAN	25.1	30.7	37.7	45.0	53.8	58.9	65.2	64.6	55.3	44.7	33.7	27.5	45.2
				LOWEST MEAN	11.4	19.8	32.0	40.8	48.5	54.2	58.7	60.1	51.5	40.9	22.5	18.0	11.4
HIGHEST MEAN YEAR	1999			1991	1992	1987	1993	1974	1998	1986	1998	1988	1998	1979	1998		
LOWEST MEAN YEAR	1979			1989	1976	1982	1996	1981	1993	1980	1985	1984	1985	1983	1979		
MIN OBS TIME ADJUSTMENT	1.1			0.6	-0.1	-0.5	-0.6	-0.6	-0.6	-0.7	-0.8	-0.6	0.2	0.5			
MAX OBS TIME ADJUSTMENT	0.4			0.3	0.3	0.2	0.1	0.2	0.0	0.0	-0.2	0.0	0.1	0.2			




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

IDAHO

Page 30

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
115	SHOSHONE 1 WN	HIGHEST MEAN	32.9	40.4	47.4	53.8	64.5	72.3	78.8	77.3	69.8	56.3	44.3	32.7	78.8		
		MEDIAN	25.2	30.7	39.4	47.1	55.8	65.8	74.0	73.2	62.0	49.9	35.6	28.0	49.3		
		LOWEST MEAN	13.8	16.7	28.7	40.5	51.8	61.2	64.9	67.6	54.0	44.2	25.8	14.3	13.8		
		HIGHEST MEAN YEAR	1998	1991	1992	1990	1992	1988	1985	1971	1990	1988	1999	1980	1985		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1977	1998	1993	1976	1985	1984	1985	1985	1979		
		MIN OBS TIME ADJUSTMENT	-1.1	-0.9	-0.8	-0.9	-0.6	-0.6	-0.5	-0.8	-0.9	-1.2	-1.3	-0.9			
		MAX OBS TIME ADJUSTMENT	-1.8	-1.6	-1.7	-2.4	-1.8	-1.8	-1.5	-1.9	-2.1	-2.0	-2.2	-1.5			
		HIGHEST MEAN	30.5	35.5	46.8	53.9	62.8	67.7	76.2	75.5	66.5	52.6	38.6	31.9	76.2		
		MEDIAN	23.0	31.0	40.2	48.4	56.1	63.2	70.9	69.8	59.9	47.4	34.3	23.4	47.3		
		LOWEST MEAN	8.0	20.0	32.3	42.1	51.8	59.5	62.8	64.3	54.2	42.9	27.0	14.9	8.0		
116	SHOUP	HIGHEST MEAN YEAR	1990	1991	1992	1987	1992	1986	1998	1991	1998	1988	1999	1979	1998		
		LOWEST MEAN YEAR	1979	1989	1985	1982	1984	1984	1993	1989	1986	1984	1993	1983	1979		
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.8	-0.9	-0.7	-0.6	-0.5	-0.7	-0.8	-1.1	-1.3	-1.0			
		MAX OBS TIME ADJUSTMENT	-1.5	-1.4	-1.4	-1.8	-1.4	-1.4	-1.2	-1.7	-1.6	-1.5	-1.8	-1.3			
		117	SILVER CITY 5	HIGHEST MEAN	34.0	39.2	42.3	47.7	59.0	64.5	74.1	73.7	65.0	55.7	41.1	34.8	74.1
				MEDIAN	27.3	30.9	34.3	40.2	49.9	58.9	68.1	68.6	59.6	48.2	35.1	29.3	46.3
				LOWEST MEAN	20.1	21.8	30.0	33.5	45.3	52.1	56.8	61.4	49.0	40.7	25.0	18.1	18.1
				HIGHEST MEAN YEAR	1983	1991	1986	1981	1992	1977	1998	1986	1990	1988	1999	1977	1998
				LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1993	1993	1993	1986	1984	1985	1990	1990
				MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.7	-0.8	-0.6	-0.6	-0.5	-0.8	-0.8	-1.1	-1.1	-0.7	
MAX OBS TIME ADJUSTMENT	-1.3			-1.2	-1.3	-1.8	-1.4	-1.5	-1.2	-1.8	-1.5	-1.4	-1.5	-1.1			
118	SODA SPRINGS			HIGHEST MEAN	26.1	30.2	38.1	44.9	53.5	63.0	67.8	67.2	59.7	47.9	38.3	27.1	67.8
				MEDIAN	17.6	21.8	29.6	38.9	48.2	57.3	64.8	63.1	53.2	41.9	30.1	18.8	40.8
				LOWEST MEAN	7.0	11.6	21.8	32.7	44.8	51.5	54.6	57.9	47.9	35.3	21.7	9.3	7.0
		HIGHEST MEAN YEAR	1983	1995	1992	1992	1992	1977	1979	1983	1990	1988	1999	1995	1979		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1975	1998	1993	1993	1986	1984	1993	1978	1979		
		MIN OBS TIME ADJUSTMENT	1.2	1.4	1.6	1.2	0.0	0.0	-0.1	0.6	0.5	1.0	0.9	0.7			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1			
		119	STANLEY	HIGHEST MEAN	19.8	26.2	32.8	40.9	48.0	56.6	61.2	59.9	53.7	44.8	31.6	21.8	61.2
				MEDIAN	12.7	16.2	25.7	34.5	43.5	50.7	57.4	56.7	47.8	39.0	25.8	13.0	35.3
				LOWEST MEAN	1.8	5.8	17.9	26.3	39.7	47.6	49.4	52.4	43.6	34.8	16.1	3.8	1.8
HIGHEST MEAN YEAR	1998			1986	1992	1987	1993	1977	1985	1983	1990	1988	1999	1980	1985		
LOWEST MEAN YEAR	1979			1985	1985	1982	1975	1975	1993	1980	1971	1984	2000	1990	1979		
MIN OBS TIME ADJUSTMENT	1.1			1.2	0.9	0.0	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.8	0.7			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.2			
120	SWAN FALLS P			HIGHEST MEAN	39.5	43.3	51.7	60.2	67.7	77.0	84.3	81.9	73.1	63.6	48.2	38.6	84.3
				MEDIAN	32.5	38.6	46.3	52.4	61.5	70.7	78.8	77.5	67.3	54.9	41.5	33.0	54.6
				LOWEST MEAN	20.0	27.2	40.6	46.9	58.5	66.4	69.7	71.8	61.2	50.7	31.6	16.9	16.9
		HIGHEST MEAN YEAR	1998	1986	1986	1987	1992	1986	1985	1971	1990	1988	1999	1973	1985		
		LOWEST MEAN YEAR	1979	1989	1985	1975	1977	1993	1993	1976	1985	1984	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	0.4	0.6	0.0	-0.6	-0.6	-0.7	-0.6	-0.7	-0.9	-0.6	0.1	0.1			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.0			
		121	SWAN VALLEY 2	HIGHEST MEAN	27.2	32.1	40.9	47.9	55.9	65.4	70.4	69.2	63.1	52.2	39.8	28.6	70.4
				MEDIAN	21.1	24.1	33.6	41.9	50.3	58.1	65.2	64.8	55.3	44.2	32.3	21.4	42.9
				LOWEST MEAN	6.5	17.5	24.2	34.3	46.0	51.9	55.1	59.3	48.9	38.7	23.2	13.0	6.5
HIGHEST MEAN YEAR	1998			1995	1986	1987	1992	1988	1989	1991	1990	1988	1999	1975	1989		
LOWEST MEAN YEAR	1979			1985	1976	1975	1991	1998	1993	1993	1985	1984	1994	1990	1979		
MIN OBS TIME ADJUSTMENT	-1.2			-1.0	-0.9	-0.9	-0.6	-0.5	-0.5	-0.6	-0.8	-1.1	-1.1	-1.0			
MAX OBS TIME ADJUSTMENT	-1.1			-0.6	-1.0	-1.3	-0.9	-0.8	-0.7	-0.8	-1.0	-1.0	-0.8	-1.0			
122	TAYLOR RANCH			HIGHEST MEAN	28.1	33.2	42.1	48.9	55.9	62.6	69.7	69.1	61.7	50.1	36.4	27.3	69.7
				MEDIAN	20.8	27.1	35.9	43.5	50.7	57.5	65.1	64.7	55.1	43.1	31.0	22.2	42.9
				LOWEST MEAN	5.4	17.6	29.2	35.6	46.9	54.4	57.4	58.3	49.9	39.2	24.9	10.1	5.4
		HIGHEST MEAN YEAR	1990	1995	1992	1987	1992	1986	1998	2000	1998	1988	1998	1973	1998		
		LOWEST MEAN YEAR	1979	1985	1976	1975	1984	1975	1993	1976	1985	1984	1985	1985	1979		
		MIN OBS TIME ADJUSTMENT	1.2	1.2	0.9	-0.1	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.9	0.7			
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.2			
		123	TETONIA EXPR	HIGHEST MEAN	22.8	27.5	35.1	44.5	52.7	61.0	65.9	63.9	56.7	49.3	37.6	26.0	65.9
				MEDIAN	15.3	21.4	28.3	37.0	46.3	54.8	61.5	61.0	51.0	40.6	27.0	16.5	38.5
				LOWEST MEAN	3.6	12.0	18.9	28.7	40.3	49.2	54.0	55.2	46.2	33.6	17.8	5.5	3.6
HIGHEST MEAN YEAR	1981			1995	1986	1987	1992	1988	1989	2000	1990	1988	1999	1980	1989		
LOWEST MEAN YEAR	1979			1985	1976	1975	1975	1998	1993	1980	1971	1984	1979	1978	1979		
MIN OBS TIME ADJUSTMENT	1.4			0.8	1.0	-0.1	-0.4	-0.4	-0.4	-0.7	-0.4	0.4	0.2	0.9			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.4	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1			
124	TWIN FALLS KM			HIGHEST MEAN	36.6	41.2	47.3	53.7	63.0	71.3	76.9	74.3	67.5	57.4	45.4	35.4	76.9
				MEDIAN	27.5	33.4	41.0	47.1	55.2	64.9	72.5	70.5	60.7	49.9	38.5	29.9	49.5
				LOWEST MEAN	17.8	22.9	32.6	40.5	51.8	60.8	64.7	65.7	54.9	46.1	27.4	14.4	14.4
		HIGHEST MEAN YEAR	1998	1992	1992	1990	1992	1986	1998	1971	1990	1988	1999	1977	1998		
		LOWEST MEAN YEAR	1979	1985	1985	1975	1975	1984	1993	1976	1985	1971	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	1.1	1.2	0.8	-0.1	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.3	0.7			
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.4	0.3	0.3	0.2	0.0	-0.1	0.0	0.0	0.1			



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
 Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

IDAHO

No.	Station Name	Element	NORMALS STATISTICS														
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL		
125	TWIN FALLS 6	HIGHEST MEAN	36.0	39.9	46.0	52.5	60.4	68.2	72.9	71.5	65.0	55.7	43.8	34.5	72.9		
		MEDIAN	27.0	33.4	40.0	45.6	54.1	62.1	69.1	67.9	58.7	48.1	37.2	29.0	47.8		
		LOWEST MEAN	15.7	21.9	31.2	39.5	50.3	58.2	61.2	63.3	52.8	44.6	26.5	12.4	12.4		
		HIGHEST MEAN YEAR	1998	1992	1986	1987	1992	1986	1985	1971	1990	1988	1999	1977	1985		
		LOWEST MEAN YEAR	1979	1985	1985	1975	1977	1995	1993	1976	1985	1984	1985	1985	1985		
		MIN OBS TIME ADJUSTMENT	1.1	1.2	0.8	-0.1	-0.5	-0.5	-0.5	-0.3	-0.4	0.3	0.3	0.7			
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.4	0.3	0.3	0.1	0.0	-0.1	0.0	0.0	0.1			
		126	WALLACE WOODL	HIGHEST MEAN	34.8	38.3	44.4	48.9	57.2	63.3	69.7	67.8	62.3	51.9	40.7	33.9	69.7
				MEDIAN	26.7	31.5	37.1	43.2	51.5	57.3	63.5	64.4	55.1	44.9	34.6	27.9	44.8
LOWEST MEAN	13.6			21.3	30.6	38.2	46.8	53.6	56.2	58.4	48.4	41.4	23.0	17.3	13.6		
HIGHEST MEAN YEAR	1981			1992	1992	1987	1993	1992	1985	1971	1998	1988	1999	1979	1985		
LOWEST MEAN YEAR	1979			1989	1976	1975	1996	1981	1993	1980	1985	1984	1985	1983	1979		
MIN OBS TIME ADJUSTMENT	0.7			0.7	-0.2	-0.6	-0.6	-0.6	-0.6	-0.7	-0.9	-0.6	0.3	0.3			
MAX OBS TIME ADJUSTMENT	0.5			0.4	0.3	0.2	0.1	0.2	0.1	0.0	-0.1	0.0	0.1	0.2			
127	WARREN			HIGHEST MEAN	25.3	30.9	34.4	40.5	46.9	53.9	60.4	59.1	53.3	45.6	33.7	26.1	60.4
				MEDIAN	20.2	23.7	29.5	34.5	42.4	49.0	55.3	55.0	47.2	39.6	27.5	20.5	36.9
		LOWEST MEAN	9.6	14.0	21.1	27.4	38.3	45.3	47.8	50.2	42.5	33.8	18.4	11.1	9.6		
		HIGHEST MEAN YEAR	1998	1995	1992	1987	1992	1988	1975	1998	1998	1988	1999	1980	1975		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1996	1975	1993	1980	1985	1984	1985	1978	1979		
		MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-0.8	-0.9	-0.8	-0.6	-0.6	-0.8	-0.9	-1.2	-1.4	-1.0			
		MAX OBS TIME ADJUSTMENT	-1.5	-1.3	-1.4	-2.1	-2.1	-1.7	-1.5	-1.6	-2.2	-2.1	-1.8	-1.3			
		128	WEISER	HIGHEST MEAN	38.5	42.6	51.8	58.1	67.7	75.0	81.0	77.5	71.7	59.2	44.2	38.8	81.0
				MEDIAN	28.4	36.0	44.8	51.4	60.0	68.1	76.1	74.5	63.3	51.7	40.0	29.5	52.0
LOWEST MEAN	15.9			18.6	38.4	46.2	56.5	64.7	68.4	68.6	57.7	47.6	29.1	13.0	13.0		
HIGHEST MEAN YEAR	1978			1992	1978	1987	1992	1977	1998	1971	1990	1988	1995	1977	1998		
LOWEST MEAN YEAR	1985			1989	1976	1975	1978	1976	1993	1976	1985	1984	1985	1985	1985		
MIN OBS TIME ADJUSTMENT	0.4			0.7	0.0	-0.6	-0.7	-0.7	-0.6	-0.7	-0.9	-0.5	0.2	0.3			
MAX OBS TIME ADJUSTMENT	0.3			0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.2	-0.1	0.0	0.1			
129	WINCHESTER			HIGHEST MEAN	35.8	39.7	42.9	48.1	53.1	59.8	66.7	66.0	61.2	51.3	41.6	34.0	66.7
				MEDIAN	27.6	30.9	35.5	41.0	48.6	54.4	61.0	62.4	53.7	44.2	34.1	28.5	43.3
		LOWEST MEAN	14.0	19.1	28.6	34.7	43.9	50.7	53.2	56.6	47.6	39.7	23.2	18.5	14.0		
		HIGHEST MEAN YEAR	1994	1991	1986	1987	1993	1992	1998	1986	1990	1988	1999	1980	1998		
		LOWEST MEAN YEAR	1979	1989	1976	1975	1977	1991	1993	1980	1971	1971	1985	1978	1979		
		MIN OBS TIME ADJUSTMENT	-1.0	-0.7	-0.6	-0.7	-0.6	-0.6	-0.5	-0.7	-0.7	-0.8	-1.0	-0.6			
		MAX OBS TIME ADJUSTMENT	-0.6	-0.5	-0.4	-0.6	-0.4	-0.5	-0.4	-0.6	-0.6	-0.5	-0.7	-0.5			
		130	YELLOW PINE 7	HIGHEST MEAN	27.0	32.6	39.7	42.6	50.7	58.4	63.4	61.6	56.6	46.6	35.1	26.0	63.4
				MEDIAN	19.6	23.9	31.0	37.2	45.5	51.8	58.7	58.5	49.8	40.8	28.4	20.7	38.9
LOWEST MEAN	7.5			14.8	22.7	29.9	40.5	48.6	50.8	54.0	44.2	36.1	22.9	12.4	7.5		
HIGHEST MEAN YEAR	1998			1991	1986	1987	1993	1986	1998	1971	1998	1988	1999	1980	1998		
LOWEST MEAN YEAR	1979			1985	1976	1975	1975	1975	1993	1985	1985	1984	1985	1990	1979		
MIN OBS TIME ADJUSTMENT	0.5			0.6	-0.1	-0.6	-0.7	-0.6	-0.6	-0.7	-0.8	-0.5	0.2	0.4			
MAX OBS TIME ADJUSTMENT	0.3			0.3	0.3	0.3	0.1	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2			